

Proline ECO

Primer Sealer Zero VOC





DESCRIPTION

PROLINE ECO zero VOC 7070 is a primer sealer that does not contain any volatile organic compounds that can contribute to air pollution. It is made to seal new drywall.

CHARACTERISTICS		TECHNICAL INF	ORMATIC	N	
Zero VOC This primer is ideal for LEED certified projects as well as for any other project requiring a zero VOC paint Excellent sealing properties This product was developed to seal new drywall sheets and repairs, in order to obtain an even finish when applying the top coat. Hiding properties This product has a very good opacity. Sanding		Drying Time		4 hours us nidity at 50% epending on the	To touch : 1 hour
		Surface Coverage (for 946 ml)	8.2 – 10.5 m ² (88 -113ft ²) May vary depending on the surface porosity		
		Cleaning	Lukewarm soapy water		
Easy to sand after 3 hours without overloadin	Dilution Solids by Weight	None 61%			
Non spattering Only a minimum of protection is required to protect baseboards and floors during application.		Solids by Volume	43%		
		voc	Zero		
		GLOSS	60°	N/A	
			85° N/A		
	N/A	May vary according to the texture of surface to which it will be applied on			
TINTING BASES FORM		STANDARDS			
White 7070-0 946ml 3.78L 18.9l		MPI: Certified category #149, GPS-1, GPS-2 (Master Paint Institute)			
	Green Seal: Type GS-11				
COLOURS					
	CGSB: Type 1GP 119				
White		CFIA: Product approved			
	(Canadian Food Inspection Agency)				

USE	LIMITATIONS
	 Do not apply if temperature is below 10°C
- For interior use	- Not for exterior use
 Suitable for new surfaces such as; drywall, concrete and wood 	- Do not apply on floors
 Seals and hides repairs in order to obtain an even finish with the top coat 	- Do not apply over alkyd paints
- Suitable for residential or institutional projects	- Do not apply on pearl finish or glossier surfaces

SURFACE PREPARATION

The surface must be dry and clean, without dust, oil, grease, rust and soap. On painted surfaces, it is recommended to clean with T.S.P. (trisodium phosphate) in order to eliminate any contaminant that might harm the adhesion or the hardening of the product. Glossy surfaces must be sanded and dusted before painting.

APPLICATION

Stir thoroughly before use. Apply one or two coats as required. Let dry at least 4 hours between each coat. A 15mm lint free roller or a quality nylon-polyester brush are recommended to enhance its application. For a spray application, dilute with a maximum of 10% water. Clean brushes and rollers with lukewarm soapy water.

WARRANTY	CAUTION
This product will give full satisfaction if applied according to the manufacturer's instructions. Manufacturer's liability is limited to the replacement of the product and does not include manpower if found defective upon inspection.	-Keep away norn children -Keep in a dry area hetween 10° C-30° C

Dispose of the container in an environmentally-friendly manner.

MF Paints inc., 1605 Dagenais BLVD. West Laval, Quebec, H7L 5A3 Customer Service 1-800-363-8034