

Latex Plus

Primer Sealer



170-0

Technical Data Sheet

DESCRIPTION

LATEX Plus 170 series is a Superior Quality interior primer sealer, made of acrylic resin, specially formulated to seal new drywall.

CHARACTERISTICS	TECHNICAL INI	FORMATION	
Excellent hiding and sealer Due to its excellent hiding and sealing properties, this primer unifies the uneven colored drywall as well as the repairs. Excellent sealing properties This product was formulated to seal new drywall sheets and repaired areas in order to obtain an even sheen when applying the top coat. Non spattering	Drying Time	Recoat: 2-4 hours At 25° Celsius Relative humidity at 50% May differ depending on th	To touch : 1 hour
	Surface Coverage (for 946 ml)	10.5 – 11.6m ² (113 -125ft ²) May vary depending on the surface porosity	
Only a minimum of protection is required to protect baseboards and floors during application.	Cleaning Dilution	Lukewarm soapy water None	
	Solids by Weight	59%	
	Solids by Volume	44%	
	VOC GLOSS N/A	<50 g/L 60° N/A 85° N/A May vary according	
TINTING BASES FORMATS	STANDARDS	surface to which it w	ill be applied on
946ml 3.78L 18.9L White 170-0 X X X	CGSB: Type 1	GP 119	
COLOURS White	MPI: Type #50		

USE	LIMITATIONS
- For interior use	- Not for exterior use
- Can be used on unpainted and painted surfaces	- Do not use on floors
- Seals and hides repairs, in order to obtain an even sheen with the top coat of paint	- Do not apply if temperature is below 10°C
 Can be used for residential, commercial and institutional projects 	 Dot not apply over alkyd based paints

SURFACE PREPARATION

The surface must be dry and clean, with no traces of flaking, oil, grease, soap, wax, rust and dust. On painted surfaces, it is recommended to clean with T.S.P. (trisodium phosphate) in order to eliminate any contaminant that might harm the adhesion or the hardening of the product. Glossy surfaces must be sanded and dusted before painting.

APPLICATION

Stir thoroughly before use. Apply one or two coats as required. Let dry at least 4 hours. A 15mm lint free roller or a quality bristle brush are recommended to enhance its application. For a spray application, dilute with a maximum of 10% water. Clean brushes and rollers with soapy lukewarm water.

WARRANTY	CAUTION
This product will give full satisfaction if applied according to the manufacturer's instructions. Manufacturer's liability is limited to the replacement of the product and does not include manpower if found defective upon inspection.	-Keep away from children -Keep in a dry area between 10° C-30° C

Dispose of the container in an environmentally-friendly manner.