

# Latex Field Marking Paint

195-0

White

# **Technical Data Sheet**

## DESCRIPTION

White vinyl-acrylic copolymer paint for field

CHARACTERISTICS	TECHNICAL II	NEORMAT	ION		
Its highly visible white colour creates a sharp contrast applied on natural turf, sand, asphalt, and concrete.  Specially formulated to provide a good durability.		Recoat:  At 25° Cel Relative h	30 min – 1h	To touch : 30 minutes	
Ecological This paint contains zero COV* *(Volatile Organic Compound)	Surface Coverage (for 18.9L)	960 linear feet at 4 inches wide 5 mils wet May vary depending on the field			
	Cleaning	Lukewarm soapy water			
	Dilution	None			
	Solids by Weight	17%			
	Solids by Volume	7.5%			
	voc	Zero			
	GLOSS	60°	N/A N/A		
	N/A			to the texture of rill be applied on	
TINTING BASES FORMATS	COLOURS				
	18.9L White X				
USE	LIMITATIONS	S			
<ul> <li>Specially manufactured for playground markir product may be used on natural and artificial sand, asphalt and cement.</li> </ul>	gs. This - Do no	- Do not use as a traffic paint.			

#### SURFACE PREPARATION

No preparation required.

#### SUGGESTED PRIMER

No primer required.

### **APPLICATION**

Stir thoroughly before application. Upon request, the viscosity can be adjusted in advance.

According to the required pigmentation by the applicator, an additional dilution could be made while keeping in mind that a higher dilution may cause the paint to fade quicker after a rainfall, and can dry to be paler.

Damper the grass, the colour pigments will more likely settle to be lighter following its application. The paint will then dry to a whiter finish.

WARRANTY	CAUTION
This product will give full satisfaction if applied according to the manufacturer's instructions. Manufacturer's liability is limited to the replacement of the product and does not include manpower if found defective upon inspection.	-Keep in a dry area between 10° C-30° C

Dispose of the container in an environmentally-friendly manner.

MF Paints inc., 1605 Dagenais BLVD. West Laval, Quebec, H7L 5A3 Customer Service 1-800-363-8034