

SAFETY DATA SHEET (SDS)

Product identifier 160-0, 160-1 Other means of identification Latex Plus satin/eggshell finish Recommended use and restrictions on use Architectural Paint for interior Initial supplier identifier MF Paints Inc. 1605 Dagenais Boulevard W, Laval, QC H7L 5A3 T;(450) 628-3831 Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number 613-996-6666 Classification of hazardous product (name of the category or subcategory of the hazard class) Avoid creating dust to eliminate this inhalation hazard - Carcinogenicity (Category 2) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Warning H351 Suspected of causing cancer. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear pr gloves/protective clothing/eye protection/face protection. 308 + P313 IF exposed or concerned: Get medical attention. P405 Store locked u Dispose of contents/container in to safe container in accordance with local, regional or national regulations. Other hazards known None Chemical name (common name/synonyms) CAS number or other Chemical name (common name/synonyms) CAS number or other Chemical name (common name/synonyms) CAS number or other Chenetaration (IFINALED: Remove person to frex in and keep		Section 1. Identi	ification			
Becommended use and restrictions on use Architectural Paint for interior Initial supplier identifier MF Paints Inc. 1605 Dagenais Boulevard W, Laval, QC H7L 5A3 T;(450) 628-3831 Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number 613-996-6666 Section 2. Hazard identification Classification of hazardons product (name of the category or or subcategory of the hazard class) Avoid creating dust to eliminate this inhalation hazard - Carcinogenicity (Category 2) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Warning H351 Suspected of causing cancer. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear pr gloves/protective clobinig/eye protection/face protection. 308 + P313 IF exposed or concerned: Get medical attention. P405 Store locked u Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Chemical name (common name/synonyms) CAS number or other Concentration (Titanium dioxide 13463-67-7 <20	Product identifie	er 160-0, 160-1				
Becommended use and restrictions on use Architectural Paint for interior Initial supplier identifier MF Paints Inc. 1605 Dagenais Boulevard W, Laval, QC H7L 5A3 T;(450) 628-3831 Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number 613-996-6666 Section 2. Hazard identification Classification of hazardons product (name of the category or or subcategory of the hazard class) Avoid creating dust to eliminate this inhalation hazard - Carcinogenicity (Category 2) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Warning H351 Suspected of causing cancer. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear pr gloves/protective clobinig/eye protection/face protection. 308 + P313 IF exposed or concerned: Get medical attention. P405 Store locked u Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Chemical name (common name/synonyms) CAS number or other Concentration (Titanium dioxide 13463-67-7 <20						
Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number 613-996-6666 Section 2. Hazard identification Classification of hazardous product (name of the category or subcategory of the hazard class) Avoid creating dust to eliminate this inhalation hazard - Carcinogenicity (Category 2) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Warning H351 Suspected of causing cancer. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear pr gloves/protective clothing/eye protection/ace protection. 308 + P313 IF exposed or concerned: Get medical attention. P405 Store locked u Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazard's known None Section 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other Concentration (Titianu dioxide 13463-67-7 < 20						
Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number 613-996-6666 Section 2. Hazard identification Classification of hazardous product (name of the category or subcategory of the hazard class) Avoid creating dust to eliminate this inhalation hazard - Carcinogenicity (Category 2) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Warning H351 Suspected of causing cancer. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear pr gloves/protective clothing/eye protection/ace protection. 308 + P313 IF exposed or concerned: Get medical attention. P405 Store locked u Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazard's known None Section 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other Concentration (Titianu dioxide 13463-67-7 < 20						
Classification of hazardous product (name of the category or subcategory of the hazard class) Avoid creating dust to eliminate this inhalation hazard - Carcinogenicity (Category 2) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Warning H351 Suspected of causing cancer. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear pr gloves/protective clothing/eye protection/face protection. 308 + P313 IF exposed or concerned: Get medical attention. P405 Store locked u Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Section 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other Concentration (Titanium dioxide Section 4. First-aid measures Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor. Inhalation IF WALLOWED: Rinse mouth horoughly with water. Eye contact F WALLOWED: Rinse mouth horoughly with water. Megeine addecin attent						
Avoid creating dust to eliminate this inhalation hazard - Carcinogenicity (Category 2) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Warning H351 Suspected of causing cancer. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear pr gloves/protective clothing/eye protection/face protection. 308 + P313 IF exposed or concerned: Get medical attention. P405 Store locked u Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Chemical name (common name/synonyms) CAS number or other Concentration (Titanium dioxide 13463-67-7 < 20						
Avoid creating dust to eliminate this inhalation hazard - Carcinogenicity (Category 2) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Warning H351 Suspected of causing cancer. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear pr gloves/protective clothing/eye protection/face protection. 308 + P313 IF exposed or concerned: Get medical attention. P405 Store locked u Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Chemical name (common name/synonyms) CAS number or other Concentration (I Titanium dioxide 13463-67-7 < 20	Classification of	hazardous product (name of the category or subcategory	of the hazard class)			
Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Warning H351 Suspected of causing cancer. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear pre gloves/protective clothing/eye protection/face protection. 308 + P313 IF exposed or concerned: Get medical attention. P405 Store locked u Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None CAS number or other Concentration (Tritanium dioxide Chemical name (common name/synonyms) CAS number or other Concentration (Tritanium dioxide 13463-67-7 Kaolin 92704-41-1/132-58-7 Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breating. Immediately call a doctor. Ingestion Gettion 4. First-aid measures Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breating. Immediately call a doctor. Ingestion IF SWALLOWED: Rinse mouth. Do NOT induce voniting. NEVER give anything by mouth if victim is rapidly consciousness, or is unconscious or oroulsing. Rinse mouth thoroughly with water. Have victim lena forward to reduce risk of aspiration. Call a doctor if you feel unwell. Skin contact IF NS KIN: Rinse skin with water. <t< td=""><td></td><td></td><td></td><td></td></t<>						
H351 Suspected of causing cancer. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear pr gloves/protective clothing/eye protection/face protection. 308 + P313 IF exposed or concerned: Get medical attention. P405 Store locked u Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Section 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other Concentration (Titanium dioxide Section 4. First-aid measures Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor. Ingestion IF ON SKIN: Rinse skin with water. Section 5. Fire-fighting measures Mone Indication of immediate medical attention/special treatment In all cases, call a doctor. Ingestion IF IN EYES, Rinse cautiously with water. Section 5. Fire-fighting measures Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and				ry/subcategory)		
Other hazards known None Section 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other Concentration () Titanium dioxide 13463-67-7 < 20 Kaolin 92704-41-1/1332-58-7 < 15 Ethylene glycol 107-21-1 < 2 Section 4. First-aid measures Innediately call a doctor. Ingestion IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor. Ingestion IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. NEVER give anything by mouth if victim is rapidly consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell. Skin contact IF ON SKIN: Rinse skin with water. Most important symptoms and effects (acute or delayed) None Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Specific hazards of the hazardous product (hazardous combustion products) Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for f	H351 Suspected of P201 Obtain spec gloves/protective	cial instructions before use. P202 Do not handle until all safet clothing/eye protection/face protection. 308 + P313 IF expos	sed or concerned: Get medical attention			
Section 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other Concentration () Titanium dioxide 13463-67-7 < 20			Ional of national regulations.			
Chemical name (common name/synonyms) CAS number or other Concentration (Titanium dioxide 13463-67-7 < 20	Other nazarus k					
Titanium dioxide 13463-67-7 < 20 Kaolin 92704-41-1/1332-58-7 < 15 Ethylene glycol 107-21-1 < 2 Section 4. First-aid measures Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor. Ingestion IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. NEVER give anything by mouth if victim is rapidly consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell. Skin contact IF ON SKIN: Rinse skin with water. Eye contact IF IN EYES, Rinse cautiously with water. Most important symptoms and effects (acute or delayed) None Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wea protective equipm	Chamical name			$C_{an approx}(0/)$		
Kaolin 92704-41-1/1332-58-7 < 15						
Ethylene glycol 107-21-1 < 2		<i>i</i>				
Section 4. First-aid measures Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor. Ingestion IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. NEVER give anything by mouth if victim is rapidly consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell. Skin contact IF ON SKIN: Rinse skin with water. None Eye contact IF IN EYES, Rinse cautiously with water. None Most important symptoms and effects (acute or delayed) None In all cases, call a doctor. Do not forget this document. Specific hazards of the hazardous product (hazardous combustion products) Section 5. Fire-fighting measures Specific hazards of the hazardous product (hazardous combustion products) Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wea protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursti Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and ca						
Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor. Ingestion IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. NEVER give anything by mouth if victim is rapidly consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell. Skin contact IF ON SKIN: Rinse skin with water. Eye contact IF IN EYES, Rinse cautiously with water. Most important symptoms and effects (acute or delayed) None Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should weap protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursti Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and fill	Ethylene grycol	Seather A Flore - 1		< 2		
Ingestion IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. NEVER give anything by mouth if victim is rapidly consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell. Skin contact IF ON SKIN: Rinse skin with water. Eye contact IF IN EYES, Rinse cautiously with water. Most important symptoms and effects (acute or delayed) None Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should weaprotective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursti Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and fill	Tabalat'an			1 1 4		
consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell. Skin contact IF ON SKIN: Rinse skin with water. Eye contact IF IN EYES, Rinse cautiously with water. Most important symptoms and effects (acute or delayed) None Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should weaprotective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursti Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and find						
Eye contact IF IN EYES, Rinse cautiously with water. Most important symptoms and effects (acute or delayed) None Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should weaprotective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursti Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flow	ingestion	consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If				
Most important symptoms and effects (acute or delayed) None Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Section 5. Fire-fighting measures Section 5. Fire-fighting measures Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should weaprotective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursti Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flue	Skin contact	IF ON SKIN: Rinse skin with water.				
Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Section 5. Fire-fighting measures Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should weaprotective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursti Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flue	Eye contact	IF IN EYES, Rinse cautiously with water.				
Section 5. Fire-fighting measures Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should weaprotective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursti Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flucture of the section						
Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should weaprotective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursti Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flow						
Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wea protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursti Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and fl		Section 5. Fire-fighti	ng measures			
Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wea protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursti Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and fl	Specific hazards	of the hazardous product (hazardous combustion produc	ets)			
In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wea protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursti Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and fl	Carbon oxides an	nd other irritant/toxic gases and fumes.				
Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wea protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursti Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and fl						
During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should weat protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursti Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and fl	In case of fire: Us	se carbon dioxide, chemical powder agent and appropriate foa	am to extinguish surrounding produc	ts.		
protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursti Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and fl						
Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and fl						
Section 6. Accidental release measures		from fire area if it can be done without risk. Water spray may b	be useful in cooling equipment and ca			
			elease measures			
Personal precautions, protective equipment and emergency procedures						
Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained per						
only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).						
Methods and materials for containment and cleaning up						
Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent mater place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled Notify the appropriate authorities as required.	place material into	o a container for later disposal (see Section 13). Contaminated				



Section 7. Handling and storage

Precautions for safe handling

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m³ & PEL-TWA 10 mg/m³; DUST ACGIH – TLV-TWA 1 mg/m³ & PEL-TWA 5 mg/m³ (respirable fraction) & 15 mg/m³ (total dust);

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section 9. Physical and chemical properties					
Appearance, physical state/colour Liquid	Vapour pressure Not available				
Odour Characteristic	Vapour density Not available				
Odour threshold Not available	Relative density 1.323				
pH Not available	Solubility Not available				
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available				
Initial boiling point/range Not available	Auto-ignition temperature Not available				
Flash point > 93°C	Decomposition temperature Not available				
Evaporation rate Not available	Viscosity Not available				
Flammability (solids and gases) Not available	VOC Not available				
Upper and lower flammability/explosive limits Not available	Other None known				
Section 10. Stability and reactivity					
Reactivity					
Does not react under the recommended storage and handling conditions prescribed.					
Chemical stability					
Stable under the recommended storage and handling conditions prescribed.					
Possibility of hazardous reactions					
None known					
Conditions to avoid (static discharge, shock or vibration)					
None known					
Incompatible materials					
Oxidizing materials; etc.					
Hazardous decomposition products					
None known					



Section 11. Toxicological information				
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)				
Avoid creating dust to eliminate this inhalation hazard - Suspected of causing cancer.				
Symptoms related to the physical, chemical and toxicological characteristics				
None				
Delayed and immediate effects (chronic effects from short-term and long-term exposure)				
Skin Sensitization – No data available; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – Ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified – No data available.				
Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)				
None				
ATE not available in this document.				
Section 12. Ecological information				
Ecotoxicity (aquatic and terrestrial information) No data available				
Persistence and degradability No data available				
Bioaccumulative potential No bioaccumulation is to be expected.				
Mobility in soil No data available				
Other adverse effects No data available				
Section 13. Disposal considerations				
Information on safe handling for disposal/methods of disposal/contaminated packaging				
Dispose of contents/container into safe container in accordance with local, regional or national regulations.				
Section 14. Transport information				
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations				
Not Regulated				
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)				
Not Regulated				
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)				
Not Regulated				
Special precautions (transport/conveyance) None				
Environmental hazards (IMDG or other) None				
Bulk transport (usually more than 450 L in capacity) Possible				
Section 15. Regulatory information				
Safety/health Canadian regulations specificsRefer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).				
Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL				
Safety/health/environmental outside regulations specifics				
United States OSHA information: This product is regulated according to OSHA (29 CFR).				
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.				
United States TCSA information: Refer to the ingredients listed in Section 3.				
Collifernia Deservition (5. This are dust a set in a line to that are herein to the State of Collifernia to serve and the many dusting herein				

California Proposition 65: This product contains ingredients that are known to the State of California to cause cancer or other reproductive harm.



Section 16. Other information				
Date of the latest revision of the safety data sheet February 09, 2018 version 1 (NSS ENTREPRISE INC.)				
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.			
Abbreviations				
ACGIH	American Conference of Governmental Industrial Hygienists			
ATE	Acute toxicity estimate			
CAS	Chemical Abstract Service			
DSL	Domestic Substance List			
IARC	International Agency for Research on Cancer			
IATA	International Air Transport Association			
IMDG	International Maritime Dangerous Goods Code			
LC	Lethal concentration			
LD	Lethal Dosage			
NIOSH	National Institute for Occupational Safety and Health			
NTP	National Toxicology Program (U.S.A.)			
OSHA	Occupational Safety and Health Administration (U.S.A.)			
PEL	Permissible Exposure Limit			
STEL	Short-term Exposure Limit			
TDG	Transport of dangerous goods in Canada			
TLV	Threshold Limit Value			
TSCA	Toxic Substances Control Act			
TWA	Time Weighted Average			
WHMIS	Workplace Hazardous Materials Information System			
To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability				

whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.