

### **SAFETY DATA SHEET (SDS)**

**Section 1. Identification** Product identifier 296-0 Other means of identification Block Plus, alkyd based **Recommended use and restrictions on use** Stain Blocking Primer Peintures MF Inc. 1605 Dagenais Boulevard W, Laval, QC H7L 5A3 T:(450) 628-3831 Initial supplier identifier Emergency telephone number/restriction on use | Canada – CANUTEC 24 hour number 613-996-6666

#### Section 2. Hazard identification

### Classification of hazardous product (name of the category or subcategory of the hazard class)

Flammable liquid (Category 3)

Skin irritation (Category 2)

Eye irritation (Category 2A)

Specific target organ toxicity – single exposure (Category 3), Central nervous system

Carcinogenicity (Category 2)

### Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)







#### Danger

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H351 Suspected of causing cancer.

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear gloves/protective clothing/eye protection/face protection. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P302 + P352 IF ON SKIN: wash with plenty of water. P332 + P313 IF SKIN irritation or rash occurs; Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing, P337 + P313 If eye irritation persists: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 + P235 Store in a well-ventilated place. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

## Other hazards known

READ INSTRUCTIONS BEFORE USING. DANGER OF COMBUSTION. Keep out of reach of children. Materials such as rags used with this product may begin to burn by themselves. After use, put rags in water or lay flat to dry, then discard.

nat to ary, then alseara.				
Section 3. Composition/information on ingredients				
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)*		
Naphtha, hydrotreated heavy	64742-48-9	< 20		
Titanium dioxide	13463-67-7	< 15		
Nepheline syenite	37244-96-5	< 10		
Calcium carbonate	1317-65-3	< 50		
Stoddard solvent	8052-41-3	< 5		
Silica crystalline, Quartz	14808-60-7	< 0.1		
* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s)				



Section 4. First-aid measures			
Inhalation	IF INHALED: Remove person to fresh air and keep of	comfortable for breathing. Call a doctor if you feel unwell.	
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two		
	glasses of water. If vomiting occurs naturally, have v		
Skin contact	IF ON SKIN: wash with plenty of water. (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.		
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.		
Most important s	Most important symptoms and effects (acute or delayed)  Causes skin irritation. Causes serious eye irritation.		
In all cases, call a doctor. Do not forget this document.		In all cases, call a doctor. Do not forget this document.	

#### Section 5. Fire-fighting measures

### **Specific hazards of the hazardous product (hazardous combustion products)**

Carbon oxides and other irritant/toxic gases and fumes.

#### Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish.

## Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

### Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

## Section 7. Handling and storage

### Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

### Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

# **Section 8. Exposure controls/Personal protection**

#### Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m³ & PEL-TWA 10 mg/m³; DUST ACGIH – TLV-TWA 1 mg/m³ & PEL-TWA 5 mg/m³ (respirable fraction) & 15 mg/m³ (total dust); CAS 8052-41-3 – ACGIH – TLV-TWA 100 ppm & PEL-TWA 500 ppm; CAS 14808-60-7 ACGIH – TLV-TWA 0.025 mg/m³ & PEL-TWA 0.1 mg/m³; CAS 1317-65-3 – PEL-TWA 15 mg/m³ (total dust) & 5 mg/m³ (respirable fraction);

## **Appropriate engineering controls**

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

# Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.



Environmental hazards (IMDG or other) None
Bulk transport (usually more than 450 L in capacity)

DATE & VERSION – AUGUST 14, 2018 VERSION 01				
Section 9. Physical and chemical properties				
Appearance, physical state/colour Liquid	Vapour pressure	Not available		
Odour Characteristic	Vapour density	Not available		
Odour threshold Not available	Relative density	1.558 g/L		
pH Not available		vailable		
Melting/freezing point Not available	Partition coefficient			
Initial boiling point/range Not available	Auto-ignition temp			
Flash point 39°C closed cup				
	Decomposition tem			
Evaporation rate   Not available		@ 40°C		
Flammability (solids and gases) Not available	VOC Not available			
Upper and lower flammability/explosive limits   Not available	Other None know	Wn		
Section 10. Stability	and reactivity			
Reactivity  Does not react under the recommended storage and handling conditions present	ihad			
	ibeu.			
Chemical stability  Stable under the recommended storage and handling conditions prescribed.				
Possibility of hazardous reactions				
· · · · · · · · · · · · · · · · · · ·	M1 i T	.1		
Keep away from heat, hot surfaces, sparks, open flames and other ignition so	ources. No smoking. T	ake action to prevent static discharges.		
Conditions to avoid (static discharge, shock or vibration)	), 1: m	1		
Keep away from heat, hot surfaces, sparks, open flames and other ignition so				
such as rags used with this product may begin to burn by themselves. After u	ise, put rags in water o	r lay flat to dry, then discard.		
Incompatible materials				
Oxidizing materials; etc.				
Hazardous decomposition products				
None known				
Section 11. Toxicolog				
Information on the likely routes of exposure (inhalation, ingestion, skin				
Causes skin irritation. Causes serious eye irritation. May cause drowsiness or		of causing cancer.		
	Symptoms related to the physical, chemical and toxicological characteristics			
Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing; R	espiratory tract irrita	tion, coughing, shortness of breath, dizziness,		
	drowsiness, nausea and headaches.			
Delayed and immediate effects (chronic effects from short-term and long				
Skin Sensitization – No data available; Respiratory Sensitization – No data available				
- Ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity -				
- Possible; Specific Target Organ Toxicity — Repeated Exposure - No data available; Aspiration Hazard - No data available; Health Hazards Not				
Otherwise Classified – No data available.				
Numerical measures of toxicity (ATE; LD <sub>50</sub> & LC <sub>50</sub> )				
None				
ATE not available in this document.				
Section 12. Ecologic	al information			
<b>Ecotoxicity (aquatic and terrestrial information)</b> No data available for	the product.			
Persistence and degradability No data available				
Bioaccumulative potential No data available				
Mobility in soil No data available				
Other adverse effects No data available				
Section 13. Disposal considerations				
Information on safe handling for disposal/methods of disposal/contaminated packaging				
Dispose of contents/container into safe container in accordance with local, regional or national regulations.				
Section 14. Transport information				
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations				
UN1263; PAINT RELATED MATERIAL; CLASS 3; PG III				
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)				
UN1263; PAINT RELATED MATERIAL; CLASS 3; PG III				
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)				
1 Ort number, i roper simpping name, Class(es), i acking group (FG) of the	ic ia ia (all)			
IIN1263: PAINT RELATED MATERIAL: CLASS 2: DC III				
UN1263; PAINT RELATED MATERIAL; CLASS 3; PG III  Special precautions (transport/conveyance) May also be shipped as NO	T REGIII ATED in a	ecordance with TDG		

Possible



Section 15. Regulatory information				
Safety/health C	<b>anadian regulations specifics</b> Refer to Section 2 for the appropriate classification. This product has been classified in accordance			
	with the hazard criteria of the Hazardous Products Regulations (HPR).			
Environmental	Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL			
Safety/health/environmental outside regulations specifics				
	SHA information: This product is regulated according to OSHA (29 CFR).			
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.				
United States TCSA information: Refer to the ingredients listed in Section 3.				
California Proposition 65: This product contains an ingredient known to the State of California to cause cancer or other reproductive harm.				
	Section 16. Other information			
	st revision of the safety data sheet   August 14, 2018 version 1 (NSS ENTREPRISE INC.)			
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.			
Abbreviations				
ACGIH	American Conference of Governmental Industrial Hygienists			
ATE	Acute toxicity estimate			
CAS	Chemical Abstract Service			
DSL	Domestic Substance List			
IARC	International Agency for Research on Cancer			
IATA	International Air Transport Association			
IMDG	International Maritime Dangerous Goods Code			
LC	Lethal concentration			
LD	Lethal Dosage			
NIOSH	National Institute for Occupational Safety and Health			
NTP	National Toxicology Program (U.S.A.)			
OSHA	Occupational Safety and Health Administration (U.S.A.)			
PEL	Permissible Exposure Limit			
STEL	Short-term Exposure Limit			
TDG	Transport of dangerous goods in Canada			
TLV	Threshold Limit Value			
TSCA	Toxic Substances Control Act			
TWA	Time Weighted Average			
WHMIS	Workplace Hazardous Materials Information System			
To the best of our l	knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability			

whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.