## MF PAINTS INC. MATERIAL SAFETY DATA SHEET

GENERAL INFORMATION **SECTION 1** 

Manufacturer: MF PAINTS inc. TDG: Not regulated Product name: Latex plus

1605 Dagenais West Use: Paints

Product code: 130 Laval, Quebec, H7L 5A3

IN CASE OF EMERGENCY, CONTACT ANTI-POISON CENTER SIMDUT: D2A, D2B

**SECTION 2** HAZARDOUS INGREDIENTS

Component: CAS No. LD 50 Species/ Route LC 50 Species/ Route

Ethylene glycol 107-21-1 8540 mg/kg (oral-rat) 10876 mg/kg (rat) 1-3

7500 mg/kg (oral-mouse)

PHYSICAL AND CHEMICAL PROPERTIES **SECTION 3** 

Physical state at 20°C: Liquid Colour: White Solubility in water: miscible Odour: odourless Boiling point: 100°C Vapour pressure (mm of Hg): N.A. Freezing/ melting point: 0°C Density (G/ML): 1.1 - 1.5 Vapour density (air=1): N.A.

Volatile by weight (%): 44-57 Evaporation rate (n-butyl acetate=1): N.A.

**SECTION 4** FIRE OR EXPLOSION RISK

Flash point: Closed cup: N/A Flammability: No Open cup: N.A. Auto-ignition temperature: N.A. Flammable limits: Lower: N.A. Upper: n/a

Combustion products: Carbon monoxide, carbon dioxide.

Extinguishing media: Carbon dioxide, foam, dry chemical, alcohol foam, water fog. Do not direct a solid stream of water or foam into hot, burning pools; this may cause frothing and increase fire intensity.

Special fire procedures: Wear full protective equipment including a self-contained breathing apparatus. Vapours mixed with air create an explosive mixture. Cool off exposed

containers with water.

**SECTION 5** REACTIVITY

Stability: Yes Reactivity: under excessive heat

Incompatibility: Yes, with strong acids, strong bases, and strong oxidants. Reacts strongly in contact with oxidants agents or hydroxyls components.

Decomposition products: Thermo decomposition (500-600°C): carbon monoxide, carbon dioxide, acetaldehyde.

TOXICOLOGICAL PROPERTIES

TOXIC EFFECTS:

Inhalation: High vapours concentrations may produce nausea, vomiting, headache, dizziness, irregular eye movements, abdominal discomfort, drowsiness, blurring of vision, lumbar pain, oliguria, uraemia and central effects system, including convulsions and coma. Cardiac failure and pulmonary oedema may develop.

Skin: Possible irritation

Ingestion: Same as inhalation. Severe kidney damage follows the swallowing of large volumes of ethylene glycol. May be fatal.

Eyes: Possible irritation. Excess redness and swelling of the conjunctiva may occur.

CHRONIC EFFECTS: Repeated contact may cause dermatitis, conjunctiva. On animals (inhalation or ingestion): dose related increase in renal tumour incidence and hepatics.

TOXICOLOGICAL DATA:

Time-weighted average exposure value: (ppm) 50p (mg/m3) 127p Cancerogenicity: studies suggest the absence of effects.

Mutagenicity: Insufficient data to evaluate. Teratogenicity: insufficient data to evaluate.

Other effect: antagonism: ethanol, b6 vitamins, magnesium, pyrazole. Reproduction system effects: Passes through the placental barrier in animals.

SECTION 7 PREVENTION

Gloves: Appropriate gloves. Foot wear: N.A. Equipment and clothing: Protection equipment Eyes protection: glasses

Ventilation: Maintain the concentrations under the minimal exposition rate. Breathing protection: protection equipment

Leak or accident: Absorb with paper, sand or sawdust.

Waste disposal: Refer to the regional office of the minister of Environment.

Handling and storage: Ventilate adequately or wear an appropriate breathing apparatus Wear eye protection. Avoid contact with skin. Store in a sealed container, in a well ventilated

area, away from oxidants materials.

FIRST AID **SECTION 8** 

Breathing: Incommodious vapours - bring the person in a well-ventilated area. If breathing has stopped, administer artificial respiration. Give oxygen, keep warm and call a

physician. Skin contact: Wash skin with water and soap.

Eyes contact: Flush eyes with lukewarm water. If irritation persists, consult a physician.

Ingestion: If person is conscious-induce vomiting. Call a physician.

PREPARATION INFORMATION

We believe that the information given above is up to date at the preparation date of this toxicological index. Because the handling of this information is not upon the control of this

company, the users have the full responsibility to determine the conditions to properly and safely use this product.

Phone: (450) 628-3831 Poison Centre 1-800-463-5060 Manager: Richard St-Onge Preparation date: January 2016