

MF PAINTS INC.

MATERIAL SAFETY DATA SHEET

SECTION 1 GENERAL INFORMATION

Manufacturer: MF PAINTS inc.
1605 Dagenais West

Laval, Quebec, H7L 5A3

TDG: Not regulated

Product name: Latex plus
Use: Paints

Product code: 160

IN CASE OF EMERGENCY, CONTACT ANTI-POISON CENTER SIMDUT: D2A, D2B

SECTION 2 HAZARDOUS INGREDIENTS

Component:	%	CAS No.	LD 50 Species/ Route	LC 50 Species/ Route
Ethylene glycol	1-3	107-21-1	8540 mg/kg (oral-rat) 7500 mg/kg (oral-mouse)	10876 mg/kg (rat)

SECTION 3 PHYSICAL AND CHEMICAL PROPERTIES

Physical state at 20°C: liquid
Odour: Odourless
Freezing/ melting point: 0°C
Volatile by weight (%): 44-57

Colour: White
Boiling point: 100°C
Density (G /ML): 1.1 - 1.5
Evaporation rate (n-butyl acetate=1): N.A.

Solubility in water: miscible
Vapour pressure (mm of Hg): N.A.
Vapour density (air=1): N.A.

SECTION 4 FIRE OR EXPLOSION RISK

Flammability: No

Auto-ignition temperature: N.A.

Combustion products: Carbon monoxide, carbon dioxide.

Extinguishing media: Carbon dioxide, foam, dry chemical, alcohol foam, water fog. Do not direct a solid stream of water or foam into hot, burning pools; this may cause frothing and increase fire intensity.

Special fire procedures: Wear full protective equipment including a self-contained breathing apparatus. Vapours mixed with air create an explosive mixture. Cool off exposed containers with water.

Flash point: Closed cup: N/A

Flammable limits: Lower: n/a

Open cup: N.A.

Upper: n/a

SECTION 5 REACTIVITY

Stability: Yes

Incompatibility: Yes, with strong acids, strong bases, and strong oxidants. Reacts strongly in contact with oxidants agents or hydroxyls components.

Decomposition products: thermo decomposition (500-600°C): carbon monoxide, carbon dioxide, acetaldehyde.

Reactivity: under excessive heat

SECTION 6 TOXICOLOGICAL PROPERTIES

TOXIC EFFECTS:

Inhalation: High vapours concentrations may produce nausea, vomiting, headache, dizziness, irregular eye movements, abdominal discomfort, drowsiness, blurring of vision, lumbar pain, oliguria, uraemia and central effects system, including convulsions and coma. Cardiac failure and pulmonary oedema may develop.

Skin: possible irritation

Ingestion: same as inhalation. Severe kidney damage follows the swallowing of large volumes of ethylene glycol. May be fatal.

Eyes: possible irritation. Excess redness and swelling of the conjunctiva may occur.

CHRONIC EFFECTS: repeated contact may cause dermatitis, conjunctiva. On animals (inhalation or ingestion): dose related increase in renal tumour incidence and hepatics.

TOXICOLOGICAL DATA:

Time-weighted average exposure value: (ppm) 50p (mg/m3) 127p

Mutagenicity: Insufficient data to evaluate.

Reproduction system effects: Passes through the placental barrier in animals.

Cancerogenicity: Studies suggest the absence of effects.

Teratogenicity: Insufficient data to evaluate.

Other effect: antagonism: ethanol, b6 vitamins, magnesium, pyrazole.

SECTION 7 PREVENTION

Gloves: Appropriate gloves.

Equipment and clothing: Protection equipment

Ventilation: Maintain the concentrations under the minimal exposition rate.

Leak or accident: Absorb with paper, sand or sawdust.

Waste disposal: Refer to the regional office of the minister of Environment

Handling and storage: Ventilate adequately or wear an appropriate breathing apparatus Wear eye protection. Avoid contact with skin. Store in a sealed container, in a well ventilated area, away from oxidants materials.

Foot wear: N.A.

Eyes protection: Glasses

Breathing protection: Protection equipment

SECTION 8 FIRST AID

Breathing: Incommodious vapours - bring the person in a well-ventilated area. If breathing has stopped, administer artificial respiration. Give oxygen, keep warm and call a physician. Skin contact: Wash skin with water and soap.

Eyes contact: Flush eyes with lukewarm water. If irritation persists, consult a physician.

Ingestion: If person is conscious-induce vomiting. Call a physician.

SECTION 9 PREPARATION INFORMATION

We believe that the information given above is up to date at the preparation date of this toxicological index. Because the handling of this information is not upon the control of this company, the users have the full responsibility to determine the conditions to properly and safely use this product.

Manager: Richard St-Onge

Preparation date: January 2016

Phone: (450) 628-3831 **Poison Centre 1-800-463-5060**