MF PAINTS INC. MATERIAL SAFETY DATA SHEET

SECTION 1	GENERAL INFORMATION			
Manufacturer:	MF PAINTS inc. 1605 Dagenais West		TDG: Not regulated	Product name: Paint for playgrounds Use: Tracing
	Laval, Quebec, H7L 5A3			Product code: 198
IN CASE OF EMERGENCY, CONTACT ANTI-POISON CENTER SIMDUT: D2A, D2B				
SECTION 2 HAZARDOUS INGREDIENTS				
Component:	%	CAS No.	LD 50 Species/ Route	LC 50 Species/ Route
Ethylene glycol	1-2	107-21-1	8540 mg/kg (oral-rat) 7500 mg/kg (oral-mouse)	10876 mg/kg (rat)
Lead chromate	3-5	7758-97-6	>2000 mg/kg (oral-rat)	n/a
SECTION 3	PHYSICAL AND CHEMICAL PROPERTIES			
Physical state at 20°C: Liquid Odour: Odourless Freezing/ melting point: 0°C Volatile by weight (%): 57-58		Be De	olour: Yellow oiling point: 100°C ensity (G /ML): 1.3 - 1.4 vaporation rate (n-butyl acetate=1): n/a	Solubility in water: miscible Vapour pressure (mm of Hg): n/a Vapour density (air=1): n/a
SECTION 4	FIRE OR EXPLOSION I	RISK		
Flammability: No Flash point: Closed cup: n/a Open cup: n/a Auto-ignition temperature: n/a Flammable limits: Lower: n/a Upper: n/a Combustion products: carbon monoxide, carbon dioxide, lead oxide and chromate. Extinguishing media: carbon dioxide, foam, dry chemical, alcohol foam, water fog. Do not direct a solid stream of water or foam into hot, burning pools; this may cause frothing and increase fire intensity. Special fire procedures: Wear full protective equipment including a self-contained breathing apparatus. Vapours mixed with air creates an explosive mixture. Cool off exposed containers with water.				
SECTION 5 REACTIVITY				
Stability: yes Reactivity: under excessive heat. May be dissolved in strong acids. Incompatibility: yes, with strong acids, strong bases, and strong oxidants. Reacts strongly in contact with oxidants agents or hydroxyls composites. Decomposition products: thermo decomposition (500-600°C): carbon monoxide, carbon dioxide, acetaldehyde.				
SECTION 6 TOXICOLOGICAL PROPERTIES				
TOXIC EFFECTS: Inhalation: High vapours concentrations may produce nausea, vomiting, headache, dizziness, irregular eye movements, abdominal discomfort, drowsiness, malaise, blurring of vision, lumbar pain, oliguria, uraemia and central effects system, including convulsions and coma. Cardiac failure and pulmonary oedema may develop. skin: possible irritation Inhalation. Severe kidney damage follows the swallowing of large volumes of ethylene glycol. May be fatal. Eyes: possible irritation. Excess redness and swelling of the conjunctiva may occur. CHRONIC EFFECTS: repeated contact may cause dermatitis, conjunctiva. On animals (inhalation or ingestion): dose related increase in renal tumour incidence and hepatics. TOXICOLOGICAL DATA: Time-weighted average exposure value: (ppm) 50p (mg/m3) 127p Mutagenicity: insufficient data to evaluate. Cancerogenicity: insufficient data to evaluate.				
Reproduction system effects: Passes through the placental barrier in animals. Other effect: antagonism: ethanol, b6 vitamins, magnesium, pyrazole.				anol, b6 vitamins, magnesium, pyrazole.
SECTION 7 PREVENTION Gloves: appropriate PVC or neoprene rubber gloves Equipment and clothing: protection equipment Ventilation: Maintain the concentrations under the minimal exposition rate. Lock or consider the whether a consider the minimal exposition rate.			Footwear: n/a Eyes protection : safety glass rate. Breathing protection: approv	

Handling and storage: ventilate adequately or wear an appropriate breathing apparatus Wear eye protection. Avoid contact with skin, eyes and clothing. Store in a sealed container, in a well ventilated area, away from oxidants materials.

SECTION 8 FIRST AID

Breathing: vapours incommodities, bring the person in a well-ventilated area. If breathing has stopped, administer artificial respiration. Call a physician. Skin contact: Wash skin with water and soap. Eyes contact: Flush eyes with lukewarm water for at least 15 minutes . If irritation persists, consult a physician. Ingestion: Give a lot of water. Vomit if conscious. Call a physician.

SECTION 9 PREPARATION INFORMATION

Leak or accident: Absorb with paper, sand or sawdust.

Waste disposal: Refer to the regional office of the environmental minister.

We believe that the information given above is up to date at the preparation date of this toxicological index. Because the handlings of these informations are not upon the control of this company, the users have the full responsibility to determine the conditions to properly and safely use this product.

Manager: Richard St-Onge

Preparation date: March 2016

Phone: (450) 628-3831 Poison Centre 1-800-463-5060