MF PAINTS INC. MATERIAL SAFETY DATA SHEET

SECTION 1	GENERAL INFORM	IATION		
Manufacturer:	MF PAINTS inc. 1605 Dagenais West		TDG PIN: UN 1263 Class: 3	Product name: ISO-RUST Use: anti-rust paint
	Laval, Quebec, H7L 5 IN CASE OF EMERG		Packing group: III ANTI-POISON CENTRE SIMDUT: B	Product code: 4000
SECTION 2	HAZARDOUS INGREDIENTS			
Component: Naphta petroleum Hydrotreated heavy	% 8-14	CAS No. 64742-48-9	LD 50 Species/ Route (Oral-rat) : > 10 g/kg (Skin-rabbit) : > 3,2 g/kg	LC 50 Species/ Route Rat : > 2 000 ppm (4 hours)
Stoddard solvent	18-26	008052413	(Skin-rabbit): >3000 mg/kg (Oral-rat) > 5000 mg/ kg	(Inhalation-rat) > 5.50 mg/ L (4 hour)
SECTION 3	PHYSICAL AND CHEMICAL PROPERTIES			
Physical state at 20°C: Liquid Odour: Kerosene-like Freezing/ melting point: < -40.0 Volatile by weight (%): 30-40			Colour: related to the product Boiling point: 156.67°C Density (G /ML): 0.9-1.2 Evaporation rate (n-butyl acetate=1): <1.0	Solubility in water: Insoluble Vapour pressure (mm of Hg): 2.0 Vapour density (air=1): 5.0
SECTION 4	FIRE OR EXPLOSIO	ON RISK		
Auto-ignition temperature: May ignite on contact with strong oxiding agents. Flammable limits: Lower: 0.8 Upper: 5.0 Combustion products: Carbon oxides. Extinguishing media: Carbon dioxide, foam, and dry chemicals. Use of water may contribute to spread fire. Special fire procedures: Wear a self-contained breathing apparatus and adequate protective clothing. Cool fire exposed containers with a water fog. Vapours form explosive mixture with air. Might explode when is in contact with strong oxidants. SECTION 5 REACTIVITY				
Stability: Yes Reactivity: Not applicable				
Incompatibility: Yes, with strong agents such as oxygen and liquid chlorine. Decomposition products: Not available				
SECTION 6 TOXIC EFFECTS: Inhalation: irritation Skin:	TOXICOLOGICAL PROPERTIES S: ion of the upper respiratory tract. Depression of the central nervous system (headaches, nausea, dizziness)			
Ingestion: Loss of co Eyes: Vapours expos CHRONIC EFFECT	sed: possible irritation. ΓS: Defaulting action (dry lity of aphasic anaemia; in	ing and cracking of th	pulmonary irritation (oedema, possible death) he skin); inhalation: psycho-organic syndrome (fatia possibility of upper respiratory tract, lungs and kic	gue, memory loss, increase in reaction time); severe lneys damage.
Mutagenicity: Abser	age exposure value: (ppm) nce of effect suggested by n effects: No data concerni	one study.	Teratogenicity: Absence of	of effect suggested by one study
<u>SECTION 7</u> Gloves: Neoprene gl	PREVENTION oves		Foot wear:	
Equipment and clothing: Appropriate protective clothing. Ventilation: Keep ventilated to keep the concentration of vapours lower to the limits. Leaks or accidents: Absorb with inert materials. Place in an appropriate recycled container. Waste disposal: Recycle if possible. Refer to the regional office of the environmental ministry. Handling and storage: Avoid all skin contact. Wear eye protection. Handle away from sources of ignition. Store away from humidity and in a well ventilated area. Store away for all				
SECTION 8	FIRST AID		patible materials. Attacks some forms of plastics, r	
Breathing: If discomfort by vapours or dusts, move to a ventilated area. Take off clothing that is too tight. If breathing has stopped, administer artificial respiration. Call a physician.				

Breathing: If discomfort by vapours or dusts, move to a ventilated area. Take off clothing that is too tight. If breathing has stopped, administer artificial respiration. Call a physician. Skin contact: Remove contaminated clothes promptly and protect your hands and skin. If there was a skin contact, rinse skin with non-abrasive soap and water. Eyes contact: No known effects when eyes contact. Rinse eyes with water for a couple of minutes.

Ingestion: In case of ingestion, do not induce vomiting. Call a physician. Do not make the person ingest anything.

SECTION 9 PREPARATION INFORMATION

We believe that the information given above is up to date at the preparation date of this toxicological index. Because the handling of this information is not upon the control of this company, the users have the full responsibility to determine the conditions to properly and safely use this product.

Manager: Richard St-Onge

Phone: (450) 628-3831 Poison Centre 1-800-463-5060