MF PAINT INC. MATERIAL SAFETY DATA SHEET

SECTION 1 GENERAL INFORMATION

Manufacturer: MF PAINTS inc. TDG PIN: UN 1268 Product name: MF-SOL

1605 Dagenais West Class: 3 Use: Cleaner and thinner for Alkyd paints

Laval, Quebec, H7L 5A3 Packing group: III Product code: 450

IN CASE OF EMERGENCY, CONTACT ANTI-POISON CENTER SIMDUT: B3

SECTION 2 HAZARDOUS INGREDIENTS

Component: % CAS No. LD 50 Species/ Route LC 50 Species/ Route

Standard solvent 100 008052413 (Oral-rat) > 5000 mg/kg (Inhalation- rat) > 5.50 mg/L (4 hour)

(Skin-rabbit): >3000 mg/kg

SECTION 3 PHYSICAL AND CHEMICAL PROPERTIES

Physical state at 20°C: Liquid

Odour: Kerosene-like

Boiling point: 156.67°C

Freezing/ melting point: < -40.0

Colour: Colourless

Solubility in water: Insoluble

Vapour pressure (mm of Hg): 2.0

Vapour density (air=1): 5.0

Volatile by weight (%): 100 Evaporation rate (n-butyl acetate=1): <1.0

SECTION 4 FIRE OR EXPLOSION RISK

Flammability: Yes, if moderately heated and exposed to any source of ignition. Flash point: Closed cup:>37.8°C to 60°C Open cup: N.A.

Auto-ignition temperature: >210°C. May ignite on contact with strong oxidant agents. Flammable limits: Lower: 0.8 Upper: 5.0

Combustion products: carbon oxides

Extinguishing media: carbon dioxide, foam, and dry chemicals. Use of water may contribute to spread fire.

Special fire procedures: Wear a self-contained breathing apparatus and adequate protective clothing. Cool fire exposed containers with a water fog. Vapours form explosive mixture

with air. Might explode when is in contact with strong oxidants.

SECTION 5 REACTIVITY

Stability: Yes Reactivity: Not applicable

Incompatibility: Yes, with strong agents such as oxygen and liquid chlorine.

Decomposition products: Not available

SECTION 6 TOXICOLOGICAL PROPERTIES

TOXIC EFFECTS:

Inhalation: Vapours exposure: irritation of the eyes and upper respiratory tract. Inhalation: depression of the central nervous system (headaches, nausea, dizziness)

skin: Possible irritation.

Ingestion: Loss of consciousness, death, and pulmonary aspiration: pulmonary irritation (oedema, possible death)

Eyes: Possible irritation.

CHRONIC EFFECTS: Defaulting action (drying and cracking of the skin); inhalation: psycho-organic syndrome (fatigue, memory loss, increase in reaction time); severe

intoxication: possibility of aphasic anaemia with animals. Inhalation: possibility of upper respiratory tract, lungs and kidneys damage.

TOXICOLOGICAL DATA:

Time-weighted average exposure value: (ppm) 100.00 (mg / m3): 525.00 Cancerogenicity: No data

Mutagenicity: Absence of effect suggested by one study.

Teratogenicity: Absence of effect suggested by one study

Reproduction system effects: No data concerning excretion or detection in milk. Other effect:

SECTION 7 PREVENTION

Gloves: Neoprene gloves Foot wear:

Equipment and clothing: Appropriate protective clothing. Eyes protection : Splash-proof safety goggles

Ventilation: Keep ventilated to keep the concentration of vapours lower to the limits.

Breathing protection: If needed, breathing apparatus with organic vapour cartridge, self-contained or supplied-air breathing apparatus.

Leaks or accidents: Eliminate all sources of ignition. Ventilate. Absorb with paper, sand or sawdust. Place in a tightly sealed container.

Waste disposal: Incinerate outside the workplace. Refer to the regional office of the environmental ministry.

Handling and storage: Avoid all skin contact. Wear eye protection. Handle away from sources of ignition. Equipment must be grounded. Store in a tightly sealed container, in a dry area. Store away for all sources of heat and ignition. Store in a well-ventilated area. Store in a cool area, away form incompatible materials. Attacks some forms of plastics, rubber, coatings.

SECTION 8 FIRST AID

Breathing: If discomfort by vapours or dusts, move to a ventilated area. If breathing has stopped, administer artificial respiration. Call a physician.

Skin contact: Rinse skin with soap and water.

Eyes contact: Slush eyes with abundant water.

Ingestion: In case of ingestion, do not induce vomiting. Call a physician. Remove contaminated clothes promptly.

SECTION 9 PREPARATION INFORMATION

We believe that the information given above is up to date at the preparation date of this toxicological index. Because the handling of this information is not upon the control of this company, the users have the full responsibility to determine the conditions to properly and safely use this product.

Manager: Richard St-Onge Preparation date: November 2015 Phone: (450) 628-3831 Poison Centre 1-800-463-5060