MF PAINT INC. **MATERIAL SAFETY DATA SHEET**

Use: Paint

Product code: 757

SECTION 1 GENERAL INFORMATION

MF PAINTS inc. TDG: Not regulated Product name: Dryfall Paint Manufacturer:

1605 Dagenais West

Laval, Quebec, H7L 5A3

IN CASE OF EMERGENCY, CONTACT ANTI-POISON CENTER

SIMDUT: B2- D2B

SECTION 2 HAZARDOUS INGREDIENTS

Component: CAS No. LD 50 Species/ Route LC 50 Species/ Route

Diethylene glycol 01-05 112-34-5 (Oral - mouse): 2400 mg/kg (Skin - rabbit): 2 700 mg/kg N/A

monobutyl ether

0.1 - 0.534590-94-8 (Oral - rat) 5230 mg/Kg (Skin - rabbit) 9500 mg/Kg Dipropylene glycol N/A

methyl ether

SECTION 3 PHYSICAL AND CHEMICAL PROPERTIES

Colour: White Solubility in water: miscible Physical state at 20 C: Liquid Odour: odourless Boiling point: 100 C Vapour pressure (mm of Hg): N/A Vapour density (air=1): N/A

Freezing/ melting point: 0 C Density (G /ML): 1.3 - 1.5 Volatile by weight (%): 40 - 45 Evaporation rate (n-butyl acetate=1): N/A

SECTION 4 FIRE OR EXPLOSION RISK

Flammability: No Flash point: Closed cup: N.A. Open cup: N/A Auto-ignition temperature: N/A Flammable limits: Lower: N/A Upper: N/A

Combustion products: carbon monoxide and carbon dioxide

Extinguishing media: Carbon dioxide, dry chemical, foam and water fog. Water jets can help fire propagation.

Special fire procedures: Wear full protective equipment including a self-contained breathing apparatus. Containers should be removed from burning area, if possible. Cool down containers

using sprayed water.

SECTION 5 REACTIVITY

Stability: Yes Reactivity: under excessive heat

Incompatibility: Yes, with oxidizing agents. Do not store in aluminium recipients.

Decomposition products: Thermal decomposition (500 - 600 C). Carbon monoxide, carbon dioxide, acetaldehyde.

SECTION 6 TOXICOLOGICAL PROPERTIES

TOXIC EFFECTS:

Inhalation: Negligible hazard at ambient temperature. Mists may be irritating. May irritate upper respiratory tract.

Skin: Only slightly absorbed through the skin.

Ingestion: Absorption through ingestion is well known. Many cases have been reported.

CHRONIC EFFECTS: None

TOXICOLOGICAL DATA:

Time-weighted average exposure value: no data Cancerogenicity: negative.

Mutagenicity: no data Teratogenicity: studies suggest the absence of effects. Other effect:

Reproduction system effects: Results of test in animals have been negative.

SECTION 7 PREVENTION

Gloves: wear impervious rubber gloves. Foot wear: N.A.

Equipment and clothing: impervious protective clothing Eyes protection: safety glasses

Ventilation: control airborne concentrations below the exposure guideline. Breathing protection: when respiratory equipment is required, use an NIOSH

Leak or accident: Absorb with paper, sand or sawdust. Keep in a sealed container. approved air purifying

Waste disposal: Consult the regional office of the ministry of Environment.

Handling and storage: ventilated as required or wear an appropriate respiratory equipment. Protect your eyes. Avoid contact with eyes. Store in a well ventilated area, away from oxyding

materials.

SECTION 8 FIRST AID

Breathing: Remove to fresh air and seek medical attention if irritation occurs.

Skin contact: Wash off in flowing water or shower.

Eyes contact: Flush eyes with abundant water. If the irritation persists, contact a physician.

Ingestion: Rince the mouth with water. If the person is conscious, have them drink water and induce vomiting. Contact a physician.

SECTION 9 PREPARATION INFORMATION

We believe that the information given above is up to date at the preparation date of this toxicological index. Because the handling of this information is not upon the control of this company, the users have the full responsibility to determine the conditions to properly and safely use this product.

Phone: (450) 628-3831 Poison Centre 1-800-463-5060 Manager: Richard St-Onge Preparation date: November 2012