

# SAFETY DATA SHEET (SDS)

	SAFETY	DATA SH		
	Sectio	on 1. Identif	ication	
Product identifi	er 3200-4			
Other means of	identification Epoxy Plus Pearl finish, Base I	D		
Recommended	use and restrictions on use Architectural pair	nt for interior	and exterior	
Initial supplier	dentifier MF Paints Inc. 1605 Dagenais Bo	ulevard W, L	aval, QC H7L 5A3 T:(450) 628-38	31
Emergency tele			4 hour number 613-996-6666	
		Hazard ide	entification	
Classification of	hazardous product (name of the category or s			
	ust to eliminate this inhalation hazard - Carcinoge			
	nents (symbols, signal words, hazard statemen			ry/subcategory)
P201 Obtain spe	of causing cancer. tial instructions before use. P202 Do not handle u clothing/eye protection/face protection. 308 + P3			
	contents/container into safe container in accordan			I
Other hazards l		1004	/	
		tion/inform	ation on ingredients	
Chemical name	(common name/synonyms)		CAS number or other	Concentration (%)
	col monomethyl ether		34590-94-8	< 1
Ethylene glycol			107-21-1	< 2
Kaolin			92704-41-1/1332-58-7	< 5
	l monobutyl ether		112-34-5	<1
Titanium dioxide			13463-67-7	<10
Thundin dio/ild		4. First-aid		.10
Inhalation				l a doctor
Ingestion Skin contact	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor.       IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. I vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell.			
Eye contact	IF ON SKIN: Rinse skin with water. IF IN EYES, Rinse cautiously with water.			
		None		
		In all cases, call a doctor. Do not forget this document.		
mulcation of im				
Care alfer 1 1			ng measures	
snecific hazard				
	of the hazardous product (hazardous combus	tion product	(S)	
Carbon oxides a	d other irritant/toxic gases and fumes.		(S)	
Carbon oxides an Suitable and un	d other irritant/toxic gases and fumes. suitable extinguishing media	-		
Carbon oxides an Suitable and un In case of fire: U	d other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap	propriate foa		ts.
Carbon oxides an Suitable and un In case of fire: U Special protecti	d other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap we equipment and precautions for fire-fighters	propriate foa	m to extinguish surrounding produc	
Carbon oxides an Suitable and un In case of fire: U Special protecti During a fire, irr	d other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters tating/toxic smoke and fumes may be generated.	propriate foa Do not enter	m to extinguish surrounding produc	Firefighters should wear proper
Carbon oxides an Suitable and un In case of fire: U Special protecti During a fire, irr protective equipr	d other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters tating/toxic smoke and fumes may be generated. hent and self-contained breathing apparatus with fu	propriate foa Do not enter ull facepiece.	m to extinguish surrounding produc fire area without proper protection. Shield personnel to protect from ve	Firefighters should wear proper nting, rupturing or bursting cans.
Carbon oxides an Suitable and un In case of fire: U Special protecti During a fire, irr protective equipr	d other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters tating/toxic smoke and fumes may be generated. nent and self-contained breathing apparatus with fu from fire area if it can be done without risk. Water	propriate foa Do not enter ull facepiece. r spray may b	m to extinguish surrounding produc fire area without proper protection. Shield personnel to protect from ve e useful in cooling equipment and ca	Firefighters should wear proper nting, rupturing or bursting cans.
Carbon oxides an Suitable and un In case of fire: U Special protecti During a fire, irr protective equipr Move containers	d other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters tating/toxic smoke and fumes may be generated. hent and self-contained breathing apparatus with fu from fire area if it can be done without risk. Water Section 6. Acc	propriate foa Do not enter ull facepiece. r spray may b cidental rel	m to extinguish surrounding produc fire area without proper protection. Shield personnel to protect from ve	Firefighters should wear proper nting, rupturing or bursting cans.
Carbon oxides an Suitable and un In case of fire: U Special protecti During a fire, irr protective equipr Move containers Personal precau	d other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters tating/toxic smoke and fumes may be generated. hent and self-contained breathing apparatus with fu from fire area if it can be done without risk. Water Section 6. Acc tions, protective equipment and emergency pr	propriate foa Do not enter ull facepiece. r spray may b cidental rel rocedures	m to extinguish surrounding produc fire area without proper protection. Shield personnel to protect from ve e useful in cooling equipment and ca ease measures	Firefighters should wear proper nting, rupturing or bursting cans. ns exposed to heat and flame.
Carbon oxides an Suitable and un In case of fire: U Special protecti During a fire, irr protective equipr Move containers Personal precat Absorb spillage t	d other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters tating/toxic smoke and fumes may be generated. hent and self-contained breathing apparatus with fu from fire area if it can be done without risk. Water Section 6. Acc tions, protective equipment and emergency pr o prevent material-damage. Restrict access to area	propriate foa Do not enter all facepiece. r spray may b cidental rel cocedures a until comple	m to extinguish surrounding production fire area without proper protection. Shield personnel to protect from ve e useful in cooling equipment and ca lease measures etion of clean-up. Ensure clean-up is	Firefighters should wear proper nting, rupturing or bursting cans. ns exposed to heat and flame.
Carbon oxides an Suitable and un In case of fire: U Special protecti During a fire, irr protective equipr Move containers Personal precat Absorb spillage t only. All persons	d other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters tating/toxic smoke and fumes may be generated. hent and self-contained breathing apparatus with fu from fire area if it can be done without risk. Water Section 6. Acc tions, protective equipment and emergency pr o prevent material-damage. Restrict access to area dealing with clean-up should wear the appropriate	propriate foa Do not enter all facepiece. r spray may b cidental rel cocedures a until comple	m to extinguish surrounding production fire area without proper protection. Shield personnel to protect from ve e useful in cooling equipment and ca lease measures etion of clean-up. Ensure clean-up is	Firefighters should wear proper nting, rupturing or bursting cans. ns exposed to heat and flame.
Carbon oxides an Suitable and un In case of fire: U Special protecti During a fire, irr protective equipr Move containers Personal precau Absorb spillage t only. All persons Methods and m	ad other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters tating/toxic smoke and fumes may be generated. hent and self-contained breathing apparatus with fu from fire area if it can be done without risk. Water Section 6. Ac tions, protective equipment and emergency pr o prevent material-damage. Restrict access to area dealing with clean-up should wear the appropriate aterials for containment and cleaning up	propriate foa Do not enter ull facepiece. r spray may b cidental rel cocedures a until comple protective eq	m to extinguish surrounding production. fire area without proper protection. Shield personnel to protect from ve e useful in cooling equipment and ca lease measures etion of clean-up. Ensure clean-up is uipment (See Section 8).	Firefighters should wear proper nting, rupturing or bursting cans. ns exposed to heat and flame.
Carbon oxides an Suitable and un In case of fire: U Special protecti During a fire, irr protective equipr Move containers Personal precau Absorb spillage t only. All persons Methods and m Ventilate area of	ad other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters tating/toxic smoke and fumes may be generated. hent and self-contained breathing apparatus with fu from fire area if it can be done without risk. Water Section 6. Ac tions, protective equipment and emergency pr o prevent material-damage. Restrict access to area dealing with clean-up should wear the appropriate aterials for containment and cleaning up release. Stop the leak if it can be done safely. Co	propriate foa Do not enter all facepiece. r spray may b cidental rel ocedures a until comple protective eq ontain and ab	m to extinguish surrounding product fire area without proper protection. Shield personnel to protect from ve e useful in cooling equipment and ca ease measures etion of clean-up. Ensure clean-up is uipment (See Section 8).	Firefighters should wear proper nting, rupturing or bursting cans. ns exposed to heat and flame.
Carbon oxides an Suitable and un In case of fire: U Special protecti During a fire, irr protective equipr Move containers Personal precau Absorb spillage to only. All persons Methods and m Ventilate area of place material int	ad other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters tating/toxic smoke and fumes may be generated. hent and self-contained breathing apparatus with fu from fire area if it can be done without risk. Water Section 6. Ac tions, protective equipment and emergency pr o prevent material-damage. Restrict access to area dealing with clean-up should wear the appropriate aterials for containment and cleaning up	propriate foa Do not enter all facepiece. r spray may b cidental rel ocedures a until comple protective eq ontain and ab	m to extinguish surrounding product fire area without proper protection. Shield personnel to protect from ve e useful in cooling equipment and ca ease measures etion of clean-up. Ensure clean-up is uipment (See Section 8).	Firefighters should wear proper nting, rupturing or bursting cans. ns exposed to heat and flame.



### Section 7. Handling and storage

## **Precautions for safe handling**

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

#### Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

# Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: CAS 34590-94-8 ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; DUST ACGIH – TLV-TWA 1 mg/m<sup>3</sup> & PEL-TWA 5 mg/m<sup>3</sup> (respirable fraction) & 15 mg/m<sup>3</sup> (total dust);

#### **Appropriate engineering controls**

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

#### Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section 9. Physical and chemical properties				
Appearance, physical state/colour Liquid	Vapour pressure Not available			
Odour Characteristic	Vapour density Not available			
Odour threshold Not available	Relative density 1.113			
pH Not available	Solubility Not available			
Melting/freezing point Not available	Partition coefficient - n-octanol/water       Not available			
Initial boiling point/range Not available	Auto-ignition temperature Not available			
Flash point > 93°C	Decomposition temperature Not available			
Evaporation rate       Not available       Viscosity       Not available				
Flammability (solids and gases) Not available	VOC Not available			
Upper and lower flammability/explosive limits Not available	Other None known			
Section 10. Stability and reactivity				
Reactivity				
Does not react under the recommended storage and handling conditions prescribed.				
Chemical stability				
Stable under the recommended storage and handling conditions prescribed.				
Possibility of hazardous reactions				
None known				
Conditions to avoid (static discharge, shock or vibration)				
None known				
Incompatible materials				
Oxidizing materials; etc.				
Hazardous decomposition products				
None known				



PAINTS	Section 11. Toxicological information		
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)			
None			
Symptoms related to the physical, chemical and toxicological characteristics			
None	when the contraction of the second seco		
Delayed and immediate effects (chronic effects	from short-term and long-term exposure)		
Skin Sensitization – No data available; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified – No data available.			
Numerical measures of toxicity (ATE; LD50 &	LC <sub>50</sub> )		
CAS 34590-94-8 LD <sub>50</sub> (oral, rat) 5220 mg/kg; CA ATE not available in this document.	S 112-34-5 LD <sub>50</sub> Oral - Rat - 5660 mg/kg; LD <sub>50</sub> Dermal - Rabbit - 2700 mg/kg;		
Section 12. Ecological information			
Ecotoxicity (aquatic and terrestrial information	n) No data available		
Persistence and degradability No data available			
	tion is to be expected.		
Mobility in soil No data available			
Other adverse effects No data available			
	Section 13. Disposal considerations		
Information on safe handling for disposal/meth	ods of disposal/contaminated packaging		
	n accordance with local, regional or national regulations.		
Section 14. Transport information			
UN number; Proper shipping name; Class(es);	Packing group (PG) of the TDG Regulations		
Not Regulated			
UN number; Proper shipping name; Class(es);	Packing group (PG) of the IMDG (maritime)		
Not Regulated			
UN number; Proper shipping name; Class(es);	Packing group (PG) of the IATA (air)		
Not Regulated			
	None		
	None		
Bulk transport (usually more than 450 L in cap	pacity) Possible		
Section 15. Regulatory information			
Safety/health Canadian regulations specifics	Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).		
Environmental Canadian regulations specifics	Refer to Section 3 for ingredient(s) of the DSL		
Safety/health/environmental outside regulations specifics			
United States OSHA information: This product is regulated according to OSHA (29 CFR).			
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information: Refer to the ingredients listed in Section 3.			

California Proposition 65: This product does not contain ingredients that are known to the State of California to cause cancer or other reproductive harm.



Section 16. Other information			
Date of the latest revision of the safety data sheet February 09, 2018 version 1 (NSS ENTREPRISE INC.)			
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.		
Abbreviations			
ACGIH	American Conference of Governmental Industrial Hygienists		
ATE	Acute toxicity estimate		
CAS	Chemical Abstract Service		
DSL	Domestic Substance List		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods Code		
LC	Lethal concentration		
LD	Lethal Dosage		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program (U.S.A.)		
OSHA	Occupational Safety and Health Administration (U.S.A.)		
PEL	Permissible Exposure Limit		
STEL	Short-term Exposure Limit		
TDG	Transport of dangerous goods in Canada		
TLV	Threshold Limit Value		
TSCA	Toxic Substances Control Act		
TWA	Time Weighted Average		
WHMIS	Workplace Hazardous Materials Information System		
	knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability		

whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.