

SAFETY DATA SHEET (SDS) Section 1. Identification

Initial supplier identifier MF Paints Inc. 1605 Dagenais Boulevard W, Laval, QC H7L 5A3 T:(450) 628-3831 Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number 613-996-6666 Section 2. Hazard identification Classification of hazardous product (name of the category or subcategory of the hazard class) Carcinogenicity (category 1) Specific target organ toxicity – repeated exposure (category 1), Organs Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)				ETY DATA SHEET (SDS)			
Other means of identification Proline self-priming satin finish. M Base Recommended use and restrictions on use Architectard paint for interior Initia supplier identifier MTP Pains Inc. 1605 Degenase Boulevard W, Laval, QC 117L 5A3 T, (450) 628-3831 Emergency telephone number/restriction on use Caladia – CANUTE C24 hour number 613-996-6666 Section 2. Hazard identification Caladia – CANUTE C24 hour number 613-996-6666 Christingenoistiy (satepory) - repeated exposure (ategory 1). Organs Internation dements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Operating State of the category of the state of the category of the state of the category is the state of the category is the state of the category of the state of the category of the state of the category is the state of the category is the state of the category of the state of the category is the state of the category is the state of the category is the state of the state of the category is the state of the category is the state of the state of the state of the category is the state of			S	Section 1. Identification			
Recommended use and restrictions on use Architectural paint for interior Initial supplier dentifier Mr Prains Inc. 1605 Degrams Robustward W, Iaval OC 1171. SA3 T-(450) 628-3831 Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number 613-996-6666 Gravity Gategory 1) Gravity Gategory 1) Specific target organ toxicity – repeated exposure (category or subcategory of the hazard class) Gravity Gategory 1) Specific target organ toxicity – repeated exposure (category 1). Organs Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Durger H350 May cause cancer. H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H373 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H373 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H373 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H373 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H373 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H373 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H373 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H374 Cause damage to organs (lungs) through pro							
Initial supplier identifier MtP Paints Inc. 1605 Degenais Boulevard W, Laval. QC H7L SA3 T;4590 628-831 Emergency telephone number/restriction on use [Canada – CANUTE C24 hour number 613-996-666 Section 2. Hazard identification [Canada – CANUTE C24 hour number 613-996-666 Socialis rated organ toxicity – repeated exposure (category 1) [Socialis rated organ toxicity – repeated exposure (category 1) Socialis rated organ toxicity – repeated exposure (category 1). Organs [Socialis rated organ toxicity – repeated exposure (category 1). Organs Information dements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) [Socialis rated organ] P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P200 Do not breathe dasts or miss. P204 Wash handstandifice thoronghyle after handling: P270. Do not cat, drink or smoothere using this product. P280 Wear gloves/protective lobting/eye protection. P304 + P313 IF exposed or concerned: Get medical attention. P314 Get medical attention (store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other bazards known Note Calcium cathonate 1317-653-7<	Other means of i	identificatio					
Emergency telephone number/restriction on uss Canda – CANUTEC 24 hour number 613-996-6666 Classification of hazardous product (name of the category or subcategory of the hazard class) Corrinogenicity (categor) 1 Specific target organ toxicity – repeated exposure (category 1). Organs Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Weight Specific target organ toxicity – repeated exposure (category 1). Organs Information elements (symbols, signal words, hazard statements and precautions) statements of the category/subcategory) Weight Specific target organ (sungs) through prolonged or repeated expoure (inhalation). 1372 Causes damage to organs (lungs) through prolonged or repeated expoure (inhalation). P200 Oharn special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dates or miss. P240 Wash machinals/face throughly alter handling. P270 Do not eta, thrink or smoke when using bis product. P280 Wear gloves protective clothing/ge protective clothing/ge protective fully bapes of contentic software rink are accodance with local, regional or national regulations. Other hazard known None Other hazard bance Section 3. Composition/information on ingredients Calcium carbonate fluxcalcined 68835:544-9 < 4							
Section 2. Hazard identification Classification of hazardous product (name of the category or subcategory of the hazard class) Carcinogencing: Concingencing: (category 1) Specific target organ toxicity – repeated exposure (category 1), Organs Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Diversity Diversity P201 Obtain special instructions before use. P202 Do not handle uniti all safety precautions have been read and understood. P260 Do not breathed dasts or miss. P264 Wash hands/naits/fice thoroughly after handling. P270 Do not ead, drink or smoke when using this product. P280 Wear provesprotective clothing/ep protection. P308 +P313 IF exposed or concerned: Get medical attention. P146 et medical attention P14 Get medical P14 Gat P14 Get medical P14 Gat P14 Get medical P14 Gat P14 Get medical P14							
Classification of hazardous product (anne of the category or subcategory of the hazard class) Carcinogenicity (category 1) Specific target organ toxicity – repeated exposure (category 1), Organs Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) www Dunger H350 May cause cancer. H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breath dusts or miss. P204 Wash hand/sinal/site durbroughly after handling. P270 Do to tat, drink or snoke when using this product. P280 Wase gloves/protective clothing/eye protection/face protection.P308 + P313 IF exposed or concerned. Get medical attention. P314 Get medical attention P301 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breath dusts or miss. P204 Wash hand/sinal/site durbroughly after handling. P270 Do not tat, drink or snoke when using this product. P280 Wase gloves/protective clothing/eye protection.P301 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Section 3. Composition/information on ingredients Chemical name (common name/synonyms) Section 3. Composition/information on ingredients Calcium carbonate Sodium carbonate fluxcalcined Step Sodie Sod							
Carcinogenicity (category 1) Specific target organ toxicity – repeated exposure (category 1). Organs Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Weight and the state of t							
Specific arget organ losicity – repeated exposure (category 1). Organs Information elements (symbols, signal words, bazard statements and precautionary statements of the category/subcategory) www.postary and the statements of the category/subcategory) Duger H350 May cause caneer. H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). H372 Causes damage to organs (lungs) through prolonged or contents/container into acte ordance with local, regional or national regulations. Deter hazards hown Note CAS number or other Concentration (%) Kaolin 2004-411-1/1332-58-7 < 15 Calcium cathonate 0 Cause damage to cause 1072-11 < 2 Case damage data (lungs) (lungs) data (langs) case			product (name of the categor	y or subcategory of the hazard class)			
Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Punger H350 May cause cancer. H350 May cause cancer. H350 May cause cancer. H352 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dusts or miss. P264 Wash hands/nails/face thoroughly after handling. P270 Do not ead, drink or smoke when using this product. P280 Weat gloves/protective colbing/eye protection/Face horoughly after handling. P270 Do not ead, drink or smoke when using this product. P280 Weat gloves/protective colbing/eye protection/Face horoughly after handling. P270 Do not ead, drink or smoke when using this product. P280 Weat gloves/protective colbing/eye protection/Face horoughly after handling. P270 PDs not ead. drink or smoke when using this product. P280 Weat gloves/protective colbing/eye protection/Face horoughly after handling. P270 PDs not ead. drink or smoke when using the product. P280 Weat Calcium carbonate flux-calciend <u>Section 3. Composition/information on ingredients Calcium carbonate flux-calciend Section 4. Carst-faid measures Intalation IF FNHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. Ingestion IF SWALLOWED: Immediately call a doctor. DO NOT INJUCE VOMITING NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink troe glasses of water. If vorning occurs naturally, have victim len forward to redue risk of aspiration. Stic contact IF ON SKIN: wash with plenty of water. Section 5. Fire-Fighting measures Suitable and unsuitable extinguishing upper and and appropriate foam to extinguish surrounding products. Section 5. Fire-Fighting measures Suitable and unsuitable extinguishing upper and appropriate foam to extinguish surrounding pr</u>	Carcinogenicity (category 1)		· · · ·			
Drager 1359 May cuese cancer. 1372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). 1271 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). 1272 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). 1270 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). 1270 Causes damage to organs (lungs) through yafe handling. P270 Do not ead, dink or smoke when using this product. P280 Wear gloves protective clothing/eye protection/face protection. P208 + P213 IF exposed or concerned. Get medical attention or attending regulations. Onter hazards known Note Other hazards known None CAS number or other Concentration (%) Kaolin 92704-41-1/1332-88-7 <15	Specific target org	gan toxicity	- repeated exposure (category	1), Organs			
H350 May cause cancer. H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). P201 Obtain special instructions before use. P202 Do not handle until all safety precatuions have been read and understood. P260 Do not breather gloves/protective clothing/eye protection/face protection. P308 + P313 IF exposed or concerned: Get medical attention. P314 Get medical attention if you feel unvell. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Section 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other Concentration (%) Kaolin 20704-411/1332-58-7 <15 Calcium carbonate fluxcalcined 68855-54-9 <5 Ethylene glycol 107-21-1 <2 Titanium dioxide 13466-67-7 <15 Silica crystalline, Quartz City 44868-60-7 <0.7 Section 4. First-ali measures Inhalation IF SWALLOWED: Immoving a doctor. DN ONT INDUCE VONTING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Skin contact IF ON SkIN: wash with plenty of water. Free contact IF IN NSLED. Remove parent or several minutes (15-20). Most important symptoms and effects (accute or delayed) None Indication of the nazards of the hazardous grand and propriate foam to excluse risk of aspiration. State of fire: Use carbon dioxide, chemical poweral mainutes (15-20). States and other iritant/toxic gases and fumes. States and outer irit can be done withou risk. Water spray may be useful in cooling equipment and cance exposed to heat and flaxe Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides	Information elen	nents (syml	bols, signal words, hazard sta	tements and precautionary statements of th	ne category/subcategory)		
Other hazards known None Section 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other Concentration (%) Kaolin 92704-411/1332-58-7 <15	H372 Causes dam P201 Obtain spec dusts or mists. P2	hage to orga ial instruction 264 Wash h	ons before use. P202 Do not ha hands/nails/face thoroughly aft	undle until all safety precautions have been re- er handling. P270 Do not eat, drink or smol	ke when using this product. P280 Wear		
Other hazards known None Section 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other Concentration (%) Kaolin 92704-411/1332-58-7 <15							
Other hazards known None Section 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other Concentration (%) Kaolin 92704-41-1/1332-58-7 <15							
Chemical name (common name/synonyms) CAS number or other Concentration (%) Kaolin 92704-41-1/1322-58-7 <15	<u> </u>	nown	None				
Chemical name (common name/synonyms) CAS number or other Concentration (%) Kaolin 92704-41-1/1322-58-7 <15				position/information on ingredients			
Kaolin 92704-41-1/1332-58-7 <15	Chemical name ((common n			Concentration (%)		
Calcium carbonate 1317-65-3 < 4			(1110, 59 1101 y 1115)				
Sodium carbonate fluxcalcined 68855-54-9 < 5							
Ethylene glycol 107-21-1 < 2		-	ed		< 5		
Titanium dioxide 13463-67-7 <15		, maxeurenne					
Silica crystalline, Quartz 14808-60-7 < 0.7							
Section 4. First-aid measures Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. Ingestion IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Skin contact IF ON SKIN: wash with plenty of water. Eye contact IF IN EYES, Rinse cautiously with water for several minutes (15-20). Most important symptoms and effects (acute or delayed) None Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Section 5. Fire-fighting measures Section 15. Fire-fighting measures Suitable and unsuitable extinguishing media In all cases of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breath							
Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. Ingestion IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Skin contact IF ON SKIN: wash with plenty of water. Eye contact IF IN EYES, Rinse cautiously with water for several minutes (15-20). Most important symptoms and effects (acute or delayed) None Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Speciafic hazards of the hazardous product (hazardous combustion products) In all cases, call a doctor. Di not forget this document. Speciafic no axides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Speciafic protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cass. Mote ontainers from	Since erysteinie,	Quuitz	Sec		- 0.1		
Ingestion IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Skin contact IF ON SKIN: wash with plenty of water. Eye contact IF IN EYES, Rinse cautiously with water for several minutes (15-20). Most important symptoms and effects (acute or delayed) None Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures	Inholotion	IE INHA			doctor if you feel upwell		
rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Skin contact IF ON SKIN: wash with plenty of water. Eye contact IF IN EYES, Rinse cautiously with water for several minutes (15-20). Most important symptoms and effects (acute or delayed) None Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters Duot enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appro							
glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Skin contact IF ON SKIN: wash with plenty of water. Eye contact IF IN EYES, Rinse cautiously with water for several minutes (15-20). Most important symptoms and effects (acute or delayed) None Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up	Ingestion						
Skin contact IF ON SKIN: wash with plenty of water. Eye contact IF IN EYES, Rinse cautiously with water for several minutes (15-20). Most important symptoms and effects (acute or delayed) None Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent materia							
Eye contact IF IN EYES, Rinse cautiously with water for several minutes (15-20). Most important symptoms and effects (acute or delayed) None Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Section 5. Fire-fighting measures Section 5. Fire-fighting measures Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area or frelease. Stop the lea	Skin contact						
Most important symptoms and effects (acute or delayed) None Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Section 5. Fire-fighting measures Section 5. Fire-fighting measures Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material							
Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. Section 5. Fire-fighting measures Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same				· · · · ·			
Section 5. Fire-fighting measures Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.	•	• •			ot forget this document		
Specific hazards of the hazardous product (hazardous combustion products) Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.	Indication of him	inculate inc			ot forget this document.		
Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.	Sacatta haranda	of the home					
Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.				industion products)			
In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.							
Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.							
During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.					g products.		
protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.							
Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.							
Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.							
Personal precautions, protective equipment and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.							
Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.							
wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.							
Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.							
Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.							
place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.				aly. Contain and absorb any snilled liquid cons	entrate with inert absorbant material then		
	place material into	o a container	r for later disposal (see Section				





Section 7. Handling and storage

Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values) Exposure limits: CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m³ & PEL-TWA 10 mg/m³; DUST ACGIH – TLV-TWA 1 mg/m³ & PEL-TWA 5 mg/m³ (respirable fraction) & 15 mg/m³ (total dust); CAS 14808-60-7 ACGIH – TLV-TWA 0.025 mg/m³ & PEL-TWA 0.1 mg/m³;

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section 9. Physical and chemical properties					
Appearance, physical state/colour Liquid	Vapour pressure Not available				
Odour Characteristic	Vapour density Not available				
Odour threshold Not available	Relative density 1.298				
pH Not available	Solubility Not available				
Melting/freezing pointNot available	Partition coefficient - n-octanol/water Not available				
Initial boiling point/range Not available	Auto-ignition temperature Not available				
Flash point Not available	Decomposition temperature Not available				
Evaporation rate Not available	Viscosity 2200 cPs @ 40°C				
Flammability (solids and gases) Not available	VOC Not available				
Upper and lower flammability/explosive limits Not available	Other None known				
Section 10. Stability and reactivity					
Reactivity					
Does not react under the recommended storage and handling conditions prescribed.					
Chemical stability					
Stable under the recommended storage and handling conditions prescribed.					
Possibility of hazardous reactions					
None known					
Conditions to avoid (static discharge, shock or vibration)					
None known					
Incompatible materials					
Oxidizing materials; etc.					
Hazardous decomposition products					
None known					



Section 11. Toxicological information				
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)				
May cause cancer. Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation).				
Symptoms related to the physical, chemical and toxicological characteristics				
None known				
Delayed and immediate effects (chronic effects from short-term and long-term exposure)				
Skin Sensitization – No data available; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – Ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Single Exposure – Possible; Specific Target Organ Toxicity — Repeated Exposure – Possible; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified – No data available.				
Numerical measures of toxicity (ATE; LD50 & LC50)				
None				
ATE not available in this document.				
Section 12. Ecological information				
Ecotoxicity (aquatic and terrestrial information) No data available for the product.				
Persistence and degradability No data available				
Bioaccumulative potential No data available				
Mobility in soil No data available				
Other adverse effects No data available				
Section 13. Disposal considerations				
Information on safe handling for disposal/methods of disposal/contaminated packaging				
Dispose of contents/container into safe container in accordance with local, regional or national regulations.				
Section 14. Transport information				
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations				
NOT REGULATED				
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)				
NOT REGULATED				
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)				
NOT REGULATED				
Special precautions (transport/conveyance) None				
Environmental hazards (IMDG or other) None				
Bulk transport (usually more than 450 L in capacity) Possible				
Section 15. Regulatory information				
Safety/health Canadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).				
Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL				
Safety/health/environmental outside regulations specifics				
United States OSHA information: This product is regulated according to OSHA (29 CFR).				
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.				
United States TCSA information: Refer to the ingredients listed in Section 3.				
California Proposition 65: This product contains an ingredient known to the State of California to cause cancer or other reproductive harm.				

California Proposition 65: This product contains an ingredient known to the State of California to cause cancer or other reproductive harm.



Section 16. Other information				
Date of the latest revision of the safety data sheet April 12, 2018 version 1 (NSS ENTREPRISE INC.)				
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.			
Abbreviations				
ACGIH	American Conference of Governmental Industrial Hygienists			
ATE	Acute toxicity estimate			
CAS	Chemical Abstract Service			
DSL	Domestic Substance List			
IARC	International Agency for Research on Cancer			
IATA	International Air Transport Association			
IMDG	International Maritime Dangerous Goods Code			
LC	Lethal concentration			
LD	Lethal Dosage			
NIOSH	National Institute for Occupational Safety and Health			
NTP	National Toxicology Program (U.S.A.)			
OSHA	Occupational Safety and Health Administration (U.S.A.)			
PEL	Permissible Exposure Limit			
STEL	Short-term Exposure Limit			
TDG	Transport of dangerous goods in Canada			
TLV	Threshold Limit Value			
TSCA	Toxic Substances Control Act			
TWA	Time Weighted Average			
WHMIS	Workplace Hazardous Materials Information System			
To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability				

whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.