

SAFETY DATA SHEET (SDS)

	SAFETY	DATASI					
	Sectio	on 1. Identi	fication				
Product identif	er 8030-4						
Other means of	identification Proline 100% acrylic, pearl						
Recommended	use and restrictions on use Architectural Pai	int for interio	r				
Initial supplier	identifier MF Paints Inc. 1605 Dagenais Bly	vd W, Laval,	QC H7L 5A3 T:(450) 628-3831				
Emergency tele	phone number/restriction on use Canada – C	CANUTEC 2	4 hour number 613-996-6666				
	Section 2.	. Hazard id	entification				
Classification of	f hazardous product (name of the category or s						
	ust to eliminate this inhalation hazard - Carcinoge						
	ments (symbols, signal words, hazard statemer			rv/subcategory)			
P201 Obtain spe gloves/protective	of causing cancer. cial instructions before use. P202 Do not handle use clothing/eye protection/face protection. 308 + P2	313 IF expos	ed or concerned: Get medical attenti				
Dispose of conte	nts/container into safe container in accordance wi	ith local, regi	onal or national regulations.				
Other hazards	known None						
	Section 3. Composi	ition/inforn	nation on ingredients				
Chemical name	(common name/synonyms)		CAS number or other	Concentration (%)			
Titanium dioxide			13463-67-7	< 10			
Kaolin			92704-41-1/1332-58-7	< 10			
Ethylene glycol			107-21-1	< 2			
	er of dipropylene glycol		34590-94-8	< 1			
	l monobutyl ether		112-34-5	< 1			
		4. First-aid	measures				
Inhalation	IF INHALED: Remove person to fresh air and			l a doctor.			
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. I vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell.						
Skin contact	IF ON SKIN: Rinse skin with water.						
Eye contact	IF IN EYES, Rinse cautiously with water.	N					
	symptoms and effects (acute or delayed)	None					
Indication of in		,	Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.				
	Section 5						
a			ng measures				
	s of the hazardous product (hazardous combus						
Carbon oxides a	s of the hazardous product (hazardous combus nd other irritant/toxic gases and fumes.						
Carbon oxides an Suitable and un	s of the hazardous product (hazardous combus nd other irritant/toxic gases and fumes. suitable extinguishing media	stion produc	ts)				
Carbon oxides a Suitable and un In case of fire: U	s of the hazardous product (hazardous combus nd other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap	stion produc	ts)	ts.			
Carbon oxides an Suitable and un In case of fire: U Special protecti	s of the hazardous product (hazardous combus nd other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters	ppropriate foa	m to extinguish surrounding produc				
Carbon oxides a Suitable and un In case of fire: U Special protecti During a fire, irr	s of the hazardous product (hazardous combus nd other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters itating/toxic smoke and fumes may be generated.	ppropriate foa	m to extinguish surrounding production.	Firefighters should wear proper			
Carbon oxides at Suitable and un In case of fire: U Special protecti During a fire, irr protective equipt	s of the hazardous product (hazardous combus nd other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters itating/toxic smoke and fumes may be generated. nent and self-contained breathing apparatus with fu	ppropriate foa Do not enter ull facepiece.	m to extinguish surrounding product fire area without proper protection. Shield personnel to protect from ve	Firefighters should wear proper nting, rupturing or bursting cans.			
Carbon oxides a Suitable and un In case of fire: U Special protecti During a fire, irr protective equipt	s of the hazardous product (hazardous combus nd other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters itating/toxic smoke and fumes may be generated. nent and self-contained breathing apparatus with fu from fire area if it can be done without risk. Water	ppropriate foa Do not enter ull facepiece. r spray may b	m to extinguish surrounding product fire area without proper protection. Shield personnel to protect from ve e useful in cooling equipment and ca	Firefighters should wear proper nting, rupturing or bursting cans.			
Carbon oxides a Suitable and un In case of fire: U Special protecti During a fire, irr protective equipt Move containers	s of the hazardous product (hazardous combus ad other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters itating/toxic smoke and fumes may be generated. nent and self-contained breathing apparatus with fi from fire area if it can be done without risk. Water Section 6. Ac	propriate foa Do not enter ull facepiece. r spray may b ccidental re	m to extinguish surrounding product fire area without proper protection. Shield personnel to protect from ve	Firefighters should wear proper nting, rupturing or bursting cans.			
Carbon oxides a Suitable and un In case of fire: U Special protecti During a fire, irr protective equipt Move containers Personal precau	s of the hazardous product (hazardous combus ad other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters itating/toxic smoke and fumes may be generated. nent and self-contained breathing apparatus with fi from fire area if it can be done without risk. Water Section 6. Ac utions, protective equipment and emergency pr	propriate foa Do not enter ull facepiece. r spray may b ccidental re cocedures	ts) m to extinguish surrounding product fire area without proper protection. Shield personnel to protect from ve e useful in cooling equipment and ca lease measures	Firefighters should wear proper nting, rupturing or bursting cans. ns exposed to heat and flame.			
Carbon oxides a Suitable and un In case of fire: U Special protecti During a fire, irr protective equipt Move containers Personal precau Absorb spillage	s of the hazardous product (hazardous combus ad other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters itating/toxic smoke and fumes may be generated. ment and self-contained breathing apparatus with fi from fire area if it can be done without risk. Water Section 6. Ac tions, protective equipment and emergency pr o prevent material-damage. Restrict access to area	beropropriate foa Do not enter Ull facepiece. r spray may b ccidental re cocedures a until compl	ts) m to extinguish surrounding product fire area without proper protection. Shield personnel to protect from ve useful in cooling equipment and ca lease measures etion of clean-up. Ensure clean-up is	Firefighters should wear proper nting, rupturing or bursting cans. ns exposed to heat and flame.			
Carbon oxides a Suitable and un In case of fire: U Special protecti During a fire, irr protective equipt Move containers Personal precau Absorb spillage only. All persons	s of the hazardous product (hazardous combus ad other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters itating/toxic smoke and fumes may be generated. ment and self-contained breathing apparatus with fi from fire area if it can be done without risk. Water Section 6. Ac tions, protective equipment and emergency pr o prevent material-damage. Restrict access to area dealing with clean-up should wear the appropriate	beropropriate foa Do not enter Ull facepiece. r spray may b ccidental re cocedures a until compl	ts) m to extinguish surrounding product fire area without proper protection. Shield personnel to protect from ve useful in cooling equipment and ca lease measures etion of clean-up. Ensure clean-up is	Firefighters should wear proper nting, rupturing or bursting cans. ns exposed to heat and flame.			
Carbon oxides a Suitable and un In case of fire: U Special protecti During a fire, irr protective equipt Move containers Personal precat Absorb spillage only. All persons Methods and m	s of the hazardous product (hazardous combus ad other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters itating/toxic smoke and fumes may be generated. ment and self-contained breathing apparatus with fi from fire area if it can be done without risk. Water Section 6. Ac tions, protective equipment and emergency pr o prevent material-damage. Restrict access to area dealing with clean-up should wear the appropriate aterials for containment and cleaning up	ppropriate foa Do not enter ull facepiece. r spray may b ccidental re cocedures a until compl pprotective ec	ts) m to extinguish surrounding product fire area without proper protection. Shield personnel to protect from ve useful in cooling equipment and ca lease measures etion of clean-up. Ensure clean-up is puipment (See Section 8).	Firefighters should wear proper nting, rupturing or bursting cans. ns exposed to heat and flame.			
Carbon oxides a Suitable and un In case of fire: U Special protecti During a fire, irr protective equipt Move containers Personal precat Absorb spillage only. All persons Methods and m Ventilate area of	s of the hazardous product (hazardous combus ad other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters itating/toxic smoke and fumes may be generated. nent and self-contained breathing apparatus with fi from fire area if it can be done without risk. Water Section 6. Ac tions, protective equipment and emergency pr o prevent material-damage. Restrict access to area dealing with clean-up should wear the appropriate aterials for containment and cleaning up release. Stop the leak if it can be done safely. C	ppropriate foa Do not enter ull facepiece. r spray may b ccidental re cocedures a until comple protective economic ontain and ab	ts) m to extinguish surrounding product fire area without proper protection. Shield personnel to protect from ver we useful in cooling equipment and ca lease measures etion of clean-up. Ensure clean-up is juipment (See Section 8). worb any spilled liquid concentrate w	Firefighters should wear proper nting, rupturing or bursting cans. ns exposed to heat and flame.			
Carbon oxides a Suitable and un In case of fire: U Special protecti During a fire, irr protective equipt Move containers Personal precat Absorb spillage only. All persons Methods and m Ventilate area of place material in	s of the hazardous product (hazardous combus ad other irritant/toxic gases and fumes. suitable extinguishing media se carbon dioxide, chemical powder agent and ap ve equipment and precautions for fire-fighters itating/toxic smoke and fumes may be generated. ment and self-contained breathing apparatus with fi from fire area if it can be done without risk. Water Section 6. Ac tions, protective equipment and emergency pr o prevent material-damage. Restrict access to area dealing with clean-up should wear the appropriate aterials for containment and cleaning up	ppropriate foa Do not enter ull facepiece. r spray may b ccidental re cocedures a until comple protective economic ontain and ab	ts) m to extinguish surrounding product fire area without proper protection. Shield personnel to protect from ver we useful in cooling equipment and ca lease measures etion of clean-up. Ensure clean-up is juipment (See Section 8). worb any spilled liquid concentrate w	Firefighters should wear proper nting, rupturing or bursting cans. ns exposed to heat and flame.			



Section 7. Handling and storage

Precautions for safe handling

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m³ & PEL-TWA 10 mg/m³; DUST ACGIH – TLV-TWA 1 mg/m³ & PEL-TWA 5 mg/m³ (respirable fraction) & 15 mg/m³ (total dust);

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section 9. Physical and chemical properties				
Appearance, physical state/colourLiquidVapour pressureNot available				
Odour Characteristic	Vapour density Not available			
Odour threshold Not available	Relative density 1.331			
pH Not available	Solubility Not available			
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available			
Initial boiling point/range Not available	Auto-ignition temperature Not available			
Flash point > 93°C	Decomposition temperature Not available			
Evaporation rate Not available	Viscosity Not available			
Flammability (solids and gases) Not available VOC Not available				
Upper and lower flammability/explosive limits Not available	Other None known			
Section 10. Stability and reactivity				
Reactivity				
Does not react under the recommended storage and handling conditions prescribed.				
Chemical stability				
Stable under the recommended storage and handling conditions prescribed.				
Possibility of hazardous reactions				
None known				
Conditions to avoid (static discharge, shock or vibration)				
None known				
Incompatible materials				
Oxidizing materials; etc.				
Hazardous decomposition products				
None known				



Section 11. Toxicological information				
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)				
Avoid creating dust to eliminate this inhalation hazard - Suspected of causing cancer.				
Symptoms related to the physical, chemical and toxicological characteristics				
None				
Delayed and immediate effects (chronic effects from short-term and long-term exposure)				
Skin Sensitization - No data available; Respiratory Sensitization - No data available; Germ Cell Mutagenicity - No data available; Carcinogen				
- Ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity - No data available; Specific Target Organ Toxicity - Single Expo				
- No data available; Specific Target Organ Toxicity - Repeated Exposure - No data available; Aspiration Hazard - No data available; He	ealth			
Hazards Not Otherwise Classified – No data available.				
Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)				
None				
ATE not available in this document.				
Section 12. Ecological information				
Ecotoxicity (aquatic and terrestrial information) No data available				
Persistence and degradability No data available				
Bioaccumulative potential No bioaccumulation is to be expected.				
Mobility in soil No data available				
Other adverse effects No data available				
Section 13. Disposal considerations				
Information on safe handling for disposal/methods of disposal/contaminated packaging				
Dispose of contents/container into safe container in accordance with local, regional or national regulations.				
Section 14. Transport information				
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations				
Not Regulated				
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)				
Not Regulated				
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)				
Not Regulated				
Special precautions (transport/conveyance) None				
Environmental hazards (IMDG or other) None				
Bulk transport (usually more than 450 L in capacity) Possible				
Section 15. Regulatory information				
Safety/health Canadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been classified in accord	ance			
with the hazard criteria of the Hazardous Products Regulations (HPR).				
Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL				
Safety/health/environmental outside regulations specifics				
United States OSHA information: This product is regulated according to OSHA (29 CFR).				
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.				
United States TCSA information: Refer to the ingredients listed in Section 3.				

California Proposition 65: This product contains ingredients that are known to the State of California to cause cancer or other reproductive harm.



Section 16. Other information				
Date of the latest revision of the safety data sheet February 09, 2018 version 1 (NSS ENTREPRISE INC.)				
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.			
Abbreviations				
ACGIH	American Conference of Governmental Industrial Hygienists			
ATE	Acute toxicity estimate			
CAS	Chemical Abstract Service			
DSL	Domestic Substance List			
IARC	International Agency for Research on Cancer			
IATA	International Air Transport Association			
IMDG	International Maritime Dangerous Goods Code			
LC	Lethal concentration			
LD	Lethal Dosage			
NIOSH	National Institute for Occupational Safety and Health			
NTP	National Toxicology Program (U.S.A.)			
OSHA	Occupational Safety and Health Administration (U.S.A.)			
PEL	Permissible Exposure Limit			
STEL	Short-term Exposure Limit			
TDG	Transport of dangerous goods in Canada			
TLV	Threshold Limit Value			
TSCA	Toxic Substances Control Act			
TWA	Time Weighted Average			
WHMIS	Workplace Hazardous Materials Information System			
	To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the			

whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.