

# SAFETY DATA SHEET (SDS)

Section 1. Identification           Product identifier         850-0 and 850-1           Other means of identification         ISO-STAIN 100% acrylic lack opaque stain           Recommended use and restrictions on use         Opaques tain for inferior and actorior           Initial supplier identifier         MF Paints Inc. 1605 Degenats blvd Wett, Laval, QC H7U, SA3 T:(450) 628-3831           Emergency telephone number/restriction on use         Canada - CANUTEC 24 hour muber of 13-996-6666           Avoid creating dust to eliminate this inhaliation bazard - Carcinogenicity (Category 2)         Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)           Waring         H351 Suspected of causing cancer.           P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection. 308 + P313 IF exposed or concerned: Get medical attentions. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.           Other hazards known         None           Chemical name (common name/synonyms)         CA sumber or other		SAFETY	DATA SH	IEET (SDS)	
Other means of identification         ISOSTAIN 100% acrylic lates opague stain           Recommended use and restrictions on use         Opague stain for interior and exterior           Initial supplier identifier         MF Paints Inc. 1605 Dagenais blvd West, Laval, QC H7L 5A3 T(450) 628-3831           Emergency telephone number/restriction on use         Canada – CANUTEC 24 hour number 613-906-6666           Section 2. Hazard identification         Section 2. Hazard identification           Avoid creating dust to eliminate this inhaliation hazard – Carcinogenicity (Category 2)         Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)           Warning         H351 Suspected of causing cancer.           P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective diverse protective clothing/eye protection/Tage		Sectio	on 1. Identi	ification	
Recommended use and restrictions on use   Opaque stain for interior and exterior           Initial supplier identifier   MF Paints Inc. 1605 Dagemash bid West, Laval, OC HTZ 5A3 T(450) 628-3831           Emergency telephone number/restriction on use   Canada – CANUTEC 24 hour number 613-996-6666           Classification of hazardous product (name of the category or subcategory of the hazard class)           Avoid creating dust to eliminate this inhalation hazard - Carcinogenicity (Category 2)           Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)           Information elements (symbols, signal words, hazard statements and precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection. 308 + P313 IF exposed or concerned: Get medical attention. P405 Store locked up. P501 Dispose of contents/container in accordance with local, regional or national regulations.           Other hazards known   None         Section 3. Composition/information on ingredients           Chemical name (common name/synonyms)         CAS number or other         Concentration (%)           Titunium dioxide         13463-67-7         < 25	Product identifi	er 850-0 and 850-1			
Initial supplier identifier       IMP Paints Inc. 1605 Dagenais blvd West, Laval, QC H7L 5A3 7t;450, 626666         Emergency telephone number/restriction on use       Canada - CANUTEC 24 hour number 613-996-6666         Section 2. Hazard identification       Classification of hazardous product (name of the category or subcategory of the hazard class)         Avoid creating dust to elimine this inhalation hazard - Carcinogenicity (Classification of the category/subcategory)       Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)         Warning       H351 Suspected of causing cancer.         P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection/face protection face protection. 308 + P313 IF exposed or concenned: Get medical attention. P405 Store locked up. P501 Dispose of contents/container in accordance with local, regional or national regulations.         Other hazards known       None         Section 3. Composition/information on ingredients         Chemical name (common name/synonyms)       CAS number or other       Concentration (%)         Titanium dixide       13/436-36-7       < 25	Other means of	identification ISO-STAIN 100% acrylic late	x opaque sta	in	
Emergency telephone number/restriction on use         Canada – CANUTEC 24 hour number 613-996-6666           Classification of hazardous product (name of the category or subcategory of the hazard class)         Avoid creating dust to eliminate this inhalation hazard - Carcinogenicity (Category 2)           Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)         Image: Subscrept 2)           Warning         Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)           Warning         H33 Suspected of causing cancer.           P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection. 308 + P313 IF exposed or concerned: Get medical attention. P405 Store locked up. P501 Dispose of contents/container in accordance with local, regional or national regulations.           Other hazards known         None           Chemical name (common name/synonyms)         CAS number or other         Concentration (%)           Titatium dioxide         I 3463-67.7         < 25	Recommended 1	use and restrictions on use Opaque stain for	interior and	exterior	
Section 2. Hazard identification           Classification of hazardous product (name of the category or subcategory of the hazard class)         Avoid creating dust to eliminate this inhalation hazard - Category of the hazard class)           Avoid creating dust to eliminate this inhalation hazard - Category of the hazard class)         Avoid creating dust to eliminate this inhalation hazard - Category of the hazard class)           Warning         Histi Suspected of causing cancer.         P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective dothing/exp erotection? Area protective coloning/exp erotection?           Other hazards known         None         Section 3. Composition/information on ingredients           Chemical name (common name/synonyms)         CAS number or other         Concentration (%)           Titanium dixide         107-21-1         < 3	Initial supplier i	identifier MF Paints Inc. 1605 Dagenais bly	d West, Lav	val, QC H7L 5A3 T:(450) 628-3831	
Section 2. Hazard identification           Classification of hazardous product (name of the category or subcategory of the hazard class)         Avoid creating dus to eliminate this inhalation hazard - Category 2           Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)           Warning           H351 Suspected of causing cancer.           P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective (othing/eye protection/ace protection. 308 + P313 IF exposed or concerned: Get medical attention. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.           Other hazards known         None           Section 3. Composition/information on ingredients         Concentration (%)           Titanium dixide         134363-67-7         < 25					
Classification of hazardous product (name of the category or subcategory of the hazard class)         Avoid creating dust to eliminate this inhalation hazard - Carcinogenicity (Category 2)         Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)         Warning         H351 Suspected of causing cancer.         P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection. 308 + P313 IF exposed or concerned: Get medical attention. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.         Other hazards known       None         Section 4. Composition/Information on Ingredients         Chemical name (common name/synonyms)       CAS number or other       Concentration (%)         Titanium dioxide       13403-67-7       <25			Hazard id	lentification	
Avoid creating dust to eliminate this inhalation hazard - Carcinogenicity (Category 2)         Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)         Warning         H351 Suspected of causing cancer.         P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective clothing/eye protection face protection. 308 + P313 IF exposed or concerned: Get medical attention. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.         Other hazards kown       None         Chemical name (common name/synonyms)       CAS number or other       Concentration (%)         Titanium dioxide       Section 4. First-aid measures       In7211       <3	Classification of				
Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)           Warning           H351 Suspected of causing cancer.           P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection. 308 + P313 IF exposed or concerned: Get medical attention. P405 Store locked up. P501 Dispose of contents/container into safe container in a score in a					
Warning         H351       Suspected of causing cancer.         P201       Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective glows/protective clothing/eye protection/face protection. 308 + P313 IF exposed or concerned: Get medical attention. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.         Other hazards known       None         Chemical name (common name/synonyms)       CAS number or other       Concentration (%)         Titanium dioxide       13463-67.7       < 25					ry/subcategory)
H351 Suppected of causing cancer.         P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection. 308 + P313 IF exposed or concerned: Get medical attention. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.         Other hazards known       None         Section 3. Composition/information on ingredients         Chemical name (common name/synonyms)       CAS number or other         Concentration (%)         Titanium dioxide       13463-67-7         Eithylene glycol       107-21-1         Section 4. First-aid measures         Inhalation       IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor.         Ingestion       IF SWALLOWED: Rinse mouth. Do NOT induce voniting. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vonting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell.         Skin contact       IF ON SKIN: Rinse skin with water.         Eye contact       IF IN EYES, Rinse cautiously with water.         Eye contact       IF IN EYES, Rinse cautiously with water.         Eye contact       IF IN EYES, Rinse cautiously with water.         Eye cont			ins and prot		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Section 3. Composition/information on ingredients           Chemical name (common name/synonyms)         CAS number or other         Concentration (%)           Titanium dioxide         13463-67-7         < 25           Ethylene glycol         107-21-1         < 3           Section 4. First-aid measures           Inhalation         IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor.           Ingestion         IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell.           Skin contact         IF ON SKIN: Rinse skin with water.         Most important symptoms and effects (acute or delayed)         None           Indication of immediate medical attention/special treatment         In all cases, call a doctor. Do not forget this document.           Specific hazards of the hazardous product (hazardous combustion products)         Carbon oxides and other irritant/toxic gases and fumes.           Suitable and unsuitable extinguishing media         In case of fire: Use carbon dixide, chemical powder agent and appropriate foam to extinguish surrounding products.           Special protective equipment and precautions for fire-fighters         During a fire, irritating/toxic smoke and fumes.           During	H351 Suspected P201 Obtain spec gloves/protective	cial instructions before use. P202 Do not handle to e clothing/eye protection/face protection. 308 + P2	313 IF expos	sed or concerned: Get medical attention	
Chemical name (common name/synonyms)         CAS number or other         Concentration (%)           Titanium dioxide         13463-67-7         < 25	Other hazards k	known None			
Chemical name (common name/synonyms)         CAS number or other         Concentration (%)           Titanium dioxide         13463-67-7         < 25           Ethylene glycol         107-21-1         < 3           Inhalation         IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor.         Ingestion           Inf SWALLOWED: Rinse mouth. Do NOT induce vomiting. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell.         Skin contact         IF NEYES, Rinse cautiously with water.           Eye contact         IF IN EYES, Rinse cautiously with water.         In all cases, call a doctor. Do not forget this document.         Most important symptoms and effects (acute or delayed)         None           Indication of immediate medical attention/special treatment         In all cases, call a doctor. Do not forget this document.         Carbon oxides and other irritant/toxic gases and fumes.           Suitable and unsuitable extinguishing media         In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.         Special protective equipment and percentions of fire-fighters           During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing		Section 3. Composi	ition/inform	nation on ingredients	
Titanium dioxide       13463-67-7       < 25	Chemical name				<b>Concentration (%)</b>
Ethylene glycol       107-21-1       < 3					
Section 4. First-aid measures           Inhalation         IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor.           Ingestion         IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell.           Skin contact         IF ON SKIN: Rinse skin with water.         Eve contact         IF NEVES, Rinse cautiously with water.           Eye contact         IF NEVES, Rinse cautiously with water.         In all cases, call a doctor. Do not forget this document.           Most important symptoms and effects (acute or delayed)         None         In all cases, call a doctor. Do not forget this document.           Section 5. Fire-fighting measures         Section 5. Fire-fighting measures         In all cases, call a doctor. Do not forget this document.           Suitable and unsuitable extinguishing media         In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.         Special protective equipment and precautions for fire-fighters           During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cass. Move containers from fire	Ethylene glycol				
Inhalation       IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor.         Ingestion       IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell.         Skin contact       IF ON SKIN: Rinse skin with water.         Eye contact       IF IN EYES, Rinse cautiously with water.         Most important symptoms and effects (acute or delayed)       None         Indication of immediate medical attention/special treatment       In all cases, call a doctor. Do not forget this document.         Specific hazards of the hazardous product (hazardous combustion products)       Carbon oxides and other irritant/toxic gases and fumes.         Suitable and unsuitable extinguishing media       In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.         Special protective equipment and precautions for fire-fighters       During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cass.         Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cas exposed to heat and flame.		Section	4 First-aid		
Ingestion       IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell.         Skin contact       IF ON SKIN: Rinse skin with water.         Eye contact       IF IN EYES, Rinse cautiously with water.         Most important symptoms and effects (acute or delayed)       None         Indication of immediate medical attention/special treatment       In all cases, call a doctor. Do not forget this document.         Specific hazardous product (hazardous combustion products)       Carbon oxides and other irritant/toxic gases and fumes.         Suitable and unsuitable extinguishing media       In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.         Special protective equipment and precautions for fire-fighters       During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breakting apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cass.         Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.         Special protective equipment and emergency procedures         Absorb spillage to prevent material-damage. Restrict access to area until compl	Inhalation				a doctor
consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell.         Skin contact       IF ON SKIN: Rinse skin with water.         Eye contact       IF IN EYES, Rinse cautiously with water.         Most important symptoms and effects (acute or delayed)       None         Indication of immediate medical attention/special treatment       In all cases, call a doctor. Do not forget this document.         Specific hazards of the hazardous product (hazardous combustion products)       Carbon oxides and other irritant/toxic gases and fumes.         Suitable and unsuitable extinguishing media       In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.         Special protective equipment and precautions for fire-fighters       During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.         Section 6. Accidental release measures         Personal precautions, protective equipment and emergency procedures         Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained person					
vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell.         Skin contact       IF ON SKIN: Rinse skin with water.         Eye contact       IF IN EYES, Rinse cautiously with water.         Most important symptoms and effects (acute or delayed)       None         Indication of immediate medical attention/special treatment       In all cases, call a doctor. Do not forget this document.         Specific hazards of the hazardous product (hazardous combustion products)       Carbon oxides and other irritant/toxic gases and fumes.         Suitable and unsuitable extinguishing media       In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.         Special protectiv equipment and precautions for fire-fighters       Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.         Section 6. Accidental release measures         Personal precautions, protective equipment and emergency procedures         Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).         Methods and materials for containment and cleani					
Skin contact       IF ON SKIN: Rinse skin with water.         Eye contact       IF IN EYES, Rinse cautiously with water.         Most important symptoms and effects (acute or delayed)       None         Indication of immediate medical attention/special treatment       In all cases, call a doctor. Do not forget this document.         Section 5. Fire-fighting measures       Section 5. Fire-fighting measures         Specific hazards of the hazardous product (hazardous combustion products)       Carbon oxides and other irritant/toxic gases and fumes.         Suitable and unsuitable extinguishing media       In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.         Special protective equipment and precautions for fire-fighters       During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.         Section 6. Accidental release measures         Personal precautions, protective equipment and emergency procedures         Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).         Methods and mat					
Eye contact       IF IN EYES, Rinse cautiously with water.         Most important symptoms and effects (acute or delayed)       None         Indication of immediate medical attention/special treatment       In all cases, call a doctor. Do not forget this document.         Specific hazards of the hazardous product (hazardous combustion products)       Carbon oxides and other irritant/toxic gases and fumes.         Suitable and unsuitable extinguishing media       In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.         Special protective equipment and precautions for fire-fighters       Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.         Section 6. Accidental release measures         Personal preceutions, protective equipment and emergency procedures         Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).         Methods and materials for containment and cleaning up	Skin contact				<i>y</i> = <i>a</i> = <i>c</i> =
Most important symptoms and effects (acute or delayed)       None         Indication of immediate medical attention/special treatment       In all cases, call a doctor. Do not forget this document.         Section 5. Fire-fighting measures       Section 5. Fire-fighting measures         Specific hazards of the hazardous product (hazardous combustion products)       Carbon oxides and other irritant/toxic gases and fumes.         Suitable and unsuitable extinguishing media       In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.         Special protective equipment and precautions for fire-fighters       During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.         Personal precautions, protective equipment and emergency procedures         Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).         Methods and materials for containment and cleaning up					
Indication of immediate medical attention/special treatment       In all cases, call a doctor. Do not forget this document.         Section 5. Fire-fighting measures         Specific hazards of the hazardous product (hazardous combustion products)         Carbon oxides and other irritant/toxic gases and fumes.         Suitable and unsuitable extinguishing media         In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.         Special protective equipment and precautions for fire-fighters         During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.         Section 6. Accidental release measures         Personal precautions, protective equipment and emergency procedures         Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).         Methods and materials for containment and cleaning up			None		
Section 5. Fire-fighting measures         Specific hazards of the hazardous product (hazardous combustion products)         Carbon oxides and other irritant/toxic gases and fumes.         Suitable and unsuitable extinguishing media         In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.         Special protective equipment and precautions for fire-fighters         During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.         Section 6. Accidental release measures         Personal precautions, protective equipment and emergency procedures         Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).         Methods and materials for containment and cleaning up				call a doctor. Do not forget this door	iment
Specific hazards of the hazardous product (hazardous combustion products)         Carbon oxides and other irritant/toxic gases and fumes.         Suitable and unsuitable extinguishing media         In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.         Special protective equipment and precautions for fire-fighters         During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.         Section 6. Accidental release measures         Personal precautions, protective equipment and emergency procedures         Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).         Methods and materials for containment and cleaning up	indication of mi				iniciit.
Carbon oxides and other irritant/toxic gases and fumes. Suitable and unsuitable extinguishing media In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).	Smarle hanault				
Suitable and unsuitable extinguishing media         In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.         Special protective equipment and precautions for fire-fighters         During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.         Section 6. Accidental release measures         Personal precautions, protective equipment and emergency procedures         Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).         Methods and materials for containment and cleaning up			suon proatio		
In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products. Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).		-			
Special protective equipment and precautions for fire-fighters During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up			C	an to artigoniah arman line - 1	
During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up				am to extinguish surrounding product	.S.
protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up				<u> </u>	E. C. 1. 1.1
Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame. Section 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up					
Section 6. Accidental release measures           Personal precautions, protective equipment and emergency procedures           Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).           Methods and materials for containment and cleaning up	protective equipm	nent and self-contained breathing apparatus with f	ull facepiece	. Shield personnel to protect from ver	iting, rupturing or bursting cans.
Personal precautions, protective equipment and emergency procedures Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up	Move containers				is exposed to heat and flame.
Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up				elease measures	
only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up	Personal precau	itions, protective equipment and emergency pr	rocedures		
Methods and materials for containment and cleaning up					conducted by trained personnel
Methods and materials for containment and cleaning up			e protective e	quipment (See Section 8).	
	Methods and ma	aterials for containment and cleaning up			
Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then	Ventilate area of				
place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.					
Notify the appropriate authorities as required.	place material int	to a container for later disposal (see Section 13). C			



## Section 7. Handling and storage

## Precautions for safe handling

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

#### Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

## Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m<sup>3</sup> & PEL-TWA 10 mg/m<sup>3</sup>; DUST ACGIH – TLV-TWA 1 mg/m<sup>3</sup> & PEL-TWA 5 mg/m<sup>3</sup> (respirable fraction) & 15 mg/m<sup>3</sup> (total dust);

## Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

#### Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section 9. Physical and chemical properties				
Appearance, physical state/colour Liquid	Vapour pressure Not available			
Odour Characteristic	Vapour density Not available			
Odour threshold Not available	Relative density 850-0: 1.204			
	850-1: 1.238			
pH Not available	Solubility Not available			
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available			
Initial boiling point/range Not available	Auto-ignition temperature Not available			
Flash point > 93°C	Decomposition temperature Not available			
Evaporation rate Not available	Viscosity Not available			
Flammability (solids and gases) Not available	VOC Not available			
Upper and lower flammability/explosive limits Not available	Other None known			
Section 10. Stability and reactivity				
Reactivity				
Does not react under the recommended storage and handling conditions presc	ribed.			
Chemical stability				
Stable under the recommended storage and handling conditions prescribed.				
Possibility of hazardous reactions				
None known				
Conditions to avoid (static discharge, shock or vibration)				
None known				
Incompatible materials				
Oxidizing materials; etc.				
Hazardous decomposition products				
None known				



Section 11. Toxicological information			
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)			
Avoid creating dust to eliminate this inhalation hazard - Suspected of causing cancer.			
Symptoms related to the physical, chemical and toxicological characteristics			
None			
Delayed and immediate effects (chronic effects from short-term and long-term exposure)			
Skin Sensitization – No data available; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – Ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified – No data available.			
Numerical measures of toxicity (ATE; LD <sub>50</sub> & LC <sub>50</sub> )			
None			
ATE not available in this document.			
Section 12. Ecological information			
Ecotoxicity (aquatic and terrestrial information) No data available			
Persistence and degradability No data available			
Bioaccumulative potential No bioaccumulation is to be expected.			
Mobility in soil No data available			
Other adverse effects No data available			
Section 13. Disposal considerations			
Information on safe handling for disposal/methods of disposal/contaminated packaging			
Dispose of contents/container into safe container in accordance with local, regional or national regulations.			
Section 14. Transport information			
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations			
Not Regulated			
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)			
Not Regulated			
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)			
Not Regulated			
Special precautions (transport/conveyance) None			
Environmental hazards (IMDG or other) None			
Bulk transport (usually more than 450 L in capacity) Possible			
Section 15. Regulatory information			
Safety/health Canadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been classified in accordance			
with the hazard criteria of the Hazardous Products Regulations (HPR).			
<b>Environmental Canadian regulations specifics</b> Refer to Section 3 for ingredient(s) of the DSL			
Safety/health/environmental outside regulations specifics			
United States OSHA information: This product is regulated according to OSHA (29 CFR).			
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.			
United States TCSA information: Refer to the ingredients listed in Section 3.			
California Proposition 65: This product contains ingredients that are known to the State of California to cause cancer or other reproductive harm.			



	Section 16. Other information			
Date of the latest revision of the safety data sheet February 09, 2018 version 1 (NSS ENTREPRISE INC.)				
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.			
Abbreviations				
ACGIH	American Conference of Governmental Industrial Hygienists			
ATE	Acute toxicity estimate			
CAS	Chemical Abstract Service			
DSL	Domestic Substance List			
IARC	International Agency for Research on Cancer			
IATA	International Air Transport Association			
IMDG	International Maritime Dangerous Goods Code			
LC	Lethal concentration			
LD	Lethal Dosage			
NIOSH	National Institute for Occupational Safety and Health			
NTP	National Toxicology Program (U.S.A.)			
OSHA	Occupational Safety and Health Administration (U.S.A.)			
PEL	Permissible Exposure Limit			
STEL	Short-term Exposure Limit			
TDG	Transport of dangerous goods in Canada			
TLV	Threshold Limit Value			
TSCA	Toxic Substances Control Act			
TWA	Time Weighted Average			
WHMIS	Workplace Hazardous Materials Information System			
whatsoever for the	To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are			
the only begards that aviet				

the only hazards that exist.