## MF PAINTS INC. MATERIAL SAFETY DATA SHEET

SECTION 1	GENERAL INFORMA	TION			
Manufacturer:	MF PAINTS inc. 1605 Dagenais West		TDG: Not regulated	<b>Product name: Latex plus</b> Use: Paints	
Laval, Quebec, H7L 5A3 Product code: <b>370</b> IN CASE OF EMERGENCY, CONTACT ANTI-POISON CENTER SIMDUT: D2A, D2B					
SECTION 2	HAZARDOUS INGRE	DIENTS			
Component:	%	CAS No.	LD 50 Species/ Route	LC 50 Species/ Route	
Ethylene glycol	0.2-0.7	107-21-1	8540 mg/kg (oral-rat) 7500 mg/kg (oral-mouse)	10876 mg/kg (rat)	
SECTION 3	PHYSICAL AND CHEMICAL PROPERTIES				
Physical state at 20°C: liquid Odour: odourless Freezing/ melting point: 0°C Volatile by weight (%): 40-45		Bo De	our: White iling point: 100°C nsity (G /ML): 1.1 - 1.5 aporation rate (n-butyl acetate=1): N.A.	Solubility in water: miscible Vapour pressure (mm of Hg): N.A. Vapour density (air=1): N.A.	
SECTION 4 FIRE OR EXPLOSION RISK					
Flammability: No Flash point: Closed cup: N/A Open cup: N.A.   Auto-ignition temperature: N.A. Flammable limits: Lower: n/a Upper: n/a   Combustion products: Carbon monoxide, carbon dioxide. Extinguishing media: Carbon dioxide, foam, dry chemical, alcohol foam, water fog. Do not direct a solid stream of water or foam into hot, burning pools; this may cause frothing and increase fire intensity.   Special fire procedures: Wear full protective equipment including a self-contained breathing apparatus. Vapours mixed with air create an explosive mixture. Cool off exposed containers with water.					
SECTION 5 REACTIVITY   Stability: Yes Reactivity: under excessive heat   Incompatibility: Yes, with strong acids, strong bases, and strong oxidants. Reacts strongly in contact with oxidants agents or hydroxyls components.   Decomposition products: Thermo decomposition (500-600°C): carbon monoxide, carbon dioxide, acetaldehyde.   SECTION 6 TOXICOLOGICAL PROPERTIES   TOXIC EFFECTS:					
Inhalation: High vapours concentrations may produce nausea, vomiting, headache, dizziness, irregular eye movements, abdominal discomfort, drowsiness, malaise, blurring of vision, lumbar pain, oliguria, uraemia and central effects system, including convulsions and coma. Cardiac failure and pulmonary oedema may develop. Skin: Possible irritation					
Ingestion: Same as inhalation. Severe kidney damage follows the swallowing of large volumes of ethylene glycol. May be fatal. Eyes: possible irritation. Excess redness and swelling of the conjunctiva may occur. CHRONIC EFFECTS: Repeated contact may cause dermatitis, conjunctiva. On animals (inhalation or ingestion): dose related increase in renal tumour incidence and hepatics.					
TOXICOLOGICAL DATA: Time-weighted average exposure value: (ppm) 50p (mg/m3) 127p Mutagenicity: Insufficient data to evaluate. Reproduction system effects: Passes through the placental barrier in animals.			Teratogenicity: Insufficient dat	Cancerogenicity: Studies suggest the absence of effects. Teratogenicity: Insufficient data to evaluate. Other effect: Antagonism: ethanol, b6 vitamins, magnesium, pyrazole.	
SECTION 7PREVENTIONGloves: Appropriate gloves.Foot wear: N.A.Equipment and clothing: Protection equipmentEyes protection: GlassesVentilation: Maintain the concentrations under the minimal exposition rate.Breathing protection: Protection equipmentLeak or accident: Absorb with paper, sand or sawdust.Breathing protection: Protection equipmentWaste disposal: Refer to the regional office of the environmental minister.Handling and storage: Ventilate adequately or wear an appropriate breathing apparatus Wear eye protection. Avoid contact with skin. Store in a sealed container, in a well					

Handling and storage: Ventilate adequately or wear an appropriate breathing apparatus Wear eye protection. Avoid contact with skin. Store in a sealed container, in a well ventilated area, away from oxidants materials.

## SECTION 8 FIRST AID

Breathing: incommodious vapours - bring the person in a well-ventilated area. If breathing has stopped, administer artificial respiration. Give oxygen, keep warm and call a physician. Skin contact: Wash skin with water and soap. Eyes contact: Flush eyes with lukewarm water. If irritation persists, consult a physician.

Ingestion: If person is conscious-induce vomiting. Call a physician.

## SECTION 9 PREPARATION INFORMATION

We believe that the information given above is up to date at the preparation date of this toxicological index. Because the handling of this information is not upon the control of this company, the users have the full responsibility to determine the conditions to properly and safely use this product.

Manager: Richard St-Onge

Preparation date: March 2016 Phone: (450) 628-3831 Poison Centre 1-800-463-5060