

SAFETY DATA SHEET (SDS)

		ETT DATA SHEET (SDS)				
		Section 1. Identification				
Product identifier 1060-4		~ ·				
Other means of identification						
Recommended use and restr		or Wooden Surfaces				
	Initial supplier identifierMF Paints Inc. 1605 Dagenais Boulevard W, Laval, QC H7L 5A3 T:(450) 628-3831					
Emergency telephone number		da – CANUTEC 24 hour number 613-996-66	66			
		ion 2. Hazard identification				
		y or subcategory of the hazard class)				
Flammable liquid (Category 3)					
	Skin irritation (Category 2)					
Eye irritation (Category 2A)						
Specific target organ toxicity -	- single exposure (Category 3)), Central nervous system				
Carcinogenicity (Category 2)						
Reproductive toxicity (Catego		4	· · · · · · · · · · · · · · · · · · ·			
Information elements (symb	ols, signal words, nazard sta	tements and precautionary statements of th	ie category/subcategory)			
Danger H226 Flammable liquid and vapour.						
H315 Causes skin irritation.	apour.					
H319 Causes serious eye irrita	ation					
H336 May cause drowsiness o						
H351 Suspected of causing ca						
H361 Suspected of damaging fertility or the unborn child.P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away fromheat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P261 Avoid breathingdust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280Wear gloves/protective clothing/eye protection/face protection. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminatedclothing. Rinse skin with water. P302 + P352 IF ON SKIN: wash with plenty of water. P332 + P313 IF SKIN irritation or rash occurs: Get medicalattention. P362 + P364 Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 IF IN EYES, Rinse cautiously with water forseveral minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention.P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell P308 + P313 IFexposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam toextinguish. P403 + P233 + P235 Store in a well-ventilated place. P405 Store locked up. P501 Dispose of contents/container into safe container inaccordance with local, regional or national regulations.Other hazards knownREAD INSTRUCTIONS BEFORE USING. DANGER OF COMBUSTION. Keep out of reach of children.<						
Chamical parts (service)		nposition/information on ingredients	Concentration (0/)*			
Chemical name (common na		CAS number or other	Concentration (%)* <10			
Medium aliphatic solvent napl	nuna	64742-88-7	-			
Titanium dioxide		13463-67-7	< 10			
T-Butyl acetate		540-88-5	< 10			
Octamethylcyclotetrasiloxane		556-67-2	< 20			
Stoddard solvent		8052-41-3	< 10			
Linseed oil		66071-03-2	< 5			
Silica crystalline, Quartz		14808-60-7	< 0.1			
* Statement - This safety data shee	* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s).					

	PRODUCT IDENTIFIER – 1060- DATE & VERSION – MAY 17th, 2019 VERSION 0			
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.			
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim			
	rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim dr			
	glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.			
Skin contact	IF ON SKIN: wash with plenty of water. (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take o			
	contaminated clothing and wash it before reuse.			
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do. Contir			
	rinsing. If eye irritation persists: Get medical attention.			
	t symptoms and effects (acute or delayed) Causes skin irritation. Causes serious eye irritation.			
Indication of in	In all cases, call a doctor. Do not forget this document.			
	Section 5. Fire-fighting measures			
	s of the hazardous product (hazardous combustion products)			
	nd other irritant/toxic gases and fumes.			
	isuitable extinguishing media			
In case of fire: U	Jse carbon dioxide, chemical powder agent and appropriate foam to extinguish.			
	ive equipment and precautions for fire-fighters			
	itating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear prope			
	nent and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans.			
Move containers	from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.			
	Section 6. Accidental release measures			
Personal preca	utions, protective equipment and emergency procedures			
	o area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should			
wear the appropr	riate protective equipment (See Section 8).			
Methods and n	naterials for containment and cleaning up			
Ventilate area o	f release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, the			
place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled produc				
Notify the appro	priate authorities as required.			
	Section 7. Handling and storage			
Precautions for	r safe handling			
Wear gloves/pro	tective clothing/eye protection/face protection.			
	, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygier			
measures are be	ing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contained			
	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid			
	s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Kee			
away from inco	mpatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also			
Section 8.				
Conditions for	safe storage, including any incompatibilities			
Store in a well-	ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10			
Inspect all inco	ming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of			
	accessible only to trained personnel. Inspect periodically for damage or leaks.			
	Section 8. Exposure controls/Personal protection			
Control param	eters (biological limit values or exposure limit values and source of those values)			
	CAS 13463-67-7 ACGIH - TLV-TWA 10 mg/m ³ & PEL-TWA 10 mg/m ³ ; DUST ACGIH - TLV-TWA 1 mg/m ³ & PEL-TWA			
	le fraction) & 15 mg/m ³ (total dust); CAS 8052-41-3 - ACGIH - TLV-TWA 100 ppm & PEL-TWA 500 ppm; CAS 14808-60-			
	TWA 0.025 mg/m ³ & PEL-TWA 0.1 mg/m ³ ; CAS 540-88-5 ACGIH – TLV-TWA 200 ppm & PEL-TWA 200 ppm;			
	gineering controls			
	ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure			
	ergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.			
	ection measures/personal protective equipment			
	ection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limit			
	hemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be wo			
	ing operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thorough			
	Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wa			
	ork clothing before re-use.			

contaminated work clothing before re-use.



Section 9. Physical and c				
Appearance, physical state/colour Liquid	Vapour pressure Not available			
Odour Characteristic	Vapour density Not available			
Odour threshold Not available	Relative density 1.003 g/L			
pH Not available	Solubility Not available			
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available			
Initial boiling point/range Not available	Auto-ignition temperature Not available			
Flash point 25°C closed cup	Decomposition temperature Not available			
Evaporation rate Not available	Viscosity 210 cSt @ 40°C			
Flammability (solids and gases) Not available	VOC Not available			
Upper and lower flammability/explosive limits Not available	Other None known			
Section 10. Stability and reactivity				
Reactivity				
Does not react under the recommended storage and handling conditions prescri	bed.			
Chemical stability				
Stable under the recommended storage and handling conditions prescribed.				
Possibility of hazardous reactions				
Keep away from heat, hot surfaces, sparks, open flames and other ignition so	urces. No smoking. Take action to prevent static discharges.			
Conditions to avoid (static discharge, shock or vibration)				
Keep away from heat, hot surfaces, sparks, open flames and other ignition so	urces. No smoking. Take action to prevent static discharges. Materials			
such as rags used with this product may begin to burn by themselves. After u				
Incompatible materials				
Oxidizing materials; etc.				
Hazardous decomposition products				
None known				
Section 11. Toxicologi	ical information			
Information on the likely routes of exposure (inhalation, ingestion, skin a				
Causes skin irritation. Causes serious eye irritation. May cause drowsiness or o				
or the unborn child.	anzaness. Suspected of edusing editer. Suspected of damaging fertility			
Symptoms related to the physical, chemical and toxicological characteris	stics			
Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing; R				
drowsiness, nausea and headaches.	espiratory rate inflation, cougning, shortness of oreaan, alzeniess,			
Delayed and immediate effects (chronic effects from short-term and long	u-term exposure)			
Skin Sensitization – No data available; Respiratory Sensitization – No data av				
- Ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxici				
Possible; Specific Target Organ Toxicity — Repeated Exposure – No data a				
Otherwise Classified – No data available.				
Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)				
None				
ATE not available in this document.				
Section 12. Ecologic	al information			
Ecotoxicity (aquatic and terrestrial information) No data available for the second s				
Persistence and degradability No data available				
Bioaccumulative potential No data available				
Mobility in soil No data available				
Other adverse effects No data available				
Section 13. Disposal	considerations			
Information on safe handling for disposal/methods of disposal/contamina				
Dispose of contents/container into safe container in accordance with local, regional or national regulations.				
Section 14. Transport information				
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations				
UN1263; PAINT RELATED MATERIAL; CLASS 3; PG III				
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)				
UN number; Proper snipping name; Class(es); Packing group (PG) of the IMDG (maritime) UN1263; PAINT RELATED MATERIAL; CLASS 3; PG III				
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)				
UN1263; PAINT RELATED MATERIAL; CLASS 3; PG III				
Special precautions (transport/conveyance) May also be shipped as a LIMITED QUANTITY in accordance with TDG.				
Environmental hazards (IMDG or other) None				
Bulk transport (usually more than 450 L in capacity) Possible				



Safety/health C	Canadian regulations specifics Refer to Section 2 for the appropriate classification. This product ha	s been classified in accordance			
Salety/liteatin C	with the hazard criteria of the Hazardous Products Regulations (HP)				
Environmental	al Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL				
	Safety/health/environmental outside regulations specifics				
United States OSHA information: This product is regulated according to OSHA (29 CFR).					
	United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.				
United States TCSA information: Refer to the ingredients listed in Section 3.					
California Propo	California Proposition 65: This product contains an ingredient known to the State of California to cause cancer or other reproductive harm.				
•	Section 16. Other information	·			
Date of the lates	test revision of the safety data sheet August 14, 2018 version 1 (NSS ENTREPRISE INC.)				
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health an	d Safety, CCOHS.			
Abbreviations					
ACGIH	American Conference of Governmental Industrial Hygienists				
ATE	Acute toxicity estimate				
CAS	Chemical Abstract Service				
DSL	Domestic Substance List	Domestic Substance List			
IARC	International Agency for Research on Cancer				
IATA	International Air Transport Association				
IMDG	International Maritime Dangerous Goods Code	International Maritime Dangerous Goods Code			
LC	Lethal concentration				
LD	Lethal Dosage	Lethal Dosage			
NIOSH		National Institute for Occupational Safety and Health			
NTP	National Toxicology Program (U.S.A.)				
OSHA	Occupational Safety and Health Administration (U.S.A.)				
PEL	Permissible Exposure Limit				
STEL	Short-term Exposure Limit				
TDG	Transport of dangerous goods in Canada				
TLV	Threshold Limit Value				
TSCA	Toxic Substances Control Act				
TWA	Time Weighted Average				
WHMIS	Workplace Hazardous Materials Information System				
To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability					
whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the					
	als may present unknown hazards and should be used with caution. Although certain hazards are described herein, w	ve cannot guarantee that these are			
the only hazards th	s inat exist.				