

SAFETY DATA SHEET (SDS)

	SAFELT DATA SHEET (SDS) Section 1. Identification					
Des last 'lest'f's		1. Identi				
Product identifie		1				
Other means of i	<u> </u>		1			
Recommended use and restrictions on useArchitectural paint for interior and exteriorInitial supplier identifierMF Paints Inc. 1605 Dagenais Boulevard W, Laval, QC H7L 5A3 T:(450) 628-3831						
Initial supplier i				31		
Emergency telep			4 hour number 613-996-6666			
	Section 2. H					
	hazardous product (name of the category or sul	bcategory	of the hazard class)			
Not regulated						
Information elen	nents (symbols, signal words, hazard statements	s and preca	autionary statements of the catego	ry/subcategory)		
Warning						
H351 Suspected of						
	cial instructions before use. P202 Do not handle unt					
	$clothing/eye\ protection/face\ protection.\ 308+P31$			on. P405 Store locked up.		
	contents/container into safe container in accordance	e with loca	l, regional or national regulations.			
Other hazards k						
	Section 3. Compositie	on/inforn				
	(common name/synonyms)		CAS number or other	Concentration (%)		
	ol monomethyl ether		34590-94-8	< 2		
Ethylene glycol			107-21-1	< 2		
Titanium dioxide			13463-67-7	< 20		
Diethylene glycol	l monobutyl ether		112-34-5	< 2		
	Section 4.	First-aid	measures			
Inhalation	IF INHALED: Remove person to fresh air and ke	eep comfor	table for breathing. Immediately call	l a doctor.		
Ingestion						
consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water						
	vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell.					
Skin contact	IF ON SKIN: Rinse skin with water.					
Eye contact	IF IN EYES, Rinse cautiously with water.					
Most important symptoms and effects (acute or delayed) None						
Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.				ument.		
	Section 5. Fi	ire-fightii	ng measures			
Specific hazards	of the hazardous product (hazardous combusti	on produc	ts)			
Carbon oxides an	d other irritant/toxic gases and fumes.					
Suitable and uns	suitable extinguishing media					
In case of fire: Us	se carbon dioxide, chemical powder agent and appr	ropriate foa	im to extinguish surrounding product	ts.		
Special protectiv	e equipment and precautions for fire-fighters					
During a fire, irrit	tating/toxic smoke and fumes may be generated. D	o not enter	fire area without proper protection.	Firefighters should wear proper		
protective equipm	nent and self-contained breathing apparatus with full	l facepiece.	Shield personnel to protect from ver	nting, rupturing or bursting cans.		
Move containers f	from fire area if it can be done without risk. Water s	spray may b	e useful in cooling equipment and can	ns exposed to heat and flame.		
	Section 6. Acci	idental re	lease measures			
Personal precaut	tions, protective equipment and emergency proc	cedures				
Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel						
	dealing with clean-up should wear the appropriate p			- *		
Methods and ma	aterials for containment and cleaning up		• •			
Ventilate area of	release. Stop the leak if it can be done safely. Con	ntain and ab	sorb any spilled liquid concentrate w	ith inert absorbent material, then		
place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.						
	riate authorities as required.					

Precautions for safe handling

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values) Exposure limits: CAS 34590-94-8 ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; DUST ACGIH – TLV-TWA 1 mg/m³ & PEL-TWA 5 mg/m³ (respirable fraction) & 15 mg/m³ (total dust);

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section 9. Physical and chemical properties				
Appearance, physical state/colour Liquid	Vapour pressure Not available			
Odour Characteristic	Vapour density Not available			
Odour threshold Not available	Relative density 1.199			
pH Not available	Solubility Not available			
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available			
Initial boiling point/range Not available	Auto-ignition temperature Not available			
Flash point > 93°C	Decomposition temperature Not available			
Evaporation rate Not available	Viscosity Not available			
Flammability (solids and gases) Not available	VOC Not available			
Upper and lower flammability/explosive limits Not available	Other None known			
Section 10. Stability and reactivity				
Reactivity				
Does not react under the recommended storage and handling conditions prescribed.				
Chemical stability				
Stable under the recommended storage and handling conditions prescribed.				
Possibility of hazardous reactions				
None known				
Conditions to avoid (static discharge, shock or vibration)				
None known				
Incompatible materials				
Oxidizing materials; etc.				
Hazardous decomposition products				
None known				



. .

California Proposition 65: This product does not contain ingredients that are known to the State of California to cause cancer or other reproductive harm.



Date of the latest revision of the safety data sheet February 09, 2018 version 1 (NSS ENTREPRISE INC.)			
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.		
Abbreviations			
ACGIH	American Conference of Governmental Industrial Hygienists		
ATE	Acute toxicity estimate		
CAS	Chemical Abstract Service		
DSL	Domestic Substance List		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods Code		
LC	Lethal concentration		
LD	Lethal Dosage		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program (U.S.A.)		
OSHA	Occupational Safety and Health Administration (U.S.A.)		
PEL	Permissible Exposure Limit		
STEL	Short-term Exposure Limit		
TDG	Transport of dangerous goods in Canada		
TLV	Threshold Limit Value		
TSCA	Toxic Substances Control Act		
TWA	Time Weighted Average		
WHMIS	Workplace Hazardous Materials Information System		
To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability up to the second provide the information of the inform			

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.