

SAFETY DATA SHEET (SDS)

Section 1. Identification

Product identifier MF253 PART A

Other means of identification | Chemical resistant Novolac epoxy primer

Recommended use and restrictions on use For a high build topcoat for traffic area.

Initial supplier identifier MF Paints Inc. 1605 Dagenais Boulevard W, Laval, OC H7L 5A3 T:(450) 628-3831

Emergency telephone number/restriction on use | Canada – CANUTEC 24 hour number 613-996-6666

Section 2. Hazard identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Skin irritation (category 2)

Eye irritation (category 2A)

Skin sensitization (category 1B)

Hazardous to the aquatic environment - Chronic (Category 2)

Carcinogenicity (Category 2)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)







Warning

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302 + P352 IF ON SKIN: wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 IF eye irritation persists: Get medical attention. P308 + P313 IF exposed or concerned: Get medical attention. P391 Collect spillage. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards known None

Section 3. Composition/information on ingredients				
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)		
Epoxy resin reaction product Bisphenol A (Epichlorohydrin)	25068-38-6	1-5		
Alkyl (C12-C14) glycidyl ether	68609-97-2	< 1.0		
Epoxy phenol novolac resin	28064-14-4	10-30		
Bisphenol f/epichlorohydrin epoxy resin	9003-36-5	30-60		
Propylene glycol monomethyl ether	107-98-2	3-7		
Silica hydrophobic	67762-90-7	< 1.0		
1,2,4-Trimethylbenzene	95-63-6	< 1.0		
Colours may contain:				
Titanium dioxide	13463-67-7	< 10		
Carbon black	1333-86-4	< 1.0		
Iron oxide	1309-37-1	< 10		
Zinc sulfide	1314-98-3	< 10		
Barium sulfate	7727-43-7	< 10		
Pigment yellow 65	6528-34-3	< 10		
Iron hydroxide	20344-49-4	< 10		
Pigment blue	147-14-8	< 10		
Aluminum oxide	1344-28-1	< 10		
Iron oxide yellow	51274-00-1	< 10		
Amorphous silica	7631-86-9	< 10		



Inhalation IF INHALED: Remove person to fresh air and keep comfortable for Ingestion IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. NE consciousness, or is unconscious or convulsing. Rinse mouth thorough the consciousness.	EVER give anything by mouth if victim is rapidly losing
consciousness or is unconscious or convulsing Rinse mouth thorous	
consciousness, or is unconscious of convulsing. Ringe mount motor	ighly with water. Have victim drink two glasses of water. If
vomiting occurs naturally, have victim lean forward to reduce risk o	of aspiration. Call a doctor if you feel unwell.
Skin contact IF ON SKIN (or hair): Take off immediately all contaminated	clothing. Rinse skin with water (15-20 minutes). Wash
contaminated clothing before reuse.	
Eye contact IF IN EYES, Rinse cautiously with water for several minutes (15-20)). Remove contact lenses, if present and easy to do. Continue
rinsing.	

Most important symptoms and effects (acute or delayed)

Indication of immediate medical attention/special treatment

In all cases, call a doctor. Do not forget this document.

Section 5. Fire-fighting measures

Specific hazards of the hazardous product (hazardous combustion products)

Carbon oxides and other irritant/toxic gases and fumes.

Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: CAS 1333-86-4 – ACGIH – TLV-TWA 3 mg/m³ & PEL-TWA 3.5 mg/m³; CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m³ & PEL-TWA 10 mg/m³; CAS 1309-37-1 ACGIH – TLV-TWA 5 mg/m³ & PEL-TWA 10 mg/m³; CAS 1344-28-1 ACGIH – TLV-TWA 1 mg/m³ & PEL-TWA 5 mg/m³ (respirable fraction) & 15 mg/m³ (total dust); CAS 95-63-6 ACGIH – TLV-TWA 25 ppm; CAS 107-98-2 – ACGIH – TLV-TWA 100 ppm (STEL 150 ppm);

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.



Environmental hazards (IMDG or other)

Bulk transport (usually more than 450 L in capacity) Possible

MF			DA	TE & VERSION – AU	GUST 26, 2016 VERSION 01
Section	9. Physical and cl	hemical ni	onerties		
Appearance, physical state/colour Liquid	7. I hysical and el	Vapour p		Not available	
Odour Characteristic		Vapour de		Heavier than air	
Odour threshold Not available		Relative d		1.1-1.2	
pH Not available		Solubility			
Melting/freezing point Not available				t - n-octanol/water	Not available
81		Auto-igni			
Flash point > 93°C		Decompos			llable
Evaporation rate Not available		Viscosity			
Flammability (solids and gases) Not available			Not availa		
	available		None knov	wn	
	tion 10. Stability	and reacti	vity		
Reactivity					
Does not react under the recommended storage and handling	ng conditions prescri	bed.			
Chemical stability					
Stable under the recommended storage and handling condi	tions prescribed.				
Possibility of hazardous reactions					
None known					
Conditions to avoid (static discharge, shock or vibrati	on)				
None known					
Incompatible materials					
Oxidizing materials; etc.					
Hazardous decomposition products					
None known					
	on 11. Toxicologi	cal inform	ation		
Information on the likely routes of exposure (inhalation					
Causes skin irritation. Causes serious eye irritation. May			Suspectea	of causing cancer.	
Symptoms related to the physical, chemical and toxico	ological characteris	tics			
Skin redness, stinging, pain; Eye redness, tearing;					
Delayed and immediate effects (chronic effects from s					
Skin Sensitization – Possible; Respiratory Sensitization					
Ingredient listed by IARC, ACGIH, NTP or OSHA; Repr					
- No data available; Specific Target Organ Toxicity —	Repeated Exposure	– No data	available;	Aspiration Hazard –	No data available; Health
Hazards Not Otherwise Classified – No data available.					
Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)					
CAS 25068-38-6 LD ₅₀ Oral - Rat – 11400 mg/kg; CAS 9		₅₀ 5000 mg/	kg; Inhala	ation, rat LC ₅₀ 18 g/m	³ 4H; CAS 107-98-2 LD ₅₀
Oral - Rat – 4016 mg/kg; LD ₅₀ Dermal - Rabbit – 12930	mg/kg;				
ATE not available in this document.					
	tion 12. Ecologica	al informa	tion		
Ecotoxicity (aquatic and terrestrial information) N	o data available				
Persistence and degradability No data available					
Bioaccumulative potential No bioaccumulation is to	to be expected.				
Mobility in soil No data available					
Other adverse effects No data available					
Sec	tion 13. Disposal	considerat	ions		
Information on safe handling for disposal/methods of					
Dispose of contents/container into safe container in according to the contents of the contents				ılations	
•	tion 14. Transpor				
UN number; Proper shipping name; Class(es); Packir					
	ig group (PG) of th	e ide keg	шаиопѕ		
Not regulated	(DC) 4:	. IMPC (• 4 • • • •		
UN number; Proper shipping name; Class(es); Packir					T + 00 0 PO ***
UN3082; ENVIRONMENTALLY HAZARDOUS SUBS				 Epichlorohydrin); C 	LASS 9; PG III
UN number; Proper shipping name; Class(es); Packir	ng group (PG) of th	e IATA (aiı	:)		
Not regulated					
Special precautions (transport/conveyance) None					

Marine pollutant



Safety/health Canadian regulations specifics	Refer to Section 2 for the appropriate classification. This product has been classified in accordance	
	with the hazard criteria of the Hazardous Products Regulations (HPR).	
Environmental Canadian regulations specifics	Refer to Section 3 for ingredient(s) of the DSL	

Safety/health/environmental outside regulations specifics

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information: Refer to the ingredients listed in Section 3.

California Proposition 65: This product may contain traces of ingredients that are known to the State of California to cause cancer or other reproductive

Section 16. Other information		
Date of the lates	st revision of the safety data sheet August 26, 2016 version 1 (NSS ENTREPRISE INC.)	
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.	
Abbreviations		
ACGIH	American Conference of Governmental Industrial Hygienists	
ATE	Acute toxicity estimate	
CAS	Chemical Abstract Service	
DSL	Domestic Substance List	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods Code	
LC	Lethal concentration	
LD	Lethal Dosage	
NIOSH	National Institute for Occupational Safety and Health	
NTP	National Toxicology Program (U.S.A.)	
OSHA	Occupational Safety and Health Administration (U.S.A.)	
PEL	Permissible Exposure Limit	
STEL	Short-term Exposure Limit	
TDG	Transport of dangerous goods in Canada	
TLV	Threshold Limit Value	
TSCA	Toxic Substances Control Act	
TWA	Time Weighted Average	
WHMIS	Workplace Hazardous Materials Information System	

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Product identifier MF253 PART B

Other means of identification ???

Recommended use and restrictions on use ???

Initial supplier identifier Peintures MF Inc. 1605 Boulevard Dagenais O, Laval, QC H7L 5A3 T:(450) 628-3831

Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number 613-996-6666

Section 2. Hazard identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Acute toxicity oral (Category 4)

Skin corrosion (Category 1C)

Serious eye damage (Category 1)

Skin sensitization (Category 1)

Specific target organ toxicity – Single exposure (Category 3)

Specific target organ toxicity - repeated exposure (Category 2)

Hazardous to the aquatic environment – Acute (Category 3)

Hazardous to the aquatic environment - Chronic (Category 2)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)









Danger

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H402 Harmful to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

P260 Do not breathe dusts or mists. P264 Wash hands/nails/face thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P312 Call a doctor if you feel unwell. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P363 Wash contaminated clothing before reuse. P332 + P313 IF SKIN irritation or rash occurs: Get medical attention. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a doctor. P314 Get medical attention if you feel unwell. P391 Collect spillage. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards	known None		
Section 3. Composition/information on ingredients			
Chemical name (common name/synonyms) CAS number or other Concentration (%)			
Benzyl alcohol 100-51-6 30-60			30-60
Cycloaliphatic p	olyamide (Isophorone diamine)	2855-13-2	10-30
4,4'-Methyleneb	is (cyclohexylamine)	1761-71-3	10-30
Cyclohexanamine, 4,4-methylenebis reaction products 129733-57-9 10-30		10-30	
2-hydroxybenzoic acid 69-72-7 3-7		3-7	
	Section	4. First-aid measures	
Inhalation	IF INHALED: Remove person to fresh air an	d keep comfortable for breathing. Immediately cal	l a doctor.
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell.		
Skin contact			
Eye contact	Eye contact IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do. Continue rinsing.		
Most important	t symptoms and effects (acute or delayed)	Causes severe skin, respiratory or digestive tract	burns and eye damage.
Indication of in	Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.		

Section 5. Fire-fighting measure	es
----------------------------------	----



Carbon oxides and other irritant/toxic gases and fumes.

Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: None

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section 9. Physical and chemical properties				
Appearance, physical state/colour Amber liquid	Vapour pressure Not available			
Odour Characteristic	Vapour density Heavier than air			
Odour threshold Not available	Relative density 1.0			
pH Not available	Solubility Negligible			
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available			
Initial boiling point/range > 247°C	Auto-ignition temperature Not available			
Flash point > 93°C	Decomposition temperature Not available			
Evaporation rate Not available	Viscosity Not available			
Flammability (solids and gases) Not available	VOC Not available			
Upper and lower flammability/explosive limits Not available	Other None known			



Reactivity

Does not react under the recommended storage and handling conditions prescribed.

Chemical stability

Stable under the recommended storage and handling conditions prescribed.

Possibility of hazardous reactions

None known

Conditions to avoid (static discharge, shock or vibration)

None known

Incompatible materials

Oxidizing materials; etc.

Hazardous decomposition products

None known

Section 11. Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)

Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Skin burn, redness, stinging, pain; Eye burn, redness, tearing; Digestive tract burn; Respiratory tract burn, coughing, shortness of breath, dizziness, drowsiness, nausea and headaches.

Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Skin Sensitization – Possible; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – Possible; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified – No data available.

Numerical measures of toxicity (ATE; LD₅₀ & LC₅₀)

 $CAS\ 100\text{-}51\text{-}6\ LD_{50}\ Oral\ -\ Rat\ -\ 1230\ mg/kg;\ CAS\ 2855\text{-}13\text{-}2\ LD_{50}\ Oral\ -\ Rat\ -\ 1030\ mg/kg;\ CAS\ 1761\text{-}71\text{-}3\ LD_{50}\ Oral\ -\ Rat\ -\ 380\ mg/kg;\ ATE\ not\ available\ in\ this\ document.$

Section	12	Ecological	information
Section	14.	LCUIUZICAI	muumauum

Ecotoxicity (aquatic and terrestrial information) No data available

Persistence and degradability No data available

Bioaccumulative potential No bioaccumulation is to be expected.

Mobility in soil No data available

Other adverse effects No data available

Section 13. Disposal considerations

Information on safe handling for disposal/methods of disposal/contaminated packaging

Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Section 14. Transport information

UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations

UN1760; CORROSIVE LIQUID, N.O.S. (Isophoronediamine; 2-hydroxybenzoic acid); CLASS 8; PG III

UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)

UN1760; CORROSIVE LIQUID, N.O.S. (Isophoronediamine; 2-hydroxybenzoic acid); CLASS 8; PG III

UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)

UN1760; CORROSIVE LIQUID, N.O.S. (Isophoronediamine; 2-hydroxybenzoic acid); CLASS 8; PG III

Special precautions (transport/conveyance) May also be shipped as a LIMITED QUANTITY in accordance with TDG.

Environmental hazards (IMDG or other) Marine pollutant

Bulk transport (usually more than 450 L in capacity) Possible

Section 15. Regulatory information

Safety/health Canadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).

Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL

Safety/health/environmental outside regulations specifics

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information: Refer to the ingredients listed in Section 3.

California Proposition 65: This product does not contain any ingredient that is known to the State of California to cause cancer or other reproductive harm.

~	4 /	0.7 . 0	
Section	16	Other information	

Date of the latest revision of the safety data sheet August 26, 2016 version 1 (NSS ENTREPRISE INC.)



References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.
Abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
ATE	Acute toxicity estimate
CAS	Chemical Abstract Service
DSL	Domestic Substance List
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods Code
LC	Lethal concentration
LD	Lethal Dosage
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program (U.S.A.)
OSHA	Occupational Safety and Health Administration (U.S.A.)
PEL	Permissible Exposure Limit
STEL	Short-term Exposure Limit
TDG	Transport of dangerous goods in Canada
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
WHMIS	Workplace Hazardous Materials Information System

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.