

SAFETY DATA SHEET (SDS)

Section 1. Identification				
Product identifier	MF343 PART A			
Other means of identification Concrete quick fix				
Recommended use and restrictions on use Industrial repairing of spalled concrete, holes, cracks and thresholds or uneven concrete slabs.				
Initial supplier identifier MF Paints Inc. 1605 Dagenais Boulevard W, Laval, QC H7L 5A3 T:(450) 628-3831				
Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number 613-996-6666				
Section 2. Hazard identification				

Classification of hazardous product (name of the category or subcategory of the hazard class)

Flammable liquid (Category 4)

Aspiration hazard (Category 1)

Skin irritation (Category 2)

Skin sensitization (category 1)

Eye irritation (Category 2A)

Acute toxicity inhalation (Category 4)

Respiratory sensitization (category 1)

Specific target organ toxicity – single exposure (Category 3), Central nervous system

Carcinogenicity (Category 2)

Reproductive toxicity (Category 1)

Hazardous to the aquatic environment – Chronic (category 3)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)



Danger

H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H336 May cause drowsiness or dizziness.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

H412 Harmful to aquatic life with long lasting effects.

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear gloves/protective clothing/eye protection/face protection. P284 Wear respiratory protection. P301 + P310 IF SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: wash with plenty of water. P332 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P342 + P311 If experiencing respiratory symptoms: Call a doctor. P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards known None				
Section 3. Composition/information on ingredients				
Chemical name (common name/synonyms) CAS number or other Concentration (%)				
HIGHER OLIGOMERS OF MDI	9016-87-9	40-70		
4, 4-DIPHENYLMETHANE DIISOCYANATE	101-68-8	15-40		
Aromatic petroleum distillates	64742-95-6	15-40		
Cumene	98-82-8	< 1		
1,2,4-Trimethylbenzene	95-63-6	< 25		
Xylenes	1330-20-7	< 2		



Section 4. First-aid measures				
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. If experiencing			
	respiratory symptoms: Call a doctor.			
Ingestion		DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is		
		r convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses		
	of water. If vomiting occurs naturally, have victi			
Skin contact	IF ON SKIN: wash with plenty of water. IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing			
	and wash it before reuse.			
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do. Continue			
	rinsing. If eye irritation persists: Get medical attention.			
Most important	Most important symptoms and effects (acute or delayed) May be harmful if swallowed and enters airways.			
Indication of im	In all cases, call a doctor. Do not forget this document.			
Section 5. Fire-fighting measures				
Specific hazards	Specific hazards of the hazardous product (hazardous combustion products)			
	Carbon oxides and other irritant/toxic gases and fumes.			

Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish.

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash hands/nails/face thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: CAS 101-68-8 ACGIH – TLV-TWA 0.005 ppm; CAS 1330-20-7 ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS 98-82-8 ACGIH – TLV-TWA 50 ppm & PEL-TWA 50 ppm; CAS 95-63-6 ACGIH – TLV-TWA 25 ppm;

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.



	DATE & VERSION – MARCH 07, 2017 VERSION 01					
Section 9. Physical and chemical properties						
Appearance, physical state/colour	Dark amb			pressure	Not available	
Odour Characteristic			Vapour density Heavier than air			
Odour threshold Not available			Relative	density	1.1	
pH Not available			Solubili	ty Negli	gible	
Melting/freezing point Not avail	lable				nt - n-octanol/water	Not available
Initial boiling point/range Not av	ailable			nition temp		
Flash point 92.8°C (Seta Flash)				osition ten		nilable
Evaporation rate Not available				y Not ava		
	Not available	37 . 9.11	VOC	Not availa		
Upper and lower flammability/explo	sive limits	Not available	Other	None kno	wn	
D		Section 10. Stability	and read	etivity		
Reactivity Does not react under the recommended	storogo and h	andlina aanditiana mussaii	bad			
Chemical stability	storage and n	anding conditions prescri	ibea.			
Stable under the recommended storage	and handling	conditions prescribed				
Possibility of hazardous reactions	and nanding	conditions presented.				
Accumulation of flammable if product	is heated.					
Conditions to avoid (static discharge		bration)				
Keep away from heat, hot surfaces, spa			urces. No	smoking.		
Incompatible materials						
Oxidizing materials; etc.						
Hazardous decomposition products						
None known						
		Section 11. Toxicologic	ical infor	mation		
Information on the likely routes of e						
May be fatal if swallowed and enters a						
inhaled. May cause allergy or asthma s		reathing difficulties if inl	naled. May	cause drow	vsiness or dizziness. S	uspected of causing cancer.
May damage fertility or the unborn ch						
Symptoms related to the physical, chemical and toxicological characteristics						
Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing; Respiratory tract irritation, coughing, shortness of breath, dizziness,						
drowsiness, nausea and headaches. Delayed and immediate effects (chronic effects from short-term and long-term exposure)						
Skin Sensitization – Possible; Respirat					lata available: Carcino	ogenicity – Ingredient listed
by IARC, ACGIH, NTP or OSHA Rep						
Specific Target Organ Toxicity — Rep						
– No data available.	•	,	•		,	
Numerical measures of toxicity (AT	E; LD50 & L	C ₅₀)				
CAS 64742-95-6 Oral, rat LD ₅₀ 8400 r						
1400 mg/kg; Dermal, rabbit LD ₅₀ 1062			4H; CAS	1330-20-7	Oral, rat LD ₅₀ 4300 i	ng/kg; Dermal, rabbit LD50
12100 mg/kg; CAS 101-68-8 Oral, rat	LD ₅₀ 9200 m	ıg/kg;				
ATE not available in this document.		<u> </u>	7.4.0			
		Section 12. Ecologic				
Ecotoxicity (aquatic and terrestrial i		No data available for	the produc	t.		
8 .	No data avail	able				
	Bioaccumulative potential No data available					
Mobility in soil No data available						
Other adverse effects No data available						
Information on safe handling for dis	magal/matha	Section 13. Disposal				
Dispose of contents/container into safe					ulations	
Dispose of contents/container into sare	container in	Section 14. Transpo			ulations.	
UN number; Proper shipping name;	Class(as). P					
Not regulated	_1035(C3), F	acamg group (1 G) of th	C IDG I	guianons		
UN number; Proper shipping name:	Class(es): P	acking group (PG) of th	e IMDG (maritime)		
Not regulated	, Juda (Ca), 1	acama aroup (1 0) of th	· ····································			
UN number; Proper shipping name;	Class(es): P	acking group (PG) of th	e IATA (:	air)		
Not regulated	, 22400(00), 1		(6	· /		
Special precautions (transport/conve	evance) No	one				
	Environmental hazards (IMDG or other) None					
Bulk transport (usually more than 4						
		Section 15 Deculate	w. inform	nation		

Section 15. Regulatory information



Safety/health Canadian regulations specifics	Refer to Section 2 for the appropriate classification. This product has been classified in accordance	
	with the hazard criteria of the Hazardous Products Regulations (HPR).	
Environmental Canadian regulations specifics	Refer to Section 3 for ingredient(s) of the DSL	

Safety/health/environmental outside regulations specifics

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information: Refer to the ingredients listed in Section 3.

California Proposition 65: This product contains traces of ingredients that are known to the State of California to cause cancer or other reproductive

Section 16. Other information				
Date of the lates	st revision of the safety data sheet March 07, 2017 version 1 (NSS ENTREPRISE INC.)			
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.			
Abbreviations				
ACGIH	American Conference of Governmental Industrial Hygienists			
ATE	Acute toxicity estimate			
CAS	Chemical Abstract Service			
DSL	Domestic Substance List			
IARC	International Agency for Research on Cancer			
IATA	International Air Transport Association			
IMDG	International Maritime Dangerous Goods Code			
LC	Lethal concentration			
LD	Lethal Dosage			
NIOSH	National Institute for Occupational Safety and Health			
NTP	National Toxicology Program (U.S.A.)			
OSHA	Occupational Safety and Health Administration (U.S.A.)			
PEL	Permissible Exposure Limit			
STEL	Short-term Exposure Limit			
TDG	Transport of dangerous goods in Canada			
TLV	Threshold Limit Value			
TSCA	Toxic Substances Control Act			
TWA	Time Weighted Average			
WHMIS	Workplace Hazardous Materials Information System			

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Product identifier MF343 PART B
Other means of identification Concrete quick fix

Recommended use and restrictions on use Industrial repairing of spalled concrete, holes, cracks and thresholds or uneven concrete slabs.

Initial supplier identifier MF Paints Inc. 1605 Dagenais Boulevard W, Laval, QC H7L 5A3 T:(450) 628-3831

Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number 613-996-6666

Section 2. Hazard identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Flammable liquid (Category 4)

Aspiration hazard (Category 1)

Skin irritation (Category 2)

Skin sensitization (category 1)

Eye irritation (Category 2A)

Acute toxicity inhalation (Category 4)

Specific target organ toxicity – single exposure (Category 3), Central nervous system

Carcinogenicity (Category 2)

Reproductive toxicity (Category 1)

Hazardous to the aquatic environment – Chronic (category 3)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)





Danger

H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

H412 Harmful to aquatic life with long lasting effects.

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P310 IF SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: wash with plenty of water. P332 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards known None					
Section 3. Composition/information on ingredients					
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)			
Tetrahydroxypropylethylenediamine	102-60-3	40-70			
Aromatic petroleum distillates	64742-95-6	30-60			
Cumene	98-82-8	< 1			
1,2,4-Trimethylbenzene	95-63-6	< 25			
Xylenes	1330-20-7	< 2			

	Section 4. First-aid measures
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.



Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is		
	rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses		
	of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.		
Skin contact	IF ON SKIN: wash with plenty of water. IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing		
	and wash it before reuse.		
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do. Contin		
	rinsing. If eye irritation persists: Get medical attention.		
Most important symptoms and effects (acute or delayed) May be harmful if swallowed and enters airways.		May be harmful if swallowed and enters airways.	
Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.		In all cases, call a doctor. Do not forget this document.	

Section 5. Fire-fighting measures

Specific hazards of the hazardous product (hazardous combustion products)

Carbon oxides and other irritant/toxic gases and fumes.

Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish.

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash hands/nails/face thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: CAS 1330-20-7 ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS 98-82-8 ACGIH – TLV-TWA 50 ppm & PEL-TWA 50 ppm; CAS 95-63-6 ACGIH – TLV-TWA 25 ppm;

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section 9. Physical and chemical properties					
Appeara	ance, physical state/colour	Dark blue liquid	Vapour pressure	Not available	
Odour	Characteristic		Vapour density	Heavier than air	



DATE & VERSION – MARCH 07, 2017 VERSION 01					
Odour threshold Not available	Relative density 0.93				
pH Not available	Solubility Negligible				
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available				
Initial boiling point/range Not available	Auto-ignition temperature Not available				
Flash point 62.8°C (Seta Flash)	Decomposition temperature Not available				
Evaporation rate Not available	Viscosity Not available				
Flammability (solids and gases) Not available	VOC Not available				
Upper and lower flammability/explosive limits Not available	Other None known				
Section 10. Stability					
Reactivity					
Does not react under the recommended storage and handling conditions prescr	ihed				
Chemical stability	1004.				
Stable under the recommended storage and handling conditions prescribed.					
Possibility of hazardous reactions					
Accumulation of flammable if product is heated.					
Conditions to avoid (static discharge, shock or vibration)					
Keep away from heat, hot surfaces, sparks, open flames and other ignition so	ources No smoking				
Incompatible materials	ources. No smoking.				
Oxidizing materials; etc.					
Hazardous decomposition products					
None known					
	rical information				
Section 11. Toxicological information Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)					
May be fatal if swallowed and enters airways Causes skin irritation. May co	May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if				
inhaled. May cause drowsiness or dizziness. Suspected of causing cancer. May damage fertility or the unborn child.					
Symptoms related to the physical, chemical and toxicological characteri					
Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing; R					
drowsiness, nausea and headaches.	tespiratory tract irration, coagining, shortness or oream, dizzmess,				
Delayed and immediate effects (chronic effects from short-term and lon	σ-term exposure)				
	Skin Sensitization – Possible; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity –				
Ingredient listed by IARC, ACGIH, NTP or OSHA Reproductive Toxicity – Possible; Specific Target Organ Toxicity — Single Exposure – Central					
nervous system; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – Possible; Health Hazards Not					
Otherwise Classified – No data available.					
Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)					
CAS 64742-95-6 Oral, rat LD ₅₀ 8400 mg/kg; CAS 95-63-6 Oral, rat LD ₅₀ 5000 mg/kg; Inhalation, rat LC ₅₀ 18 g/m ³ 4H; CAS 98-82-8 Oral, rat LD ₅₀					
1400 mg/kg; Dermal, rabbit LD ₅₀ 10627 mg/kg; Inhalation, rat LC ₅₀ 39 mg/L 4H; CAS 1330-20-7 Oral, rat LD ₅₀ 4300 mg/kg; Dermal, rabbit LD ₅₀					
12100 mg/kg; CAS 102-60-3 Oral, rat LD ₅₀ 2890 mg/kg;					
ATE not available in this document.					
Section 12. Ecological information					
Ecotoxicity (aquatic and terrestrial information) No data available for the product.					
Persistence and degradability No data available					
Bioaccumulative potential No data available					
Mobility in soil No data available					
Other adverse effects No data available					
Section 13. Disposal	considerations				
Information on safe handling for disposal/methods of disposal/contaminated packaging					
Dispose of contents/container into safe container in accordance with local, regional or national regulations.					
2.5post of tolleting container into sure container in accordance with local, it	5.0.m. or maronal regulations.				

Section 14. Transport information

UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations

Not regulated

UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime) Not regulated

UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)

Not regulated

Special precautions (transport/conveyance) None **Environmental hazards (IMDG or other)**

Bulk transport (usually more than 450 L in capacity) Possible

Section 15. Regulatory information			
Safety/health Canadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been classified in accordance of the control of the co			
	with the hazard criteria of the Hazardous Products Regulations (HPR).		



Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL

Safety/health/environmental outside regulations specifics

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information: Refer to the ingredients listed in Section 3.

California Proposition 65: This product contains traces of ingredients that are known to the State of California to cause cancer or other reproductive harm.

Section 16. Other information	
Date of the latest revision of the safety data sheet March 07, 2017 version 1 (NSS ENTREPRISE INC.)	
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.
Abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
ATE	Acute toxicity estimate
CAS	Chemical Abstract Service
DSL	Domestic Substance List
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods Code
LC	Lethal concentration
LD	Lethal Dosage
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program (U.S.A.)
OSHA	Occupational Safety and Health Administration (U.S.A.)
PEL	Permissible Exposure Limit
STEL	Short-term Exposure Limit
TDG	Transport of dangerous goods in Canada
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
WHMIS	Workplace Hazardous Materials Information System

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.