

SAFETY DATA SHEET (SDS)

Section 1. Identification Product identifier MF707 PART A

Other means of identification High build 100% solids epoxy coating

Recommended use and restrictions on use Recommended for a high build topcoat or basecoat

Initial supplier identifier MF Paints Inc. 1605 Dagenais Boulevard West, Laval, QC H7L 5A3 T:(450) 628-3831

Emergency telephone number/restriction on use | Canada – CANUTEC 24 hour number 613-996-6666

Section 2. Hazard identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Skin irritation (category 2)

Eye irritation (category 2A)

Skin sensitization (category 1B)

Hazardous to the aquatic environment - Chronic (Category 2)

Carcinogenicity (Category 2)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)







Warning

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302 + P352 IF ON SKIN: wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 IF eye irritation persists: Get medical attention. P308 + P313 IF exposed or concerned: Get medical attention. P391 Collect spillage. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

| Other haza | rds known | None |
|------------|-----------|------|

| Section 3. Composition/information on ingredients | | |
|--|---------------------|-------------------|
| Chemical name (common name/synonyms) | CAS number or other | Concentration (%) |
| Epoxy resin reaction product Bisphenol A (Epichlorohydrin) | 25068-38-6 | 40-70 |
| Alkyl (C12-C14) glycidyl ether | 68609-97-2 | 10-30 |
| Talc | 14807-96-6 | 15-40 |
| Silica crystalline, Quartz | 14808-60-7 | < 1.0 |
| Calcium carbonate | 1317-65-3 | 10-30 |
| Xylenes | 1330-20-7 | < 1.0 |
| Silica hydrophobic | 67762-90-7 | < 1.0 |
| Colours may contain: | | |
| Titanium dioxide | 13463-67-7 | < 10 |
| Carbon black | 1333-86-4 | < 1.0 |
| Iron oxide | 1309-37-1 | < 10 |
| Zinc sulfide | 1314-98-3 | < 10 |
| Barium sulfate | 7727-43-7 | < 10 |
| Pigment yellow 65 | 6528-34-3 | < 10 |
| Iron hydroxide | 20344-49-4 | < 10 |
| Pigment blue | 147-14-8 | < 10 |
| Aluminum oxide | 1344-28-1 | < 10 |
| Iron oxide yellow | 51274-00-1 | < 10 |
| Amorphous silica | 7631-86-9 | < 10 |



| Section 4. First-aid measures | | |
|-------------------------------|---|--|
| Inhalation | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor. | |
| Ingestion | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. NEVER give anything by mouth if victim is rapidly losing | |
| | consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If | |
| | vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell. | |
| Skin contact | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (15-20 minutes). Wash | |
| | contaminated clothing before reuse. | |
| Eye contact | IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do. Continue | |
| - | rinsing. | |
| Most important | t grantome and effects (courts on deleved) Courses servers skin reconsistent on dispertive treat huma and eve demand | |

Most important symptoms and effects (acute or delayed)

Causes severe skin, respiratory or digestive tract burns and eye damage.

Indication of immediate medical attention/special treatment

In all cases, call a doctor. Do not forget this document.

Section 5. Fire-fighting measures

Specific hazards of the hazardous product (hazardous combustion products)

Carbon oxides and other irritant/toxic gases and fumes.

Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: CAS 14808-60-7 ACGIH – TLV-TWA 0.025 mg/m^3 & PEL-TWA 0.1 mg/m^3 ; CAS 14807-96-6 ACGIH – TLV-TWA 2 mg/m^3 ; CAS 1317-65-3 – PEL-TWA 15 mg/m^3 (total dust) & 5 mg/m^3 (respirable fraction); CAS 1330-20-7 ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS 1333-86-4 – ACGIH – TLV-TWA 3 mg/m^3 & PEL-TWA 3.5 mg/m^3 ; CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m^3 & PEL-TWA 10 mg/m^3 ; CAS 1309-37-1 ACGIH – TLV-TWA 10 mg/m^3 & PEL-TWA 10 mg/m^3 ; CAS 1344-28-1 ACGIH – TLV-TWA 10 mg/m^3 & PEL-TWA 10 mg/m^3 (respirable fraction) & 15 mg/m^3 (total dust);

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.



| MF | DATE & VERSION – JUNE 07, 2016 VERSION 01 | |
|--|--|--|
| Section 9. Physical and c | hemical properties | |
| Appearance, physical state/colour Liquid | Vapour pressure Not available | |
| Odour Characteristic | Vapour density Heavier than air | |
| Odour threshold Not available | Relative density 1.5 | |
| pH Not available | Solubility Negligible | |
| Melting/freezing point Not available | Partition coefficient - n-octanol/water Not available | |
| Initial boiling point/range > 93°C | Auto-ignition temperature Not available | |
| Flash point >93°C | Decomposition temperature Not available | |
| Evaporation rate Not available | Viscosity Not available | |
| Flammability (solids and gases) Not available | VOC Not available | |
| Upper and lower flammability/explosive limits Not available | Other None known | |
| Section 10. Stability | | |
| Reactivity | - | |
| Does not react under the recommended storage and handling conditions prescri | bed. | |
| Chemical stability | | |
| Stable under the recommended storage and handling conditions prescribed. | | |
| Possibility of hazardous reactions | | |
| None known | | |
| Conditions to avoid (static discharge, shock or vibration) | | |
| None known | | |
| Incompatible materials | | |
| Oxidizing materials; etc. | | |
| Hazardous decomposition products | | |
| None known | | |
| Section 11. Toxicologi | ical information | |
| Information on the likely routes of exposure (inhalation, ingestion, skin a | | |
| | | |
| Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Suspected of causing cancer. | | |
| Symptoms related to the physical, chemical and toxicological characteris | SUCS | |
| Skin redness, stinging, pain; Eye redness, tearing; | | |
| Delayed and immediate effects (chronic effects from short-term and long | g-term exposure) | |
| Skin Sensitization – Possible; Respiratory Sensitization – No data availab | | |
| Ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity – | | |
| - No data available; Specific Target Organ Toxicity — Repeated Exposure | e – No data available; Aspiration Hazard – No data available; Health | |
| Hazards Not Otherwise Classified – No data available. | | |
| Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀) | D 4000 / D 1 11'-1 D 10100 // | |
| CAS 25068-38-6 LD ₅₀ Oral - Rat – 11400 mg/kg; CAS 1330-20-7 Oral, rat I | LD_{50} 4300 mg/kg; Dermal, rabbit LD_{50} 12100 mg/kg; | |
| ATE not available in this document. | | |
| Section 12. Ecologic | al information | |
| Ecotoxicity (aquatic and terrestrial information) No data available | | |
| Persistence and degradability No data available | | |
| Bioaccumulative potential No bioaccumulation is to be expected. | | |
| Mobility in soil No data available | | |
| Other adverse effects No data available | | |
| Section 13. Disposal | considerations | |
| Information on safe handling for disposal/methods of disposal/contamina | | |
| Dispose of contents/container into safe container in accordance with local, regional or national regulations. | | |
| Section 14. Transport information | | |
| UN number; Proper shipping name; Class(es); Packing group (PG) of the | ne TDG Regulations | |
| Not regulated | · | |
| UN number; Proper shipping name; Class(es); Packing group (PG) of the | ne IMDG (maritime) | |
| UN3082; ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A - Epichlorohydrin); CLASS 9; PG III | | |
| UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air) | | |
| Not regulated | · / | |
| Special precautions (transport/conveyance) None | | |
| Environmental hazards (IMDG or other) Marine pollutant | | |
| Rulk transport (usually more than 450 L in capacity) Possible | | |

Bulk transport (usually more than 450 L in capacity) Possible



| · | with the hazard criteria of the Hazardous Products Regulations (HPR). | |
|-------------------|---|--|
| Environmental | Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL | |
| Safety/health/en | vironmental outside regulations specifics | |
| United States OS | SHA information: This product is regulated according to OSHA (29 CFR). | |
| United States EP | A (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. | |
| United States TC | SA information: Refer to the ingredients listed in Section 3. | |
| California Propos | sition 65: This product may contain traces of ingredients that are known to the State of California to cause cancer or other reproductive | |
| harm. | | |
| | Section 16. Other information | |
| Date of the lates | st revision of the safety data sheet June 07, 2016 version 1 (NSS ENTREPRISE INC.) | |
| References | Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS. | |
| Abbreviations | | |
| ACGIH | American Conference of Governmental Industrial Hygienists | |
| ATE | Acute toxicity estimate | |
| CAS | Chemical Abstract Service | |
| DSL | Domestic Substance List | |
| IARC | International Agency for Research on Cancer | |
| IATA | International Air Transport Association | |
| IMDG | International Maritime Dangerous Goods Code | |
| LC | Lethal concentration | |
| LD | Lethal Dosage | |
| NIOSH | National Institute for Occupational Safety and Health | |
| NTP | National Toxicology Program (U.S.A.) | |
| OSHA | Occupational Safety and Health Administration (U.S.A.) | |
| PEL | Permissible Exposure Limit | |
| STEL | Short-term Exposure Limit | |
| TDG | Transport of dangerous goods in Canada | |
| TLV | Threshold Limit Value | |
| TSCA | Toxic Substances Control Act | |
| TWA | Time Weighted Average | |
| WHMIS | Workplace Hazardous Materials Information System | |

Safety/health Canadian regulations specifics Section 2 for the appropriate classification. This product has been classified in accordance

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Section 2. Hazard identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Acute toxicity oral (Category 4)

Skin corrosion (Category 1C)

Serious eye damage (Category 1)

Skin sensitization (Category 1)

Specific target organ toxicity – Single exposure (Category 3)

Reproductive toxicity (Category 2)

Hazardous to the aquatic environment – Acute (Category 3)

Hazardous to the aquatic environment - Chronic (Category 2)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)









Danger

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H361 Suspected of damaging fertility or the unborn child.

H402 Harmful to aquatic life.

Other hazards known None

H411 Toxic to aquatic life with long lasting effects.

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dusts or mists. P264 Wash hands/nails/face thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P312 Call a doctor if you feel unwell. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P363 Wash contaminated clothing before reuse. P332 + P313 IF SKIN irritation or rash occurs: Get medical attention. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a doctor. P308 + P313 IF exposed or concerned: Get medical attention. P391 Collect spillage. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

| O the maker as i | 1,010 | | |
|---|---|---------------------|-----------------------|
| Section 3. Composition/information on ingredients | | | |
| Chemical name | (common name/synonyms) | CAS number or other | Concentration (%) |
| Benzyl alcohol | | 100-51-6 | 30-60 |
| Cycloaliphatic po | olyamide (Isophorone diamine) | 2855-13-2 | 10-30 |
| Cycloaliphatic ar | nine adduct | 68609-08-5 | 10-30 |
| Nonyl phenol | | 84852-15-3 | 7-13 |
| Section 4. First-aid measures | | | |
| Inhalation | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor. | | |
| Ingestion | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. NEVER give anything by mouth if victim is rapidly losing | | |
| | consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If | | |
| | vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell. | | |
| Skin contact | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (15-20 minutes). Wash | | |
| contaminated clothing before reuse. | | | |
| Eye contact | Eye contact IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do. Continue | | |
| rinsing. | | | |
| Most important | Most important symptoms and effects (acute or delayed) Causes severe skin, respiratory or digestive tract burns and eye damage. | | burns and eye damage. |
| Indication of im | In all cases, call a doctor. Do not forget this document. | | iment. |



Specific hazards of the hazardous product (hazardous combustion products)

Carbon oxides and other irritant/toxic gases and fumes.

Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: None

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

| Section 9. Physical and chemical properties | | |
|---|---|--|
| Appearance, physical state/colour Amber liquid | Vapour pressure Not available | |
| Odour Characteristic | Vapour density Heavier than air | |
| Odour threshold Not available | Relative density 1 | |
| pH Not available | Solubility Negligible | |
| Melting/freezing point Not available | Partition coefficient - n-octanol/water Not available | |
| Initial boiling point/range > 205°C | Auto-ignition temperature Not available | |
| Flash point > 93°C | Decomposition temperature Not available | |
| Evaporation rate Not available | Viscosity Not available | |
| Flammability (solids and gases) Not available VOC Not available | | |
| Upper and lower flammability/explosive limits Not available | Other None known | |



Section 10. Stability and reactivity

Reactivity

Does not react under the recommended storage and handling conditions prescribed.

Chemical stability

Stable under the recommended storage and handling conditions prescribed.

Possibility of hazardous reactions

None known

Conditions to avoid (static discharge, shock or vibration)

None known

Incompatible materials

Oxidizing materials; etc.

Hazardous decomposition products

None known

Section 11. Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)

Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause respiratory irritation. Suspected of damaging fertility or the unborn child.

Symptoms related to the physical, chemical and toxicological characteristics

Skin burn, redness, stinging, pain; Eye burn, redness, tearing; Digestive tract burn; Respiratory tract burn, coughing, shortness of breath, dizziness, drowsiness, nausea and headaches.

Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Skin Sensitization – Possible; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA Reproductive Toxicity – Possible; Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified – No data available.

Numerical measures of toxicity (ATE; LD₅₀ & LC₅₀)

 $CAS\ 100\text{-}51\text{-}6\ LD_{50}\ Oral\ -\ Rat\ -\ 1230\ mg/kg;\ CAS\ 2855\text{-}31\text{-}2\ LD_{50}\ Oral\ -\ Rat\ -\ 1030\ mg/kg;\ CAS\ 84852\text{-}15\text{-}3\ DL_{50}\ Oral\ -\ Rat\ -\ 1246\ mg/kg\ \&\ DL_{50}\ Dermal\ -\ Rabbit\ -\ 2040\ mg/kg;$

ATE not available in this document.

Section 12. Ecological information

Ecotoxicity (aquatic and terrestrial information) No data available

Persistence and degradability No data available

Bioaccumulative potential No bioaccumulation is to be expected.

Mobility in soil No data available

Other adverse effects No data available

Section 13. Disposal considerations

Information on safe handling for disposal/methods of disposal/contaminated packaging

Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Section 14. Transport information

UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations

UN1760; CORROSIVE LIQUID, N.O.S. (Isophoronediamine; Nonyl phenol); CLASS 8; PG III

UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)

UN1760; CORROSIVE LIQUID, N.O.S. (Isophoronediamine; Nonyl phenol); CLASS 8; PG III

UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)

UN1760; CORROSIVE LIQUID, N.O.S. (Isophoronediamine; Nonyl phenol); CLASS 8; PG III

Special precautions (transport/conveyance) May also be shipped as a LIMITED QUANTITY in accordance with TDG.

Environmental hazards (IMDG or other)

Marine pollutant

Bulk transport (usually more than 450 L in capacity) Possible

Section 15. Regulatory information

Safety/health Canadian regulations specificsRefer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).

Environmental Canadian regulations specifics | Refer to Section 3 for ingredient(s) of the DSL

Safety/health/environmental outside regulations specifics

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information: Refer to the ingredients listed in Section 3.

California Proposition 65: This product does not contain any ingredient that is known to the State of California to cause cancer or other reproductive harm.



| Section 16. Other information | | |
|-------------------------------|---|--|
| Date of the lates | st revision of the safety data sheet June 07, 2016 version 1 (NSS ENTREPRISE INC.) | |
| References | Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS. | |
| Abbreviations | | |
| ACGIH | American Conference of Governmental Industrial Hygienists | |
| ATE | Acute toxicity estimate | |
| CAS | Chemical Abstract Service | |
| DSL | Domestic Substance List | |
| IARC | International Agency for Research on Cancer | |
| IATA | International Air Transport Association | |
| IMDG | International Maritime Dangerous Goods Code | |
| LC | Lethal concentration | |
| LD | Lethal Dosage | |
| NIOSH | National Institute for Occupational Safety and Health | |
| NTP | National Toxicology Program (U.S.A.) | |
| OSHA | Occupational Safety and Health Administration (U.S.A.) | |
| PEL | Permissible Exposure Limit | |
| STEL | Short-term Exposure Limit | |
| TDG | Transport of dangerous goods in Canada | |
| TLV | Threshold Limit Value | |
| TSCA | Toxic Substances Control Act | |
| TWA | Time Weighted Average | |
| WHMIS | Workplace Hazardous Materials Information System | |

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.