

Product identifier MF3450CL A

### SAFETY DATA SHEET (SDS)

#### Section 1. Identification

Other means of identification None Recommended use and restrictions on use Resin Peintures MF Inc. 1605 Boulevard Dagenais O, Laval, QC H7L 5A3 T:(450) 628-3831 Initial supplier identifier **Emergency telephone number/restriction on use** Canada – CANUTEC 24 hour number 613-996-6666 Section 2. Hazard identification Classification of hazardous product (name of the category or subcategory of the hazard class) Flammable liquid (Category 4) Skin irritation (category 2) Eye irritation (category 2A) Skin sensitization (category 1) Acute toxicity inhalation (Category 4) Specific target organ toxicity - Single exposure (Category 3) Carcinogenicity (Category 2) Hazardous to the aquatic environment - Chronic (Category 3) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Warning H227 Combustible liquid. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H332 Harmful if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H412 Harmful to aquatic life with long lasting effects. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302 + P352 IF ON SKIN: wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a doctor. P305 + P351 + P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 IF eye irritation persists: Get medical attention. P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P391 Collect spillage. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. Other hazards known None Section 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other **Concentration (%)\*** Cycloaliphatic diamine 136210-30-5 60-100 Diethyl fumarate 623-91-6 < 5 Xylene 1330-20-7 < 20 100-41-4 Ethyl benzene < 5 \* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s). Section 4. First-aid measures IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. Inhalation IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is Ingestion rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. IF ON SKIN, Wash with plenty of water for several minutes. (15-20) IF SKIN irritation or rash occurs: Get medical attention. Skin contact Eye contact IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Most important symptoms and effects (acute or delayed) Causes serious eye irritation. Causes skin irritation. Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.



#### PRODUCT IDENTIFIER – MF3450CL A & B DATE & VERSION – MAY 12, 2021 VERSION 01

#### Section 5. Fire-fighting measures

### Specific hazards of the hazardous product (hazardous combustion products)

Carbon oxides and other irritant/toxic gases and fumes.

#### Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish.

#### Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

#### Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

# Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

### Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

## Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values) Exposure limits: DUST ACGIH – TLV-TWA 1 mg/m<sup>3</sup> & PEL-TWA 5 mg/m<sup>3</sup> (respirable fraction) & 15 mg/m<sup>3</sup> (total dust); CAS 1330-20-7 ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS 100-41-4 ACGIH – TLV-TWA 20 ppm & PEL-TWA 100 ppm;

#### Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

#### Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section 9. Physical and chemical properties				
Appearance, physical state/colour Liquid	Vapour pressure Not available			
Odour Characteristic	Vapour density Not available			
Odour threshold Not available Relative density Not available				
pH Not available Solubility Not available				
Melting/freezing pointNot availablePartition coefficient - n-octanol/waterNot available				
Initial boiling point/range Not available	Auto-ignition temperature Not available			
Flash point> 63°CDecomposition temperatureNot available				
Evaporation rate Not available Viscosity Not available				
Flammability (solids and gases) Not available	VOC Not available			
Upper and lower flammability/explosive limits Not available	Other None known			



# Section 10. Stability and reactivity

PAINTS	
	Section 10. Stability and reactivity
Reactivity	
Does not react under the recommended storage and	handling conditions prescribed.
Chemical stability	
Stable under the recommended storage and handlin	g conditions prescribed.
Possibility of hazardous reactions	
None known	
Conditions to avoid (static discharge, shock or	vibration)
None known	
Incompatible materials	
Oxidizing materials; etc.	
Hazardous decomposition products	
None known	
	Section 11. Toxicological information
Information on the likely routes of exposure (in	
Suspected of causing cancer.	ion. May cause an allergic skin reaction. Harmful if inhaled. May cause respiratory irritation.
Symptoms related to the physical, chemical and	
	tation, redness, tearing; Respiratory tract irritation, coughing, shortness of breath, dizziness,
drowsiness, nausea and headaches.	
Delayed and immediate effects (chronic effects	
Ingredient listed by IARC, ACGIH, NTP or OSH	tization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – A; Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Single Exposure peated Exposure – No data available; Aspiration Hazard – No data available; Health Hazards Not
Numerical measures of toxicity (ATE; LD <sub>50</sub> &	LC <sub>50</sub> )
	C <sub>50</sub> Inhalation - Rat - 4 h - 5000 ppm; CAS 100-41-4 LD <sub>50</sub> Oral - Rat - 3500 mg/kg; LC <sub>50</sub>
Inhalation - Rat - 4 h – 4000 ppm;	
ATE not available in this document.	
	Section 12. Ecological information
Ecotoxicity (aquatic and terrestrial informatio	
Persistence and degradability No data available	
Bioaccumulative potential No data availabl	e
Mobility in soilNo data available	
Other adverse effects Harmful to aquatic life	e with long lasting effects.
	Section 13. Disposal considerations
Information on safe handling for disposal/meth	
Dispose of contents/container into safe container	in accordance with local, regional or national regulations.
	Section 14. Transport information
UN number; Proper shipping name; Class(es);	Packing group (PG) of the TDG Regulations
NOT REGULATED	
UN number; Proper shipping name; Class(es);	Packing group (PG) of the IMDG (maritime)
NOT REGULATED	
UN number; Proper shipping name; Class(es); NOT REGULATED	Packing group (PG) of the IATA (air)
Special precautions (transport/conveyance)	None
	None known
Bulk transport (usually more than 450 L in ca	pacity) Possible
Section 15. Regulatory information	
Safety/health Canadian regulations specifics	Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).
Environmental Canadian regulations specifics	
Safety/health/environmental outside regulation	
United States OSHA information: This product is	
	ency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.
United States TCSA information: Refer to the ing	



Section 16. Other information		
Date of the lates	t revision of the safety data sheet May 12, 2021 version 1 (NSS ENTREPRISE INC.)	
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.	
Abbreviations		
ACGIH	American Conference of Governmental Industrial Hygienists	
ATE	Acute toxicity estimate	
CAS	Chemical Abstract Service	
DSL	Domestic Substance List	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods Code	
LC	Lethal concentration	
LD	Lethal Dosage	
NIOSH	National Institute for Occupational Safety and Health	
NTP	National Toxicology Program (U.S.A.)	
OSHA	Occupational Safety and Health Administration (U.S.A.)	
PEL	Permissible Exposure Limit	
STEL	Short-term Exposure Limit	
TDG	Transport of dangerous goods in Canada	
TLV	Threshold Limit Value	
TSCA	Toxic Substances Control Act	
TWA	Time Weighted Average	
WHMIS	Workplace Hazardous Materials Information System	
To the best of our k	nowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability	

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



# SAFETY DATA SHEET (SDS)

S	Section 1. Identification		
Product identifier MF3450CL B			
Other means of identification None			
<b>Recommended use and restrictions on use</b> Epoxy			
	llevard Dagenais O, Laval, QC H7L 5A3 T:(45	50) 628-3831	
	da – CANUTEC 24 hour number 613-996-666		
	on 2. Hazard identification		
Classification of hazardous product (name of the categor			
Flammable liquid (Category 4)	y		
Skin irritation (category 2)			
Eye irritation (category 2A)			
Skin sensitization (category 1)			
Acute toxicity inhalation (Category 4)			
Respiratory sensitization (category 1)			
Specific target organ toxicity - Single exposure (Category 3	)		
Carcinogenicity (Category 2)			
Hazardous to the aquatic environment - Chronic (Category 3			
Information elements (symbols, signal words, hazard sta	tements and precautionary statements of th	e category/subcategory)	
Danger			
H227 Combustible liquid.			
H315 Causes skin irritation.			
H319 Causes serious eye irritation.			
H317 May cause an allergic skin reaction.			
H332 Harmful if inhaled.			
H334 May cause allergy or asthma symptoms or breathing d	ifficulties if inhaled.		
H335 May cause respiratory irritation.			
H351 Suspected of causing cancer.			
H412 Harmful to aquatic life with long lasting effects.		and and and a DOLO Kan array from	
P201 Obtain special instructions before use. P202 Do not ha heat, hot surfaces, sparks, open flames and other ignition sour			
hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection. P284 Wear respiratory protection.			
$P_{302} + P_{352}$ IF ON SKIN: wash with plenty of water. $P_{333} + P_{313}$ IF SKIN irritation or rash occurs: Get medical attention. $P_{362} + P_{364}$ Take off			
contaminated clothing and wash it before reuse. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310			
Immediately call a doctor. P342 + P311 If experiencing respiratory symptoms: Call a doctor. P305 + P351 + P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 IF eye irritation persists: Get medical			
attention. $P308 + P313$ IF exposed or concerned: Get medical attention. $P370 + P378$ In case of fire: Use carbon dioxide, chemical powder agent			
and appropriate foam to extinguish. P273 Avoid release to the environment. P391 Collect spillage. P403 + P233 Store in a well-ventilated place.			
Keep container tightly closed. P405 Store locked up. P501			
national regulations.	-		
Other hazards known None			
Section 3. Con	Section 3. Composition/information on ingredients		
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)*	
Homopolymer of HDI	28182-81-2	60-100	
Hexamethylene diisocyanate	822-06-0	< 0.5	
Xylene	1330-20-7	< 20	
Ethyl benzene	100-41-4	< 5	
Mixture Diisobutyl adipate &	141-04-8	< 20	
Diisobutyl glutarate &	71195-64-7		
Diisobutyl succinate	925-06-4		
* Statement - This safety data sheet provides conce	ntration range(s) instead of the actual concentration(	s) considered trade secret(s).	



	Section 4	l. First-aid measures	
Inhalation	IF INHALED: Remove person to fresh air and	keep comfortable for breathing. Call a doctor if you feel unwell. If experiencing	
	respiratory symptoms: Call a doctor.		
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victin		
	rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink tw		
		have victim lean forward to reduce risk of aspiration.	
Skin contact		everal minutes. (15-20) IF SKIN irritation or rash occurs: Get medical attention.	
Eye contact		everal minutes (15-20). Remove contact lenses, if present and easy to do. Continue	
	rinsing. If eye irritation persists: Get medical a		
	t symptoms and effects (acute or delayed)	Causes serious eye irritation. Causes skin irritation.	
Indication of im	mediate medical attention/special treatment	In all cases, call a doctor. Do not forget this document.	
		Fire-fighting measures	
Specific hazard	s of the hazardous product (hazardous combust	tion products)	
	nd other irritant/toxic gases and fumes.		
Suitable and un	suitable extinguishing media		
In case of fire: U	Jse carbon dioxide, chemical powder agent and app	propriate foam to extinguish.	
Special protecti	ve equipment and precautions for fire-fighters		
During a fire, irr	itating/toxic smoke and fumes may be generated. I	Do not enter fire area without proper protection. Firefighters should wear proper	
protective equipm	nent and self-contained breathing apparatus with ful	Il facepiece. Shield personnel to protect from venting, rupturing or bursting cans.	
Move containers	from fire area if it can be done without risk. Water	spray may be useful in cooling equipment and cans exposed to heat and flame.	
	Section 6. Acc	cidental release measures	
Personal precau	itions, protective equipment and emergency pro	ocedures	
Restrict access to	area until completion of clean-up. Ensure clean-up	p is conducted by trained personnel only. All persons dealing with clean-up shoul	
wear the appropr	iate protective equipment (See Section 8).		
Methods and m	aterials for containment and cleaning up		
Ventilate area of	release. Stop the leak if it can be done safely. Co	ontain and absorb any spilled liquid concentrate with inert absorbent material, the	
place material int	to a container for later disposal (see Section 13). Co	ontaminated absorbent material may pose the same hazards as the spilled produc	
Notify the approp	priate authorities as required.		
	Section 7.	Handling and storage	
<b>Precautions for</b>	safe handling		
Wear gloves/pro	tective clothing/eye protection/face protection.		
Before handling	, it is very important that engineering controls ar	re operating, and that protective equipment requirements and personal hygien	
measures are bei	ng followed. People working with this chemical sh	ould be properly trained regarding its hazards and its safe use. Inspect container	
for leaks before	handling. Label containers appropriately. Ensure		
1.1		e proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoi	
contact with eyes			
	s, skin and clothing. Keep away from heat, sparks	and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep	
away from incor Section 8.	s, skin and clothing. Keep away from heat, sparks mpatible materials (Section 10). Keep containers	and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep	
away from incor Section 8. Conditions for s	s, skin and clothing. Keep away from heat, sparks mpatible materials (Section 10). Keep containers safe storage, including any incompatibilities	and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep closed when not in use. Empty containers are always dangerous. Refer also to	
away from incor Section 8. Conditions for s Store in a well-w	s, skin and clothing. Keep away from heat, sparks mpatible materials (Section 10). Keep containers safe storage, including any incompatibilities rentilated place. Keep container tightly closed. Ke	and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep closed when not in use. Empty containers are always dangerous. Refer also to rep cool. Store locked up. Store away from incompatible materials (Section 10)	
away from incor Section 8. Conditions for s Store in a well-v Inspect all incor	s, skin and clothing. Keep away from heat, sparks mpatible materials (Section 10). Keep containers safe storage, including any incompatibilities rentilated place. Keep container tightly closed. Ke ning containers to make sure they are properly 1	and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep closed when not in use. Empty containers are always dangerous. Refer also to ep cool. Store locked up. Store away from incompatible materials (Section 10) labelled and not damaged. Storage area should be clearly identified, clear o	
away from incor Section 8. Conditions for s Store in a well-v Inspect all incor	s, skin and clothing. Keep away from heat, sparks mpatible materials (Section 10). Keep containers safe storage, including any incompatibilities rentilated place. Keep container tightly closed. Ke	and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep closed when not in use. Empty containers are always dangerous. Refer also to rep cool. Store locked up. Store away from incompatible materials (Section 10) labelled and not damaged. Storage area should be clearly identified, clear of	
away from incor Section 8. Conditions for s Store in a well-v Inspect all incor obstruction and a	s, skin and clothing. Keep away from heat, sparks mpatible materials (Section 10). Keep containers safe storage, including any incompatibilities rentilated place. Keep container tightly closed. Ke ming containers to make sure they are properly l accessible only to trained personnel. Inspect period Section 8. Exposur	and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep closed when not in use. Empty containers are always dangerous. Refer also to eep cool. Store locked up. Store away from incompatible materials (Section 10) labelled and not damaged. Storage area should be clearly identified, clear of dically for damage or leaks. re controls/Personal protection	
away from incor Section 8. Conditions for s Store in a well-v Inspect all incor obstruction and a	s, skin and clothing. Keep away from heat, sparks mpatible materials (Section 10). Keep containers safe storage, including any incompatibilities rentilated place. Keep container tightly closed. Ke ming containers to make sure they are properly b accessible only to trained personnel. Inspect period	and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep closed when not in use. Empty containers are always dangerous. Refer also to eep cool. Store locked up. Store away from incompatible materials (Section 10) labelled and not damaged. Storage area should be clearly identified, clear of dically for damage or leaks. re controls/Personal protection	
away from incor Section 8. Conditions for s Store in a well-v Inspect all incor obstruction and a Control parame	s, skin and clothing. Keep away from heat, sparks mpatible materials (Section 10). Keep containers safe storage, including any incompatibilities rentilated place. Keep container tightly closed. Ke ming containers to make sure they are properly l accessible only to trained personnel. Inspect period Section 8. Exposur eters (biological limit values or exposure limit valu	and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep closed when not in use. Empty containers are always dangerous. Refer also the ep cool. Store locked up. Store away from incompatible materials (Section 10) labelled and not damaged. Storage area should be clearly identified, clear of dically for damage or leaks. re controls/Personal protection alues and source of those values)	
away from incor Section 8. Conditions for s Store in a well-v Inspect all incor obstruction and a Control parame Exposure limits:	s, skin and clothing. Keep away from heat, sparks mpatible materials (Section 10). Keep containers safe storage, including any incompatibilities rentilated place. Keep container tightly closed. Ke ming containers to make sure they are properly l accessible only to trained personnel. Inspect period Section 8. Exposur eters (biological limit values or exposure limit va DUST ACGIH – TLV-TWA 1 mg/m <sup>3</sup> & PEL-TW	and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep closed when not in use. Empty containers are always dangerous. Refer also the ep cool. Store locked up. Store away from incompatible materials (Section 10) labelled and not damaged. Storage area should be clearly identified, clear of dically for damage or leaks. The controls/Personal protection alues and source of those values) VA 5 mg/m <sup>3</sup> (respirable fraction) & 15 mg/m <sup>3</sup> (total dust);	
away from incor Section 8. Conditions for s Store in a well-v Inspect all incor obstruction and a Control parame Exposure limits: CAS 822-06-0 A	s, skin and clothing. Keep away from heat, sparks mpatible materials (Section 10). Keep containers safe storage, including any incompatibilities rentilated place. Keep container tightly closed. Ke ming containers to make sure they are properly 1 accessible only to trained personnel. Inspect period Section 8. Exposur eters (biological limit values or exposure limit va DUST ACGIH – TLV-TWA 1 mg/m <sup>3</sup> & PEL-TW ACGIH – TLV-TWA 0.005 ppm; CAS 1330-20-7	and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep closed when not in use. Empty containers are always dangerous. Refer also the ep cool. Store locked up. Store away from incompatible materials (Section 10) labelled and not damaged. Storage area should be clearly identified, clear of dically for damage or leaks. re controls/Personal protection alues and source of those values)	
away from incor Section 8. Conditions for s Store in a well-v Inspect all incor obstruction and a Control parame Exposure limits: CAS 822-06-0 A 100-41-4 ACGII	s, skin and clothing. Keep away from heat, sparks mpatible materials (Section 10). Keep containers safe storage, including any incompatibilities rentilated place. Keep container tightly closed. Ke ming containers to make sure they are properly 1 accessible only to trained personnel. Inspect period Section 8. Exposur eters (biological limit values or exposure limit values DUST ACGIH – TLV-TWA 1 mg/m <sup>3</sup> & PEL-TW ACGIH – TLV-TWA 0.005 ppm; CAS 1330-20-7 H – TLV-TWA 20 ppm & PEL-TWA 100 ppm;	and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep closed when not in use. Empty containers are always dangerous. Refer also the ep cool. Store locked up. Store away from incompatible materials (Section 10) labelled and not damaged. Storage area should be clearly identified, clear of dically for damage or leaks. The controls/Personal protection alues and source of those values) VA 5 mg/m <sup>3</sup> (respirable fraction) & 15 mg/m <sup>3</sup> (total dust);	
away from incor Section 8. Conditions for s Store in a well-v Inspect all incor obstruction and a Control parame Exposure limits: CAS 822-06-0 A 100-41-4 ACGII Appropriate en	s, skin and clothing. Keep away from heat, sparks mpatible materials (Section 10). Keep containers safe storage, including any incompatibilities rentilated place. Keep container tightly closed. Ke ming containers to make sure they are properly 1 accessible only to trained personnel. Inspect period Section 8. Exposur eters (biological limit values or exposure limit v. DUST ACGIH – TLV-TWA 1 mg/m <sup>3</sup> & PEL-TW ACGIH – TLV-TWA 0.005 ppm; CAS 1330-20-7 H – TLV-TWA 20 ppm & PEL-TWA 100 ppm; gineering controls	and flame. Avoid generating high concentrations of dusts, vapours or mists. Kee closed when not in use. Empty containers are always dangerous. Refer also t rep cool. Store locked up. Store away from incompatible materials (Section 10) labelled and not damaged. Storage area should be clearly identified, clear of dically for damage or leaks. <b>e controls/Personal protection</b> <b>alues and source of those values)</b> VA 5 mg/m <sup>3</sup> (respirable fraction) & 15 mg/m <sup>3</sup> (total dust); ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS	
away from incor Section 8. Conditions for s Store in a well-v Inspect all incor obstruction and a Control parame Exposure limits: CAS 822-06-0 A 100-41-4 ACGII Appropriate en Use under well-v	s, skin and clothing. Keep away from heat, sparks mpatible materials (Section 10). Keep containers safe storage, including any incompatibilities ventilated place. Keep container tightly closed. Ke ning containers to make sure they are properly 1 accessible only to trained personnel. Inspect period Section 8. Exposur eters (biological limit values or exposure limit values DUST ACGIH – TLV-TWA 1 mg/m <sup>3</sup> & PEL-TW ACGIH – TLV-TWA 0.005 ppm; CAS 1330-20-7 H – TLV-TWA 20 ppm & PEL-TWA 100 ppm; gineering controls ventilated conditions. Local exhaust ventilation sys	and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep closed when not in use. Empty containers are always dangerous. Refer also to rep cool. Store locked up. Store away from incompatible materials (Section 10) labelled and not damaged. Storage area should be clearly identified, clear of dically for damage or leaks. <b>e controls/Personal protection</b> <b>alues and source of those values)</b> VA 5 mg/m <sup>3</sup> (respirable fraction) & 15 mg/m <sup>3</sup> (total dust); ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS	
away from incor Section 8. Conditions for s Store in a well-v Inspect all incor obstruction and a Control paramo Exposure limits: CAS 822-06-0 A 100-41-4 ACGII Appropriate en Use under well-v limits. Make emo	s, skin and clothing. Keep away from heat, sparks mpatible materials (Section 10). Keep containers safe storage, including any incompatibilities ventilated place. Keep container tightly closed. Ke ning containers to make sure they are properly 1 accessible only to trained personnel. Inspect period Section 8. Exposur eters (biological limit values or exposure limit values DUST ACGIH – TLV-TWA 1 mg/m <sup>3</sup> & PEL-TW ACGIH – TLV-TWA 0.005 ppm; CAS 1330-20-7 H – TLV-TWA 20 ppm & PEL-TWA 100 ppm; gineering controls ventilated conditions. Local exhaust ventilation syster ergency eyewash stations, safety/quick-drench sho	and flame. Avoid generating high concentrations of dusts, vapours or mists. Kee closed when not in use. Empty containers are always dangerous. Refer also t rep cool. Store locked up. Store away from incompatible materials (Section 10) labelled and not damaged. Storage area should be clearly identified, clear of dically for damage or leaks. <b>re controls/Personal protection</b> <b>alues and source of those values)</b> VA 5 mg/m <sup>3</sup> (respirable fraction) & 15 mg/m <sup>3</sup> (total dust); ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CA tem is recommended to maintain concentrations of contaminants below exposur overs, and washing facilities available in work area.	
away from incor Section 8. Conditions for s Store in a well-v Inspect all incor obstruction and a Control paramo Exposure limits: CAS 822-06-0 A 100-41-4 ACGII Appropriate en Use under well-v limits. Make emo	s, skin and clothing. Keep away from heat, sparks mpatible materials (Section 10). Keep containers safe storage, including any incompatibilities ventilated place. Keep container tightly closed. Ke ning containers to make sure they are properly 1 accessible only to trained personnel. Inspect period Section 8. Exposur eters (biological limit values or exposure limit values DUST ACGIH – TLV-TWA 1 mg/m <sup>3</sup> & PEL-TW ACGIH – TLV-TWA 0.005 ppm; CAS 1330-20-7 H – TLV-TWA 20 ppm & PEL-TWA 100 ppm; gineering controls ventilated conditions. Local exhaust ventilation syst ergency eyewash stations, safety/quick-drench sho ection measures/personal protective equipment	and flame. Avoid generating high concentrations of dusts, vapours or mists. Kee closed when not in use. Empty containers are always dangerous. Refer also t rep cool. Store locked up. Store away from incompatible materials (Section 10) labelled and not damaged. Storage area should be clearly identified, clear of dically for damage or leaks. <b>re controls/Personal protection</b> <b>alues and source of those values)</b> VA 5 mg/m <sup>3</sup> (respirable fraction) & 15 mg/m <sup>3</sup> (total dust); ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CA tem is recommended to maintain concentrations of contaminants below exposur overs, and washing facilities available in work area.	
away from incor Section 8. Conditions for s Store in a well-v Inspect all incor obstruction and a Control paramo Exposure limits: CAS 822-06-0 A 100-41-4 ACGII Appropriate en Use under well-v limits. Make em Individual proto	s, skin and clothing. Keep away from heat, sparks mpatible materials (Section 10). Keep containers safe storage, including any incompatibilities ventilated place. Keep container tightly closed. Ke ning containers to make sure they are properly blacessible only to trained personnel. Inspect period Section 8. Exposur eters (biological limit values or exposure limit values DUST ACGIH – TLV-TWA 1 mg/m <sup>3</sup> & PEL-TW ACGIH – TLV-TWA 0.005 ppm; CAS 1330-20-7 H – TLV-TWA 20 ppm & PEL-TWA 100 ppm; gineering controls ventilated conditions. Local exhaust ventilation syster ergency eyewash stations, safety/quick-drench sho ection measures/personal protective equipment ection is required if the concentrations are higher th	and flame. Avoid generating high concentrations of dusts, vapours or mists. Kee closed when not in use. Empty containers are always dangerous. Refer also the rep cool. Store locked up. Store away from incompatible materials (Section 10) labelled and not damaged. Storage area should be clearly identified, clear of dically for damage or leaks. <b>re controls/Personal protection</b> <b>alues and source of those values)</b> WA 5 mg/m <sup>3</sup> (respirable fraction) & 15 mg/m <sup>3</sup> (total dust); ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS tem is recommended to maintain concentrations of contaminants below exposure overs, and washing facilities available in work area.	
away from incor Section 8. Conditions for s Store in a well-v Inspect all incor obstruction and a Control paramo Exposure limits: CAS 822-06-0 A 100-41-4 ACGII Appropriate en Use under well-v limits. Make em Individual proto are unknown. Ch	s, skin and clothing. Keep away from heat, sparks mpatible materials (Section 10). Keep containers safe storage, including any incompatibilities ventilated place. Keep container tightly closed. Ke ning containers to make sure they are properly b accessible only to trained personnel. Inspect period Section 8. Exposur eters (biological limit values or exposure limit va DUST ACGIH – TLV-TWA 1 mg/m <sup>3</sup> & PEL-TW ACGIH – TLV-TWA 0.005 ppm; CAS 1330-20-7 H – TLV-TWA 20 ppm & PEL-TWA 100 ppm; gineering controls ventilated conditions. Local exhaust ventilation sys ergency eyewash stations, safety/quick-drench sho ection measures/personal protective equipment ection is required if the concentrations are higher th memically protective gloves (impervious), and other	and flame. Avoid generating high concentrations of dusts, vapours or mists. Kee closed when not in use. Empty containers are always dangerous. Refer also t rep cool. Store locked up. Store away from incompatible materials (Section 10) labelled and not damaged. Storage area should be clearly identified, clear of dically for damage or leaks. <b>re controls/Personal protection</b> <b>alues and source of those values)</b> WA 5 mg/m <sup>3</sup> (respirable fraction) & 15 mg/m <sup>3</sup> (total dust); ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS tem is recommended to maintain concentrations of contaminants below exposure overs, and washing facilities available in work area.	
away from incor Section 8. Conditions for s Store in a well-v Inspect all incor obstruction and a Control paramo Exposure limits: CAS 822-06-0 A 100-41-4 ACGII Appropriate en Use under well-v limits. Make em Individual prot Respiratory prot are unknown. Ch during all handli	s, skin and clothing. Keep away from heat, sparks mpatible materials (Section 10). Keep containers safe storage, including any incompatibilities ventilated place. Keep container tightly closed. Ke ning containers to make sure they are properly b accessible only to trained personnel. Inspect period Section 8. Exposur eters (biological limit values or exposure limit va DUST ACGIH – TLV-TWA 1 mg/m <sup>3</sup> & PEL-TW ACGIH – TLV-TWA 0.005 ppm; CAS 1330-20-7 H – TLV-TWA 20 ppm & PEL-TWA 100 ppm; gineering controls ventilated conditions. Local exhaust ventilation sys ergency eyewash stations, safety/quick-drench sho ection measures/personal protective equipment ection is required if the concentrations are higher the menically protective gloves (impervious), and other ng operations. Wear protective chemical splash go	and flame. Avoid generating high concentrations of dusts, vapours or mists. Kee closed when not in use. Empty containers are always dangerous. Refer also the rep cool. Store locked up. Store away from incompatible materials (Section 10) labelled and not damaged. Storage area should be clearly identified, clear of dically for damage or leaks. <b>re controls/Personal protection</b> <b>alues and source of those values)</b> WA 5 mg/m <sup>3</sup> (respirable fraction) & 15 mg/m <sup>3</sup> (total dust); ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS tem is recommended to maintain concentrations of contaminants below exposure overs, and washing facilities available in work area.	



PAINTS			
Section 9. Physical and c	hemical prop	erties	
Appearance, physical state/colour Liquid	Vapour press	sure	Not available
Odour Characteristic	Vapour dens	ity	Not available
Odour threshold Not available	Relative density		Not available
pH Not available	Solubility Not available		
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available		
Initial boiling point/range Not available	Auto-ignition temperature Not available		
Flash point $> 65^{\circ}$ C	Decomposition temperature Not available		
Evaporation rate Not available	Viscosity Not available		
Flammability (solids and gases) Not available		availal	
Upper and lower flammability/explosive limits Not available		ne knov	
Section 10. Stability			
Reactivity	and reactivit	J	
Does not react under the recommended storage and handling conditions prescri	ibed		
Chemical stability	ioca.		
Stable under the recommended storage and handling conditions prescribed.			
Possibility of hazardous reactions			
None known			
Conditions to avoid (static discharge, shock or vibration)			
None known			
Incompatible materials			
Oxidizing materials; etc.			
Hazardous decomposition products			
None known			
	: ] : f 4:		
Section 11. Toxicolog			
Information on the likely routes of exposure (inhalation, ingestion, skin a	and eye contact	<b>()</b>	1 1 1 1 M 11 /
Causes skin irritation. Causes serious eye irritation. May cause an allergic ski			innaled. May cause allergy or asthma symptoms
or breathing difficulties if inhaled. May cause respiratory irritation. Suspecte		icer.	
Symptoms related to the physical, chemical and toxicological characterist Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing; R			in muching the state of handle diminant
	tespiratory tract	. irritat	ion, cougning, shortness of breath, dizziness,
drowsiness, nausea and headaches.	- 4		
<b>Delayed and immediate effects (chronic effects from short-term and long</b> Skin Sensitization – Possible; Respiratory Sensitization – Possible; Germ Cel			ta availabla. Canaina aganiaity In anadiant listad
by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity – No data availa			
Specific Target Organ Toxicity — Repeated Exposure – No data available; A			
Classified – No data available.	Aspiration maza	1 <b>u</b> – 1 <b>u</b>	o data available, ficatul fiazards Not Otherwise
Numerical measures of toxicity (ATE; LD <sub>50</sub> & LC <sub>50</sub> )			
CAS 28182-81-2 LC <sub>50</sub> Inhalation - Rat - 4 h - 400-425 mg/m <sup>3</sup> ; CAS 822-06-	0 I C co Inholoti	on Pr	$h = \frac{1}{210} \frac{350}{250} \frac{mg}{m^3}$ ; CAS 1330 20 7 L D <sub>co</sub>
Oral - Rat - $3523 \text{ mg/kg}$ ; LC <sub>50</sub> Inhalation - Rat - $4 \text{ h} = 400 \text{-}423 \text{ mg/hr}$ ; CAS $822 \text{-}00 \text{-}223 \text{ mg/hr}$ ; CAS $822 \text{-}00 \text{-}233 \text{ mg/hr}$ ; CAS $822 $			
ppm;	+1-4 LD50 Olal ·	- Kat -	5500  mg/kg, $LC50  minaration$ - Kat - 4 II – 4000
ATE not available in this document.			
Section 12. Ecologic	alinformation	n	
<b>Ecotoxicity (aquatic and terrestrial information)</b> No data available for		11	
Persistence and degradability No data available	tile product.		
Bioaccumulative potential No data available			
Mobility in soilNo data availableOther adverse effectsHarmful to aquatic life with long lasting effects.			
Section 13. Disposal			
Information on safe handling for disposal/methods of disposal/contamina			1
Dispose of contents/container into safe container in accordance with local, re	0	<u> </u>	ilations.
Section 14. Transpo			
UN number; Proper shipping name; Class(es); Packing group (PG) of the	ne TDG Regula	tions	
NOT REGULATED			
UN number; Proper shipping name; Class(es); Packing group (PG) of th	ne IMDG (mari	itime)	
NOT REGULATED			
UN number; Proper shipping name; Class(es); Packing group (PG) of the	ne IATA (air)		
NOT REGULATED			
Special precautions (transport/conveyance) None			
Environmental hazards (IMDG or other) None			
Bulk transport (usually more than 450 L in capacity) Possible			



	Section 15. Regulatory information
Safety/health C	Canadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been classified in accordance
	with the hazard criteria of the Hazardous Products Regulations (HPR).
	Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL
	nvironmental outside regulations specifics
	SHA information: This product is regulated according to OSHA (29 CFR).
	PA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.
United States TO	CSA information: Refer to the ingredients listed in Section 3.
	Section 16. Other information
Date of the late	st revision of the safety data sheet May 12, 2021 version 1 (NSS ENTREPRISE INC.)
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.
Abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
ATE	Acute toxicity estimate
CAS	Chemical Abstract Service
DSL	Domestic Substance List
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods Code
LC	Lethal concentration
LD	Lethal Dosage
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program (U.S.A.)
OSHA	Occupational Safety and Health Administration (U.S.A.)
PEL	Permissible Exposure Limit
STEL	Short-term Exposure Limit
TDG	Transport of dangerous goods in Canada
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
WHMIS	Workplace Hazardous Materials Information System
	knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability
	e accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the
user. All materials	s may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are

the only hazards that exist.